

California Local Health Jurisdiction STD Data Summaries 2001 Provisional Data

Data Sources 2

Data Limitations 3

State Profile..... 4

Local Health Jurisdictions

Alameda 8
Alpine 10
Amador 12
Berkeley 14
Butte 16
Calaveras 18
Colusa 20
Contra Costa 22
Del Norte 24
El Dorado 26
Fresno 28
Glenn 30
Humboldt 32
Imperial 34
Inyo 36
Kern 38
Kings 40
Lake 42
Lassen 44
Long Beach 46
Los Angeles 48

Madera 50
Marin 52
Mariposa 54
Mendocino 56
Merced 58
Modoc 60
Mono 62
Monterey 64
Napa 66
Nevada 68
Orange 70
Pasadena 72
Placer 74
Plumas 76
Riverside 78
Sacramento 80
San Benito 82
San Bernardino 84
San Diego 86
San Francisco 88

San Joaquin 90
San Luis Obispo 92
San Mateo 94
Santa Barbara 96
Santa Clara 98
Santa Cruz 100
Shasta 102
Sierra 104
Siskiyou 106
Solano 108
Sonoma 110
Stanislaus 112
Sutter 114
Tehama 116
Trinity 118
Tulare 120
Tuolumne 122
Ventura 124
Yolo 126
Yuba 128



Prepared by: California Department of Health Services
Sexually Transmitted Disease Control Branch
<http://www.dhs.ca.gov/ps/dcdc/STD/stdindex.htm>



March 2003

DATA SOURCES

The STD surveillance systems operated by state and local STD control programs are the sources of California data in this publication. Case reports are submitted to local health jurisdictions in the form of laboratory reports and Confidential Morbidity Reports (CMRs). The local health jurisdictions then submit the data to the California Department of Health Services (CDHS). Submission of the data may be accomplished electronically in two ways. Most health jurisdictions either use the Automated Vital Statistics System (AVSS) communicable disease module, or enter case data into a non-AVSS database using regional office computers or STD surveillance unit staff support in Sacramento. A small number of health jurisdictions report case data through paper-based transactions (CMRs) or through a county-generated database.

Rates by county and selected city health jurisdictions were calculated using State of California, Department of Finance, *County Population Estimates and Components of Change, July 1, 2000–2001, with Historical Estimates, 1990–2000*, Sacramento, CA, January 2002. Rates by age, race/ethnicity, and gender were calculated using State of California, Department of Finance, *Race/Ethnic Population Projections with Age and Sex Detail, 1970–2040*, Sacramento, CA, December 1998. In this report, data are presented by county and for the separate city health jurisdictions of Berkeley, Long Beach and Pasadena. The numbers for these cities are displayed separately from their respective county totals and are included in the county totals.

The race and ethnicity information listed and the corresponding census categories are Black (Black or African-American, non-Hispanic); Latino/Hispanic (Hispanic ethnicity, regardless of race designation); White (white, non-Hispanic); Asian/Pacific Islander (Asian or Native Hawaiian/Pacific Islander, non-Hispanic); American Indian/Alaska Native (American Indian/Alaska Native, non-Hispanic); and Not Specified (no race or ethnicity information was available).



DATA LIMITATIONS

The observed increasing trend in chlamydia cases is influenced by factors other than true increases in cases. Chlamydia is often asymptomatic, and many cases are identified through screening programs offered primarily to women. Based on local, state, and national efforts, these screening activities have been increasing in recent years. Women may be screened for chlamydia through routine Pap smear screening, family planning services, and other services related to reproductive health care. Although the majority of chlamydia infections in males are asymptomatic, there are no guidelines for screening asymptomatic males. Another factor influencing the apparent increase in cases is the increasing use of urine-based, nucleic acid amplification tests (NAAT) for chlamydia screening. This test type is likely contributing to the rise in the number of reported chlamydia cases because these tests are more sensitive and more acceptable to some women and men.


The substantial amount of missing race/ethnicity data from the laboratory reports and CMRs limits the interpretation of race/ethnicity data from surveillance data. The majority of case reports originate from laboratories, a group which does not routinely collect data on race/ethnicity. Further, some managed care organizations and other health care service providers do not routinely record race/ethnicity of patients. The observed racial/ethnic disparities may reflect true differences in the infection rates, differential access to health care, and/or reporting practices of different types of providers that serve different populations.

Caution should also be observed when interpreting rates based on few events and/or small populations. For more information, refer to *Guidelines for statistical analysis of public health data with attention to small numbers, Revised, March, 2002*. This publication can be found at <http://www.ucsf.edu/fhop/docs/guides/smallnumbers.pdf>.




California – Chlamydia, Gonorrhea, and P&S Syphilis Rates by County, 2001


Chlamydia



P&S Syphilis



Gonorrhea












Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



California – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female □ Male

— Female — Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



California – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
STATE TOTAL	101,871	100.0%	293.1	23,277	100.0%	67.0	546	100.0%	1.6	414	100.0%	1.2	35,233,335	100.0%
Female Total	76,195	74.8%	434.4	10,445	44.9%	59.6	43	7.9%	0.2	102	24.6%	0.6	17,538,924	49.8%
Ages														
0 - 9	69	0.1%	2.5	19	0.2%	0.7	0	0.0%	0.0	0	0.0%	0.0	2,803,197	16.0%
10 - 14	1,264	1.7%	94.8	276	2.7%	20.7	0	0.0%	0.0	4	3.9%	0.3	1,332,883	7.6%
15 - 19	25,794	34.1%	2,194.3	3,620	34.8%	308.0	6	14.0%	0.5	11	10.8%	0.9	1,175,476	6.7%
20 - 24	26,791	35.4%	2,411.6	3,208	30.9%	288.8	9	20.9%	0.8	16	15.7%	1.4	1,110,930	6.3%
25 - 29	11,744	15.5%	1,094.8	1,445	13.9%	134.7	7	16.3%	0.7	17	16.7%	1.6	1,072,669	6.1%
30 - 34	5,371	7.1%	429.3	846	8.1%	67.6	8	18.6%	0.6	19	18.6%	1.5	1,251,213	7.1%
35 - 44	3,735	4.9%	133.0	770	7.4%	27.4	5	11.6%	0.2	24	23.5%	0.9	2,809,086	16.0%
45+	936	1.2%	15.6	205	2.0%	3.4	8	18.6%	0.1	11	10.8%	0.2	5,983,470	34.1%
Not Specified	491	0.6%	-	56	0.5%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	24,907	24.4%	140.8	12,678	54.5%	71.6	503	92.1%	2.8	312	75.4%	1.8	17,694,411	50.2%
Ages														
0 - 9	42	0.2%	1.4	6	0.0%	0.2	0	0.0%	0.0	0	0.0%	0.0	2,940,318	16.6%
10 - 14	163	0.7%	11.6	32	0.3%	2.3	0	0.0%	0.0	0	0.0%	0.0	1,400,506	7.9%
15 - 19	5,525	22.4%	443.2	1,406	11.2%	112.8	11	2.2%	0.9	5	1.6%	0.4	1,246,630	7.0%
20 - 24	8,359	33.9%	684.9	2,877	22.9%	235.7	39	7.8%	3.2	24	7.7%	2.0	1,220,477	6.9%
25 - 29	4,592	18.6%	387.3	2,283	18.1%	192.5	68	13.5%	5.7	47	15.1%	4.0	1,185,753	6.7%
30 - 34	2,808	11.4%	199.3	2,086	16.6%	148.1	100	19.9%	7.1	68	21.9%	4.8	1,408,854	8.0%
35 - 44	2,472	10.0%	83.6	2,847	22.6%	96.3	195	38.8%	6.6	124	39.9%	4.2	2,956,340	16.7%
45+	731	3.0%	13.7	1,044	8.3%	19.6	90	17.9%	1.7	43	13.8%	0.8	5,335,533	30.2%
Not Specified	215	0.9%	-	97	0.8%	-	0	0.0%	-	1	0.3%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
STATE TOTAL	101,871	100.0%	293.1	23,277	100.0%	67.0	546	100.0%	1.6	414	100.0%	1.2	35,233,335	100.0%
Female Total	76,195	74.8%	434.4	10,445	44.9%	59.6	43	7.9%	0.2	102	24.6%	0.6	17,538,924	49.8%
American Indian/Alaska Native	262	0.6%	245.9	32	0.5%	30.0	0	0.0%	0.0	0	0.0%	0.0	106,543	0.6%
Asian/Pacific Islander	2,569	5.5%	122.1	180	2.8%	8.6	1	2.4%	0.0	2	2.0%	0.1	2,103,688	12.0%
Black/African-American	9,315	19.9%	783.9	3,326	52.2%	279.9	9	21.4%	0.8	13	13.1%	1.1	1,188,215	6.8%
Latino/Hispanic	26,267	56.0%	494.5	1,838	28.8%	34.6	19	45.2%	0.4	72	72.7%	1.4	5,312,055	30.3%
White	8,488	18.1%	96.1	995	15.6%	11.3	13	31.0%	0.1	12	12.1%	0.1	8,828,423	50.3%
Not Specified	29,294	38.4%	-	4,074	39.0%	-	1	2.3%	-	3	2.9%	-	-	-
Male Total	24,907	24.4%	140.8	12,678	54.5%	71.6	503	92.1%	2.8	312	75.4%	1.8	17,694,411	50.2%
American Indian/Alaska Native	79	0.5%	77.1	27	0.3%	26.4	1	0.2%	1.0	0	0.0%	0.0	102,398	0.6%
Asian/Pacific Islander	715	4.4%	35.0	265	3.2%	13.0	23	4.7%	1.1	13	4.3%	0.6	2,040,959	11.5%
Black/African-American	4,427	27.2%	379.2	3,417	41.6%	292.7	82	16.7%	7.0	45	15.0%	3.9	1,167,597	6.6%
Latino/Hispanic	7,877	48.5%	138.0	2,042	24.9%	35.8	154	31.4%	2.7	155	51.5%	2.7	5,708,655	32.3%
White	3,155	19.4%	36.4	2,457	29.9%	28.3	230	46.9%	2.7	88	29.2%	1.0	8,674,802	49.0%
Not Specified	8,654	34.7%	-	4,470	35.3%	-	13	2.6%	-	11	3.5%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.




² Overall state rates were calculated using the July 1 county population estimate from the Department of Finance.
(For California, the July 1, 2001 estimate is 34,758,000).
Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	206		276		503	
► MSM Cases	51	24.8%	162	58.7%	378	75.1%
►► HIV Positives among MSM	13	25.5%	73	45.1%	210	55.6%



California – Chlamydia, Gonorrhea, and Early Syphilis Ranking of County Rates for 2001












Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



Alameda County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population. Alameda County includes Berkeley City Health Jurisdiction.
Source: California Department of Health Services, STD Control Branch

Alameda County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	4,886	100.0%	331.1	2,134	100.0%	144.6	27	100.0%	1.8	13	100.0%	0.9	1,492,004	100.0%
Female Total	3,705	75.8%	492.7	1,101	51.6%	146.4	2	7.4%	0.3	3	23.1%	0.4	752,020	50.4%
Ages														
0 - 9	5	0.1%	4.6	2	0.2%	1.8	0	0.0%	0.0	0	0.0%	0.0	108,918	14.5%
10 - 14	100	2.7%	186.2	39	3.6%	72.6	0	0.0%	0.0	0	0.0%	0.0	53,695	7.1%
15 - 19	1,388	38.0%	2,951.6	409	37.6%	869.7	1	50.0%	2.1	0	0.0%	0.0	47,026	6.3%
20 - 24	1,172	32.1%	2,636.4	302	27.7%	679.3	0	0.0%	0.0	1	33.3%	2.2	44,455	5.9%
25 - 29	552	15.1%	1,255.3	155	14.2%	352.5	0	0.0%	0.0	1	33.3%	2.3	43,972	5.8%
30 - 34	230	6.3%	417.6	95	8.7%	172.5	1	50.0%	1.8	0	0.0%	0.0	55,072	7.3%
35 - 44	164	4.5%	128.6	65	6.0%	51.0	0	0.0%	0.0	1	33.3%	0.8	127,572	17.0%
45+	45	1.2%	16.6	22	2.0%	8.1	0	0.0%	0.0	0	0.0%	0.0	271,310	36.1%
Not Specified	49	1.3%	-	12	1.1%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	1,139	23.3%	153.9	1,012	47.4%	136.8	25	92.6%	3.4	10	76.9%	1.4	739,984	49.6%
Ages														
0 - 9	4	0.4%	3.5	2	0.2%	1.7	0	0.0%	0.0	0	0.0%	0.0	114,899	15.5%
10 - 14	15	1.3%	26.8	5	0.5%	8.9	0	0.0%	0.0	0	0.0%	0.0	56,043	7.6%
15 - 19	316	28.2%	642.9	132	13.3%	268.6	0	0.0%	0.0	0	0.0%	0.0	49,152	6.6%
20 - 24	339	30.2%	726.6	220	22.1%	471.6	0	0.0%	0.0	1	10.0%	2.1	46,654	6.3%
25 - 29	193	17.2%	419.6	181	18.2%	393.5	2	8.0%	4.3	0	0.0%	0.0	45,997	6.2%
30 - 34	119	10.6%	195.0	145	14.6%	237.6	7	28.0%	11.5	2	20.0%	3.3	61,019	8.2%
35 - 44	102	9.1%	78.7	208	20.9%	160.4	11	44.0%	8.5	6	60.0%	4.6	129,682	17.5%
45+	34	3.0%	14.4	101	10.2%	42.7	5	20.0%	2.1	1	10.0%	0.4	236,538	32.0%
Not Specified	17	1.5%	-	18	1.8%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	4,886	100.0%	331.1	2,134	100.0%	144.6	27	100.0%	1.8	13	100.0%	0.9	1,492,004	100.0%
Female Total	3,705	75.8%	492.7	1,101	51.6%	146.4	2	7.4%	0.3	3	23.1%	0.4	752,020	50.4%
American Indian/Alaska Native	17	1.2%	486.3	2	0.5%	57.2	0	0.0%	0.0	0	0.0%	0.0	3,496	0.5%
Asian/Pacific Islander	152	11.2%	96.8	10	2.6%	6.4	0	0.0%	0.0	0	0.0%	0.0	156,954	20.9%
Black/African-American	737	54.1%	553.2	337	86.2%	252.9	1	50.0%	0.8	0	0.0%	0.0	133,228	17.7%
Latino/Hispanic	326	23.9%	244.7	19	4.9%	14.3	0	0.0%	0.0	2	66.7%	1.5	133,242	17.7%
White	131	9.6%	40.3	23	5.9%	7.1	1	50.0%	0.3	1	33.3%	0.3	325,100	43.2%
Not Specified	2,342	63.2%	-	710	64.5%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	1,139	23.3%	153.9	1,012	47.4%	136.8	25	92.6%	3.4	10	76.9%	1.4	739,984	49.6%
American Indian/Alaska Native	3	0.6%	90.3	3	0.7%	90.3	0	0.0%	0.0	0	0.0%	0.0	3,324	0.4%
Asian/Pacific Islander	42	8.4%	27.6	18	4.1%	11.8	1	4.0%	0.7	0	0.0%	0.0	152,059	20.5%
Black/African-American	290	58.0%	240.2	320	73.1%	265.0	9	36.0%	7.5	3	30.0%	2.5	120,735	16.3%
Latino/Hispanic	106	21.2%	74.2	30	6.8%	21.0	5	20.0%	3.5	3	30.0%	2.1	142,920	19.3%
White	59	11.8%	18.4	67	15.3%	20.9	10	40.0%	3.1	4	40.0%	1.2	320,946	43.4%
Not Specified	639	56.1%	-	574	56.7%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Alameda County, the July 1, 2001 estimate is 1,475,800).

Note: Rates are per 100,000 population. Alameda County includes Berkeley City Health Jurisdiction.

Source: California Department of Health Services, STD Control Branch









P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	6		8		25	
► MSM Cases	2	33.3%	5	62.5%	22	88.0%
►► HIV Positives among MSM	s	s	1	20.0%	12	54.5%

s - numbers too small for analysis




Alpine County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female □ Male



— Female — Male



Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

Alpine County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1	100.0%	84.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,268	100.0%
Female Total	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	604	47.6%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	63	10.4%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	34	5.6%
15 - 19	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	47	7.8%
20 - 24	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	40	6.6%
25 - 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	58	9.6%
30 - 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	60	9.9%
35 - 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	98	16.2%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	204	33.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	664	52.4%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	48	7.2%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	40	6.0%
15 - 19	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	29	4.4%
20 - 24	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	58	8.7%
25 - 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	64	9.6%
30 - 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	89	13.4%
35 - 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	127	19.1%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	209	31.5%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1	100.0%	84.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,268	100.0%
Female Total	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	604	47.6%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	178	29.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1	0.2%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%
Latino/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	44	7.3%
White	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	381	63.1%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	664	52.4%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	153	23.0%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9	1.4%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3	0.5%
Latino/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	49	7.4%
White	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	450	67.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Alpine County, the July 1, 2001 estimate is 1,190).










Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		0	
► MSM Cases	0	0.0%	0	0.0%	0	0.0%
►► HIV Positives among MSM	0	0.0%	0	0.0%	0	0.0%



Amador County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

Amador County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	20	100.0%	55.8	2	100.0%	5.6	0	0.0%	0.0	0	0.0%	0.0	35,242	100.0%
Female Total	14	70.0%	85.8	1	50.0%	6.1	0	0.0%	0.0	0	0.0%	0.0	16,308	46.3%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,489	9.1%
10 - 14	1	7.1%	101.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	981	6.0%
15 - 19	5	35.7%	487.8	1	100.0%	97.6	0	0.0%	0.0	0	0.0%	0.0	1,025	6.3%
20 - 24	7	50.0%	672.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,041	6.4%
25 - 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	817	5.0%
30 - 34	1	7.1%	149.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	668	4.1%
35 - 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,072	12.7%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	8,215	50.4%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	6	30.0%	31.7	1	50.0%	5.3	0	0.0%	0.0	0	0.0%	0.0	18,934	53.7%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,693	8.9%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	958	5.1%
15 - 19	1	16.7%	89.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,119	5.9%
20 - 24	3	50.0%	277.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,080	5.7%
25 - 29	1	16.7%	89.1	1	100.0%	89.1	0	0.0%	0.0	0	0.0%	0.0	1,122	5.9%
30 - 34	1	16.7%	77.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,283	6.8%
35 - 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,907	15.4%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	8,772	46.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	20	100.0%	55.8	2	100.0%	5.6	0	0.0%	0.0	0	0.0%	0.0	35,242	100.0%
Female Total	14	70.0%	85.8	1	50.0%	6.1	0	0.0%	0.0	0	0.0%	0.0	16,308	46.3%
American Indian/Alaska Native	1	10.0%	398.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	251	1.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	108	0.7%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	230	1.4%
Latino/Hispanic	2	20.0%	154.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,297	8.0%
White	7	70.0%	48.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,422	88.4%
Not Specified	4	28.6%	-	1	100.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	6	30.0%	31.7	1	50.0%	5.3	0	0.0%	0.0	0	0.0%	0.0	18,934	53.7%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	246	1.3%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	122	0.6%
Black/African-American	1	20.0%	71.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,402	7.4%
Latino/Hispanic	2	40.0%	107.0	1	100.0%	53.5	0	0.0%	0.0	0	0.0%	0.0	1,870	9.9%
White	2	40.0%	13.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	15,294	80.8%
Not Specified	1	16.7%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Amador County, the July 1, 2001 estimate is 35,850).










Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		0	
► MSM Cases	0	0.0%	0	0.0%	0	0.0%
►► HIV Positives among MSM	0	0.0%	0	0.0%	0	0.0%



Berkeley City – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

Berkeley City – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	222	100.0%	212.8	105	100.0%	100.7	3	100.0%	2.9	0	0.0%	0.0	104,312	100.0%
Female Total	156	70.3%	293.9	42	40.0%	79.1	1	33.3%	1.9	0	0.0%	0.0	53,085	50.9%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,017	7.6%
10 - 14	3	2.0%	149.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,002	3.8%
15 - 19	63	42.0%	1,516.8	16	39.0%	385.2	1	100.0%	24.1	0	0.0%	0.0	4,153	7.8%
20 - 24	39	26.0%	484.0	14	34.1%	173.8	0	0.0%	0.0	0	0.0%	0.0	8,057	15.2%
25 - 29	28	18.7%	574.6	2	4.9%	41.0	0	0.0%	0.0	0	0.0%	0.0	4,873	9.2%
30 - 34	9	6.0%	224.1	6	14.6%	149.4	0	0.0%	0.0	0	0.0%	0.0	4,016	7.6%
35 - 44	4	2.7%	53.8	3	7.3%	40.4	0	0.0%	0.0	0	0.0%	0.0	7,435	14.0%
45+	4	2.7%	21.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	18,531	34.9%
Not Specified	6	3.8%	-	1	2.4%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	63	28.4%	123.0	58	55.2%	113.2	2	66.7%	3.9	0	0.0%	0.0	51,226	49.1%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,248	8.3%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,033	4.0%
15 - 19	7	11.3%	177.4	4	6.9%	101.4	0	0.0%	0.0	0	0.0%	0.0	3,946	7.7%
20 - 24	15	24.2%	170.9	10	17.2%	114.0	0	0.0%	0.0	0	0.0%	0.0	8,775	17.1%
25 - 29	16	25.8%	295.8	13	22.4%	240.4	1	50.0%	18.5	0	0.0%	0.0	5,408	10.6%
30 - 34	12	19.4%	276.4	8	13.8%	184.2	0	0.0%	0.0	0	0.0%	0.0	4,342	8.5%
35 - 44	9	14.5%	126.9	16	27.6%	225.6	1	50.0%	14.1	0	0.0%	0.0	7,094	13.8%
45+	3	4.8%	19.5	7	12.1%	45.5	0	0.0%	0.0	0	0.0%	0.0	15,380	30.0%
Not Specified	1	1.6%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	222	100.0%	212.8	105	100.0%	100.7	3	100.0%	2.9	0	0.0%	0.0	104,312	100.0%
Female Total	156	70.3%	293.9	42	40.0%	79.1	1	33.3%	1.9	0	0.0%	0.0	53,085	50.9%
American Indian/Alaska Native	2	2.8%	1,331.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	150	0.3%
Asian/Pacific Islander	6	8.5%	66.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	8,978	16.9%
Black/African-American	40	56.3%	520.0	22	95.7%	286.0	1	100.0%	13.0	0	0.0%	0.0	7,692	14.5%
Latino/Hispanic	11	15.5%	227.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,833	9.1%
White	12	16.9%	41.7	1	4.3%	3.5	0	0.0%	0.0	0	0.0%	0.0	28,757	54.2%
Not Specified	85	54.5%	-	19	45.2%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	63	28.4%	123.0	58	55.2%	113.2	2	66.7%	3.9	0	0.0%	0.0	51,226	49.1%
American Indian/Alaska Native	1	3.1%	679.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	147	0.3%
Asian/Pacific Islander	2	6.3%	24.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	8,140	15.9%
Black/African-American	14	43.8%	224.9	24	66.7%	385.6	0	0.0%	0.0	0	0.0%	0.0	6,225	12.2%
Latino/Hispanic	8	25.0%	150.3	1	2.8%	18.8	0	0.0%	0.0	0	0.0%	0.0	5,321	10.4%
White	7	21.9%	24.3	11	30.6%	38.2	2	100.0%	6.9	0	0.0%	0.0	28,799	56.2%
Not Specified	31	49.2%	-	22	37.9%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Total city population was calculated by multiplying the July 1 county population estimate by the January 1 (E-1) city to county ratio from the Department of Finance. Census 2000 gender/race distribution percentages were then applied to this total.

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch










P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		2	
► MSM Cases	0	0.0%	0	0.0%	s	s
►► HIV Positives among MSM	0	0.0%	0	0.0%	s	s

s - numbers too small for analysis



Butte County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female □ Male

— Female - - Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



Butte County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	396	100.0%	191.5	29	100.0%	14.0	1	100.0%	0.5	0	0.0%	0.0	213,040	100.0%
Female Total	303	76.5%	278.2	19	65.5%	17.4	0	0.0%	0.0	0	0.0%	0.0	108,913	51.1%
Ages														
0 - 9	1	0.3%	7.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	13,385	12.3%
10 - 14	6	2.0%	84.5	1	5.3%	14.1	0	0.0%	0.0	0	0.0%	0.0	7,100	6.5%
15 - 19	120	40.7%	1,600.4	9	47.4%	120.0	0	0.0%	0.0	0	0.0%	0.0	7,498	6.9%
20 - 24	128	43.4%	1,839.1	4	21.1%	57.5	0	0.0%	0.0	0	0.0%	0.0	6,960	6.4%
25 - 29	25	8.5%	410.1	2	10.5%	32.8	0	0.0%	0.0	0	0.0%	0.0	6,096	5.6%
30 - 34	10	3.4%	141.4	1	5.3%	14.1	0	0.0%	0.0	0	0.0%	0.0	7,070	6.5%
35 - 44	5	1.7%	33.9	1	5.3%	6.8	0	0.0%	0.0	0	0.0%	0.0	14,750	13.5%
45+	0	0.0%	0.0	1	5.3%	2.2	0	0.0%	0.0	0	0.0%	0.0	46,054	42.3%
Not Specified	8	2.6%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	92	23.2%	88.4	10	34.5%	9.6	1	100.0%	1.0	0	0.0%	0.0	104,127	48.9%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	13,721	13.2%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,606	7.3%
15 - 19	28	30.8%	355.1	2	22.2%	25.4	0	0.0%	0.0	0	0.0%	0.0	7,885	7.6%
20 - 24	44	48.4%	617.1	3	33.3%	42.1	0	0.0%	0.0	0	0.0%	0.0	7,130	6.8%
25 - 29	14	15.4%	219.0	2	22.2%	31.3	0	0.0%	0.0	0	0.0%	0.0	6,394	6.1%
30 - 34	3	3.3%	40.4	1	11.1%	13.5	0	0.0%	0.0	0	0.0%	0.0	7,424	7.1%
35 - 44	1	1.1%	6.8	1	11.1%	6.8	0	0.0%	0.0	0	0.0%	0.0	14,690	14.1%
45+	1	1.1%	2.5	0	0.0%	0.0	1	100.0%	2.5	0	0.0%	0.0	39,277	37.7%
Not Specified	1	1.1%	-	1	10.0%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	396	100.0%	191.5	29	100.0%	14.0	1	100.0%	0.5	0	0.0%	0.0	213,040	100.0%
Female Total	303	76.5%	278.2	19	65.5%	17.4	0	0.0%	0.0	0	0.0%	0.0	108,913	51.1%
American Indian/Alaska Native	6	2.4%	341.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,757	1.6%
Asian/Pacific Islander	11	4.5%	237.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,642	4.3%
Black/African-American	14	5.7%	1,003.6	1	8.3%	71.7	0	0.0%	0.0	0	0.0%	0.0	1,395	1.3%
Latino/Hispanic	38	15.4%	409.8	2	16.7%	21.6	0	0.0%	0.0	0	0.0%	0.0	9,273	8.5%
White	178	72.1%	193.8	9	75.0%	9.8	0	0.0%	0.0	0	0.0%	0.0	91,846	84.3%
Not Specified	56	18.5%	-	7	36.8%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	92	23.2%	88.4	10	34.5%	9.6	1	100.0%	1.0	0	0.0%	0.0	104,127	48.9%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,634	1.6%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,735	4.5%
Black/African-American	13	18.6%	906.6	2	28.6%	139.5	0	0.0%	0.0	0	0.0%	0.0	1,434	1.4%
Latino/Hispanic	14	20.0%	137.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,157	9.8%
White	43	61.4%	49.9	5	71.4%	5.8	1	100.0%	1.2	0	0.0%	0.0	86,167	82.8%
Not Specified	22	23.9%	-	3	30.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Butte County, the July 1, 2001 estimate is 206,800).

Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		1	
► MSM Cases	0	0.0%	0	0.0%	s	s
►► HIV Positives among MSM	0	0.0%	0	0.0%	s	s










s - numbers too small for analysis

Source: California Department of Health Services, STD Control Branch



Calaveras County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

Calaveras County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	28	100.0%	67.5	2	100.0%	4.8	0	0.0%	0.0	0	0.0%	0.0	43,392	100.0%
Female Total	23	82.1%	104.8	2	100.0%	9.1	0	0.0%	0.0	0	0.0%	0.0	21,953	50.6%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,363	10.8%
10 - 14	2	8.7%	139.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,438	6.6%
15 - 19	10	43.5%	684.5	2	100.0%	136.9	0	0.0%	0.0	0	0.0%	0.0	1,461	6.7%
20 - 24	5	21.7%	361.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,384	6.3%
25 - 29	3	13.0%	260.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,150	5.2%
30 - 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	952	4.3%
35 - 44	3	13.0%	105.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,846	13.0%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,359	47.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	4	14.3%	18.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	21,439	49.4%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,395	11.2%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,525	7.1%
15 - 19	1	25.0%	59.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,672	7.8%
20 - 24	2	50.0%	131.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,522	7.1%
25 - 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,291	6.0%
30 - 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	898	4.2%
35 - 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,572	12.0%
45+	1	25.0%	10.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,564	44.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	28	100.0%	67.5	2	100.0%	4.8	0	0.0%	0.0	0	0.0%	0.0	43,392	100.0%
Female Total	23	82.1%	104.8	2	100.0%	9.1	0	0.0%	0.0	0	0.0%	0.0	21,953	50.6%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	432	2.0%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	141	0.6%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	75	0.3%
Latino/Hispanic	1	7.7%	67.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,477	6.7%
White	12	92.3%	60.5	1	100.0%	5.0	0	0.0%	0.0	0	0.0%	0.0	19,828	90.3%
Not Specified	10	43.5%	-	1	50.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	4	14.3%	18.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	21,439	49.4%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	418	1.9%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	95	0.4%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	153	0.7%
Latino/Hispanic	1	50.0%	60.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,657	7.7%
White	1	50.0%	5.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	19,116	89.2%
Not Specified	2	50.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Calaveras County, the July 1, 2001 estimate is 41,500).










Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		0	
► MSM Cases	0	0.0%	0	0.0%	0	0.0%
►► HIV Positives among MSM	0	0.0%	0	0.0%	0	0.0%



Colusa County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female □ Male

— Female - - Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



Colusa County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	32	100.0%	165.8	5	100.0%	25.9	0	0.0%	0.0	0	0.0%	0.0	22,012	100.0%
Female Total	25	78.1%	235.0	4	80.0%	37.6	0	0.0%	0.0	0	0.0%	0.0	10,639	48.3%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,711	16.1%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	782	7.4%
15 - 19	12	48.0%	1,413.4	1	25.0%	117.8	0	0.0%	0.0	0	0.0%	0.0	849	8.0%
20 - 24	7	28.0%	793.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	882	8.3%
25 - 29	2	8.0%	276.2	1	25.0%	138.1	0	0.0%	0.0	0	0.0%	0.0	724	6.8%
30 - 34	2	8.0%	306.3	2	50.0%	306.3	0	0.0%	0.0	0	0.0%	0.0	653	6.1%
35 - 44	1	4.0%	74.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,347	12.7%
45+	1	4.0%	27.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,691	34.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	7	21.9%	61.5	1	20.0%	8.8	0	0.0%	0.0	0	0.0%	0.0	11,373	51.7%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,007	17.6%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	844	7.4%
15 - 19	1	14.3%	105.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	949	8.3%
20 - 24	1	14.3%	104.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	961	8.4%
25 - 29	2	28.6%	214.8	1	100.0%	107.4	0	0.0%	0.0	0	0.0%	0.0	931	8.2%
30 - 34	1	14.3%	135.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	738	6.5%
35 - 44	1	14.3%	68.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,458	12.8%
45+	1	14.3%	28.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,485	30.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	32	100.0%	165.8	5	100.0%	25.9	0	0.0%	0.0	0	0.0%	0.0	22,012	100.0%
Female Total	25	78.1%	235.0	4	80.0%	37.6	0	0.0%	0.0	0	0.0%	0.0	10,639	48.3%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	164	1.5%
Asian/Pacific Islander	2	10.0%	930.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	215	2.0%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	31	0.3%
Latino/Hispanic	14	70.0%	314.3	3	100.0%	67.3	0	0.0%	0.0	0	0.0%	0.0	4,455	41.9%
White	4	20.0%	69.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,774	54.3%
Not Specified	5	20.0%	-	1	25.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	7	21.9%	61.5	1	20.0%	8.8	0	0.0%	0.0	0	0.0%	0.0	11,373	51.7%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	177	1.6%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	200	1.8%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	62	0.5%
Latino/Hispanic	5	100.0%	92.7	1	100.0%	18.5	0	0.0%	0.0	0	0.0%	0.0	5,393	47.4%
White	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,541	48.7%
Not Specified	2	28.6%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Colusa County, the July 1, 2001 estimate is 19,300).










Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		0	
► MSM Cases	0	0.0%	0	0.0%	0	0.0%
►► HIV Positives among MSM	0	0.0%	0	0.0%	0	0.0%



Contra Costa County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

Contra Costa County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	2,367	100.0%	242.3	679	100.0%	69.5	12	100.0%	1.2	9	100.0%	0.9	942,662	100.0%
Female Total	1,793	75.7%	376.3	391	57.6%	82.1	0	0.0%	0.0	2	22.2%	0.4	476,519	50.6%
Ages														
0 - 9	3	0.2%	4.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	62,508	13.1%
10 - 14	38	2.2%	113.2	13	3.4%	38.7	0	0.0%	0.0	0	0.0%	0.0	33,573	7.0%
15 - 19	738	42.0%	2,372.8	158	41.1%	508.0	0	0.0%	0.0	1	50.0%	3.2	31,103	6.5%
20 - 24	560	31.9%	1,913.3	118	30.7%	403.2	0	0.0%	0.0	0	0.0%	0.0	29,269	6.1%
25 - 29	218	12.4%	818.1	42	10.9%	157.6	0	0.0%	0.0	1	50.0%	3.8	26,646	5.6%
30 - 34	111	6.3%	392.3	21	5.5%	74.2	0	0.0%	0.0	0	0.0%	0.0	28,292	5.9%
35 - 44	74	4.2%	99.3	25	6.5%	33.5	0	0.0%	0.0	0	0.0%	0.0	74,538	15.6%
45+	14	0.8%	7.3	7	1.8%	3.7	0	0.0%	0.0	0	0.0%	0.0	190,590	40.0%
Not Specified	37	2.1%	-	7	1.8%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	555	23.4%	119.1	285	42.0%	61.1	12	100.0%	2.6	7	77.8%	1.5	466,143	49.4%
Ages														
0 - 9	5	0.9%	7.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	66,907	14.4%
10 - 14	5	0.9%	14.1	2	0.7%	5.6	0	0.0%	0.0	0	0.0%	0.0	35,580	7.6%
15 - 19	153	28.1%	466.2	44	15.7%	134.1	1	8.3%	3.0	0	0.0%	0.0	32,820	7.0%
20 - 24	175	32.2%	564.9	76	27.0%	245.3	0	0.0%	0.0	0	0.0%	0.0	30,981	6.6%
25 - 29	96	17.6%	335.5	48	17.1%	167.7	1	8.3%	3.5	4	57.1%	14.0	28,616	6.1%
30 - 34	47	8.6%	157.3	31	11.0%	103.8	1	8.3%	3.3	2	28.6%	6.7	29,871	6.4%
35 - 44	42	7.7%	58.0	51	18.1%	70.4	4	33.3%	5.5	1	14.3%	1.4	72,439	15.5%
45+	21	3.9%	12.4	29	10.3%	17.2	5	41.7%	3.0	0	0.0%	0.0	168,929	36.2%
Not Specified	11	2.0%	-	4	1.4%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	2,367	100.0%	242.3	679	100.0%	69.5	12	100.0%	1.2	9	100.0%	0.9	942,662	100.0%
Female Total	1,793	75.7%	376.3	391	57.6%	82.1	0	0.0%	0.0	2	22.2%	0.4	476,519	50.6%
American Indian/Alaska Native	1	0.2%	39.1	1	0.9%	39.1	0	0.0%	0.0	0	0.0%	0.0	2,555	0.5%
Asian/Pacific Islander	28	5.1%	46.5	3	2.6%	5.0	0	0.0%	0.0	0	0.0%	0.0	60,276	12.6%
Black/African-American	268	49.1%	583.4	91	78.4%	198.1	0	0.0%	0.0	0	0.0%	0.0	45,937	9.6%
Latino/Hispanic	107	19.6%	167.2	4	3.4%	6.3	0	0.0%	0.0	2	100.0%	3.1	63,977	13.4%
White	142	26.0%	46.7	17	14.7%	5.6	0	0.0%	0.0	0	0.0%	0.0	303,774	63.7%
Not Specified	1,247	69.5%	-	275	70.3%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	555	23.4%	119.1	285	42.0%	61.1	12	100.0%	2.6	7	77.8%	1.5	466,143	49.4%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,459	0.5%
Asian/Pacific Islander	6	3.6%	10.2	6	5.3%	10.2	0	0.0%	0.0	0	0.0%	0.0	58,903	12.6%
Black/African-American	95	56.2%	225.8	80	70.8%	190.2	0	0.0%	0.0	1	14.3%	2.4	42,070	9.0%
Latino/Hispanic	31	18.3%	45.2	8	7.1%	11.7	3	25.0%	4.4	3	42.9%	4.4	68,578	14.7%
White	37	21.9%	12.6	19	16.8%	6.5	9	75.0%	3.1	3	42.9%	1.0	294,133	63.1%
Not Specified	386	69.5%	-	172	60.4%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Contra Costa County, the July 1, 2001 estimate is 977,000).

Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	5		1		12	
► MSM Cases	1	20.0%	S	S	9	75.0%
►► HIV Positives among MSM	S		S		4	44.4%









s - numbers too small for analysis

Source: California Department of Health Services, STD Control Branch




Del Norte County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female □ Male



— Female - - Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



Del Norte County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	38	100.0%	137.4	2	100.0%	7.2	0	0.0%	0.0	0	0.0%	0.0	31,801	100.0%
Female Total	37	97.4%	253.1	2	100.0%	13.7	0	0.0%	0.0	0	0.0%	0.0	14,621	46.0%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,771	12.1%
10 - 14	1	2.7%	100.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	999	6.8%
15 - 19	18	48.6%	1,574.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,143	7.8%
20 - 24	15	40.5%	1,351.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,110	7.6%
25 - 29	3	8.1%	334.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	898	6.1%
30 - 34	0	0.0%	0.0	1	50.0%	120.5	0	0.0%	0.0	0	0.0%	0.0	830	5.7%
35 - 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,111	14.4%
45+	0	0.0%	0.0	1	50.0%	17.4	0	0.0%	0.0	0	0.0%	0.0	5,759	39.4%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	1	2.6%	5.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	17,180	54.0%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,022	11.8%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,167	6.8%
15 - 19	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,217	7.1%
20 - 24	1	100.0%	58.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,697	9.9%
25 - 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,681	9.8%
30 - 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,365	7.9%
35 - 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,554	14.9%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,477	31.9%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	38	100.0%	137.4	2	100.0%	7.2	0	0.0%	0.0	0	0.0%	0.0	31,801	100.0%
Female Total	37	97.4%	253.1	2	100.0%	13.7	0	0.0%	0.0	0	0.0%	0.0	14,621	46.0%
American Indian/Alaska Native	15	46.9%	1,722.2	1	50.0%	114.8	0	0.0%	0.0	0	0.0%	0.0	871	6.0%
Asian/Pacific Islander	2	6.3%	495.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	404	2.8%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	43	0.3%
Latino/Hispanic	1	3.1%	77.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,294	8.9%
White	14	43.8%	116.6	1	50.0%	8.3	0	0.0%	0.0	0	0.0%	0.0	12,009	82.1%
Not Specified	5	13.5%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	1	2.6%	5.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	17,180	54.0%
American Indian/Alaska Native	1	100.0%	116.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	858	5.0%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	391	2.3%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	967	5.6%
Latino/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,561	14.9%
White	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,403	72.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Del Norte County, the July 1, 2001 estimate is 27,650).










Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		0	
► MSM Cases	0	0.0%	0	0.0%	0	0.0%
►► HIV Positives among MSM	0	0.0%	0	0.0%	0	0.0%



El Dorado County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

El Dorado County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	152	100.0%	92.7	6	100.0%	3.7	0	0.0%	0.0	0	0.0%	0.0	168,912	100.0%
Female Total	125	82.2%	147.9	3	50.0%	3.5	0	0.0%	0.0	0	0.0%	0.0	84,533	50.0%
Ages														
0 - 9	1	0.8%	9.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,256	12.1%
10 - 14	1	0.8%	16.2	1	33.3%	16.2	0	0.0%	0.0	0	0.0%	0.0	6,179	7.3%
15 - 19	55	44.0%	908.9	1	33.3%	16.5	0	0.0%	0.0	0	0.0%	0.0	6,051	7.2%
20 - 24	41	32.8%	727.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,637	6.7%
25 - 29	13	10.4%	261.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,976	5.9%
30 - 34	7	5.6%	153.5	1	33.3%	21.9	0	0.0%	0.0	0	0.0%	0.0	4,559	5.4%
35 - 44	6	4.8%	45.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	13,090	15.5%
45+	1	0.8%	3.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	33,785	40.0%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	19	12.5%	22.5	3	50.0%	3.6	0	0.0%	0.0	0	0.0%	0.0	84,379	50.0%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,855	12.9%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,337	7.5%
15 - 19	3	15.8%	46.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,429	7.6%
20 - 24	10	52.6%	169.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,891	7.0%
25 - 29	3	15.8%	57.7	2	66.7%	38.5	0	0.0%	0.0	0	0.0%	0.0	5,195	6.2%
30 - 34	0	0.0%	0.0	1	33.3%	20.4	0	0.0%	0.0	0	0.0%	0.0	4,894	5.8%
35 - 44	2	10.5%	16.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,422	14.7%
45+	1	5.3%	3.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	32,356	38.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	152	100.0%	92.7	6	100.0%	3.7	0	0.0%	0.0	0	0.0%	0.0	168,912	100.0%
Female Total	125	82.2%	147.9	3	50.0%	3.5	0	0.0%	0.0	0	0.0%	0.0	84,533	50.0%
American Indian/Alaska Native	1	1.4%	121.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	825	1.0%
Asian/Pacific Islander	2	2.9%	94.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,127	2.5%
Black/African-American	2	2.9%	649.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	308	0.4%
Latino/Hispanic	16	22.9%	238.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,709	7.9%
White	49	70.0%	65.7	2	100.0%	2.7	0	0.0%	0.0	0	0.0%	0.0	74,564	88.2%
Not Specified	55	44.0%	-	1	33.3%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	19	12.5%	22.5	3	50.0%	3.6	0	0.0%	0.0	0	0.0%	0.0	84,379	50.0%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	811	1.0%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,929	2.3%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	456	0.5%
Latino/Hispanic	0	0.0%	0.0	3	100.0%	39.9	0	0.0%	0.0	0	0.0%	0.0	7,510	8.9%
White	8	100.0%	10.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	73,673	87.3%
Not Specified	11	57.9%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For El Dorado County, the July 1, 2001 estimate is 163,900).










Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		0	
► MSM Cases	0	0.0%	0	0.0%	0	0.0%
►► HIV Positives among MSM	0	0.0%	0	0.0%	0	0.0%



Fresno County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

Fresno County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	4,216	100.0%	512.9	785	100.0%	95.5	4	100.0%	0.5	15	100.0%	1.8	825,365	100.0%
Female Total	3,274	77.7%	788.3	445	56.7%	107.1	1	25.0%	0.2	8	53.3%	1.9	415,320	50.3%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	75,208	18.1%
10 - 14	78	2.4%	223.8	11	2.5%	31.6	0	0.0%	0.0	0	0.0%	0.0	34,855	8.4%
15 - 19	1,240	38.0%	3,796.3	152	34.2%	465.4	0	0.0%	0.0	0	0.0%	0.0	32,663	7.9%
20 - 24	1,177	36.0%	3,927.5	140	31.5%	467.2	0	0.0%	0.0	0	0.0%	0.0	29,968	7.2%
25 - 29	419	12.8%	1,617.8	81	18.2%	312.7	0	0.0%	0.0	2	25.0%	7.7	25,900	6.2%
30 - 34	210	6.4%	737.0	22	4.9%	77.2	1	100.0%	3.5	3	37.5%	10.5	28,493	6.9%
35 - 44	120	3.7%	199.9	35	7.9%	58.3	0	0.0%	0.0	1	12.5%	1.7	60,021	14.5%
45+	23	0.7%	17.9	4	0.9%	3.1	0	0.0%	0.0	2	25.0%	1.6	128,212	30.9%
Not Specified	7	0.2%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	936	22.2%	228.3	339	43.2%	82.7	3	75.0%	0.7	7	46.7%	1.7	410,045	49.7%
Ages														
0 - 9	2	0.2%	2.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	77,143	18.8%
10 - 14	1	0.1%	2.7	1	0.3%	2.7	0	0.0%	0.0	0	0.0%	0.0	36,564	8.9%
15 - 19	256	27.6%	753.0	66	19.5%	194.1	0	0.0%	0.0	0	0.0%	0.0	33,999	8.3%
20 - 24	385	41.5%	1,230.1	111	32.8%	354.7	0	0.0%	0.0	0	0.0%	0.0	31,297	7.6%
25 - 29	139	15.0%	499.0	59	17.5%	211.8	1	33.3%	3.6	1	16.7%	3.6	27,855	6.8%
30 - 34	84	9.1%	277.1	27	8.0%	89.1	0	0.0%	0.0	1	16.7%	3.3	30,312	7.4%
35 - 44	49	5.3%	81.4	55	16.3%	91.4	1	33.3%	1.7	3	50.0%	5.0	60,175	14.7%
45+	12	1.3%	10.6	19	5.6%	16.9	1	33.3%	0.9	1	16.7%	0.9	112,700	27.5%
Not Specified	8	0.9%	-	1	0.3%	-	0	0.0%	-	1	14.3%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	4,216	100.0%	512.9	785	100.0%	95.5	4	100.0%	0.5	15	100.0%	1.8	825,365	100.0%
Female Total	3,274	77.7%	788.3	445	56.7%	107.1	1	25.0%	0.2	8	53.3%	1.9	415,320	50.3%
American Indian/Alaska Native	1	0.0%	25.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,959	1.0%
Asian/Pacific Islander	23	0.9%	52.7	1	0.3%	2.3	0	0.0%	0.0	0	0.0%	0.0	43,683	10.5%
Black/African-American	251	9.8%	1,202.2	86	26.4%	411.9	1	100.0%	4.8	1	12.5%	4.8	20,878	5.0%
Latino/Hispanic	2,071	81.0%	1,307.1	205	62.9%	129.4	0	0.0%	0.0	7	87.5%	4.4	158,448	38.2%
White	211	8.3%	112.0	34	10.4%	18.1	0	0.0%	0.0	0	0.0%	0.0	188,352	45.4%
Not Specified	717	21.9%	-	119	26.7%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	936	22.2%	228.3	339	43.2%	82.7	3	75.0%	0.7	7	46.7%	1.7	410,045	49.7%
American Indian/Alaska Native	2	0.3%	57.3	1	0.4%	28.7	0	0.0%	0.0	0	0.0%	0.0	3,488	0.9%
Asian/Pacific Islander	14	1.8%	31.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	44,067	10.7%
Black/African-American	122	15.6%	638.7	73	27.9%	382.2	0	0.0%	0.0	0	0.0%	0.0	19,100	4.7%
Latino/Hispanic	594	76.2%	352.7	166	63.4%	98.6	3	100.0%	1.8	5	83.3%	3.0	168,437	41.1%
White	48	6.2%	27.4	22	8.4%	12.6	0	0.0%	0.0	1	16.7%	0.6	174,953	42.7%
Not Specified	156	16.7%	-	77	22.7%	-	0	0.0%	-	1	14.3%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Fresno County, the July 1, 2001 estimate is 822,000).

Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	8		4		3	
► MSM Cases	1	12.5%	0	0.0%	s	s
►► HIV Positives among MSM	s	s	0	0.0%	s	s










s - numbers too small for analysis

Source: California Department of Health Services, STD Control Branch



Glenn County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

Glenn County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	44	100.0%	163.9	1	100.0%	3.7	0	0.0%	0.0	0	0.0%	0.0	30,291	100.0%
Female Total	35	79.5%	233.6	1	100.0%	6.7	0	0.0%	0.0	0	0.0%	0.0	14,984	49.5%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,401	16.0%
10 - 14	4	11.4%	332.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,202	8.0%
15 - 19	12	34.3%	1,005.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,194	8.0%
20 - 24	13	37.1%	1,095.2	1	100.0%	84.2	0	0.0%	0.0	0	0.0%	0.0	1,187	7.9%
25 - 29	2	5.7%	200.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,000	6.7%
30 - 34	2	5.7%	246.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	810	5.4%
35 - 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,899	12.7%
45+	2	5.7%	37.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,291	35.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	9	20.5%	58.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	15,307	50.5%
Ages														
0 - 9	1	12.5%	38.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,625	17.1%
10 - 14	1	12.5%	80.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,247	8.1%
15 - 19	3	37.5%	231.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,295	8.5%
20 - 24	1	12.5%	79.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,252	8.2%
25 - 29	1	12.5%	86.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,162	7.6%
30 - 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	938	6.1%
35 - 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,990	13.0%
45+	1	12.5%	20.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,798	31.3%
Not Specified	1	11.1%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	44	100.0%	163.9	1	100.0%	3.7	0	0.0%	0.0	0	0.0%	0.0	30,291	100.0%
Female Total	35	79.5%	233.6	1	100.0%	6.7	0	0.0%	0.0	0	0.0%	0.0	14,984	49.5%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	270	1.8%
Asian/Pacific Islander	1	3.8%	133.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	751	5.0%
Black/African-American	2	7.7%	3,703.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	54	0.4%
Latino/Hispanic	9	34.6%	238.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,772	25.2%
White	14	53.8%	138.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,137	67.7%
Not Specified	9	25.7%	-	1	100.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	9	20.5%	58.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	15,307	50.5%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	240	1.6%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	803	5.2%
Black/African-American	1	16.7%	1,149.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	87	0.6%
Latino/Hispanic	4	66.7%	90.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,433	29.0%
White	1	16.7%	10.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,744	63.7%
Not Specified	3	33.3%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Glenn County, the July 1, 2001 estimate is 26,850).










Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		0	
► MSM Cases	0	0.0%	0	0.0%	0	0.0%
►► HIV Positives among MSM	0	0.0%	0	0.0%	0	0.0%



Humboldt County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

Humboldt County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	315	100.0%	246.5	28	100.0%	21.9	0	0.0%	0.0	0	0.0%	0.0	129,211	100.0%
Female Total	222	70.5%	340.8	19	67.9%	29.2	0	0.0%	0.0	0	0.0%	0.0	65,149	50.4%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,789	12.0%
10 - 14	3	1.4%	68.3	2	10.5%	45.5	0	0.0%	0.0	0	0.0%	0.0	4,392	6.7%
15 - 19	98	44.1%	2,100.3	10	52.6%	214.3	0	0.0%	0.0	0	0.0%	0.0	4,666	7.2%
20 - 24	78	35.1%	1,728.3	4	21.1%	88.6	0	0.0%	0.0	0	0.0%	0.0	4,513	6.9%
25 - 29	30	13.5%	774.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,873	5.9%
30 - 34	9	4.1%	183.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,908	7.5%
35 - 44	3	1.4%	30.6	2	10.5%	20.4	0	0.0%	0.0	0	0.0%	0.0	9,818	15.1%
45+	1	0.5%	4.0	1	5.3%	4.0	0	0.0%	0.0	0	0.0%	0.0	25,190	38.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	93	29.5%	145.2	9	32.1%	14.0	0	0.0%	0.0	0	0.0%	0.0	64,062	49.6%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	8,134	12.7%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,559	7.1%
15 - 19	23	24.7%	471.2	3	33.3%	61.5	0	0.0%	0.0	0	0.0%	0.0	4,881	7.6%
20 - 24	49	52.7%	1,047.0	3	33.3%	64.1	0	0.0%	0.0	0	0.0%	0.0	4,680	7.3%
25 - 29	7	7.5%	168.8	1	11.1%	24.1	0	0.0%	0.0	0	0.0%	0.0	4,146	6.5%
30 - 34	7	7.5%	133.8	1	11.1%	19.1	0	0.0%	0.0	0	0.0%	0.0	5,233	8.2%
35 - 44	5	5.4%	51.1	1	11.1%	10.2	0	0.0%	0.0	0	0.0%	0.0	9,779	15.3%
45+	2	2.2%	8.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	22,650	35.4%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	315	100.0%	246.5	28	100.0%	21.9	0	0.0%	0.0	0	0.0%	0.0	129,211	100.0%
Female Total	222	70.5%	340.8	19	67.9%	29.2	0	0.0%	0.0	0	0.0%	0.0	65,149	50.4%
American Indian/Alaska Native	21	10.9%	535.7	2	13.3%	51.0	0	0.0%	0.0	0	0.0%	0.0	3,920	6.0%
Asian/Pacific Islander	6	3.1%	312.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,922	3.0%
Black/African-American	6	3.1%	1,222.0	1	6.7%	203.7	0	0.0%	0.0	0	0.0%	0.0	491	0.8%
Latino/Hispanic	19	9.9%	547.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,471	5.3%
White	140	72.9%	253.0	12	80.0%	21.7	0	0.0%	0.0	0	0.0%	0.0	55,345	85.0%
Not Specified	30	13.5%	-	4	21.1%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	93	29.5%	145.2	9	32.1%	14.0	0	0.0%	0.0	0	0.0%	0.0	64,062	49.6%
American Indian/Alaska Native	6	6.8%	168.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,555	5.5%
Asian/Pacific Islander	2	2.3%	109.8	1	11.1%	54.9	0	0.0%	0.0	0	0.0%	0.0	1,822	2.8%
Black/African-American	10	11.4%	1,494.8	4	44.4%	597.9	0	0.0%	0.0	0	0.0%	0.0	669	1.0%
Latino/Hispanic	15	17.0%	403.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,720	5.8%
White	55	62.5%	101.3	4	44.4%	7.4	0	0.0%	0.0	0	0.0%	0.0	54,296	84.8%
Not Specified	5	5.4%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Humboldt County, the July 1, 2001 estimate is 127,800).










Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		0	
► MSM Cases	0	0.0%	0	0.0%	0	0.0%
►► HIV Positives among MSM	0	0.0%	0	0.0%	0	0.0%



Imperial County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female □ Male

— Female - - Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



Imperial County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	473	100.0%	315.5	43	100.0%	28.7	0	0.0%	0.0	0	0.0%	0.0	161,177	100.0%
Female Total	349	73.8%	444.4	24	55.8%	30.6	0	0.0%	0.0	0	0.0%	0.0	78,534	48.7%
Ages														
0 - 9	1	0.3%	6.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,810	18.9%
10 - 14	8	2.3%	118.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,737	8.6%
15 - 19	120	34.8%	1,841.1	4	16.7%	61.4	0	0.0%	0.0	0	0.0%	0.0	6,518	8.3%
20 - 24	129	37.4%	1,928.3	11	45.8%	164.4	0	0.0%	0.0	0	0.0%	0.0	6,690	8.5%
25 - 29	65	18.8%	1,088.8	4	16.7%	67.0	0	0.0%	0.0	0	0.0%	0.0	5,970	7.6%
30 - 34	12	3.5%	251.0	3	12.5%	62.8	0	0.0%	0.0	0	0.0%	0.0	4,780	6.1%
35 - 44	9	2.6%	88.7	2	8.3%	19.7	0	0.0%	0.0	0	0.0%	0.0	10,148	12.9%
45+	1	0.3%	4.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	22,881	29.1%
Not Specified	4	1.1%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	105	22.2%	127.1	18	41.9%	21.8	0	0.0%	0.0	0	0.0%	0.0	82,643	51.3%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	15,208	18.4%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,962	8.4%
15 - 19	26	25.0%	366.7	1	5.6%	14.1	0	0.0%	0.0	0	0.0%	0.0	7,091	8.6%
20 - 24	45	43.3%	506.3	4	22.2%	45.0	0	0.0%	0.0	0	0.0%	0.0	8,888	10.8%
25 - 29	20	19.2%	228.7	8	44.4%	91.5	0	0.0%	0.0	0	0.0%	0.0	8,745	10.6%
30 - 34	8	7.7%	132.5	3	16.7%	49.7	0	0.0%	0.0	0	0.0%	0.0	6,038	7.3%
35 - 44	5	4.8%	50.6	2	11.1%	20.2	0	0.0%	0.0	0	0.0%	0.0	9,891	12.0%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	19,820	24.0%
Not Specified	1	1.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	473	100.0%	315.5	43	100.0%	28.7	0	0.0%	0.0	0	0.0%	0.0	161,177	100.0%
Female Total	349	73.8%	444.4	24	55.8%	30.6	0	0.0%	0.0	0	0.0%	0.0	78,534	48.7%
American Indian/Alaska Native	3	1.1%	371.3	1	6.3%	123.8	0	0.0%	0.0	0	0.0%	0.0	808	1.0%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,394	1.8%
Black/African-American	7	2.6%	479.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,461	1.9%
Latino/Hispanic	244	89.1%	418.1	14	87.5%	24.0	0	0.0%	0.0	0	0.0%	0.0	58,359	74.3%
White	20	7.3%	121.1	1	6.3%	6.1	0	0.0%	0.0	0	0.0%	0.0	16,512	21.0%
Not Specified	75	21.5%	-	8	33.3%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	105	22.2%	127.1	18	41.9%	21.8	0	0.0%	0.0	0	0.0%	0.0	82,643	51.3%
American Indian/Alaska Native	1	1.2%	143.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	699	0.8%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,447	1.8%
Black/African-American	6	7.2%	145.1	2	14.3%	48.4	0	0.0%	0.0	0	0.0%	0.0	4,136	5.0%
Latino/Hispanic	68	81.9%	117.1	11	78.6%	18.9	0	0.0%	0.0	0	0.0%	0.0	58,090	70.3%
White	8	9.6%	43.8	1	7.1%	5.5	0	0.0%	0.0	0	0.0%	0.0	18,271	22.1%
Not Specified	22	21.0%	-	4	22.2%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Imperial County, the July 1, 2001 estimate is 149,900).










Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		0	
► MSM Cases	0	0.0%	0	0.0%	0	0.0%
►► HIV Positives among MSM	0	0.0%	0	0.0%	0	0.0%



Inyo County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female □ Male

— Female - Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



Inyo County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	22	100.0%	120.9	1	100.0%	5.5	0	0.0%	0.0	0	0.0%	0.0	18,510	100.0%
Female Total	13	59.1%	137.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,437	51.0%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,144	12.1%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	616	6.5%
15 - 19	6	46.2%	907.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	661	7.0%
20 - 24	3	23.1%	459.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	653	6.9%
25 - 29	2	15.4%	387.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	516	5.5%
30 - 34	1	7.7%	317.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	315	3.3%
35 - 44	1	7.7%	88.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,125	11.9%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,407	46.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	9	40.9%	99.2	1	100.0%	11.0	0	0.0%	0.0	0	0.0%	0.0	9,073	49.0%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,137	12.5%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	641	7.1%
15 - 19	6	66.7%	918.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	653	7.2%
20 - 24	1	11.1%	162.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	616	6.8%
25 - 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	528	5.8%
30 - 34	0	0.0%	0.0	1	100.0%	268.8	0	0.0%	0.0	0	0.0%	0.0	372	4.1%
35 - 44	2	22.2%	173.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,156	12.7%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,970	43.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	22	100.0%	120.9	1	100.0%	5.5	0	0.0%	0.0	0	0.0%	0.0	18,510	100.0%
Female Total	13	59.1%	137.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,437	51.0%
American Indian/Alaska Native	1	7.7%	104.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	954	10.1%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	109	1.2%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	20	0.2%
Latino/Hispanic	4	30.8%	382.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,047	11.1%
White	8	61.5%	109.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,307	77.4%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	9	40.9%	99.2	1	100.0%	11.0	0	0.0%	0.0	0	0.0%	0.0	9,073	49.0%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	885	9.8%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	107	1.2%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	56	0.6%
Latino/Hispanic	4	50.0%	352.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,134	12.5%
White	4	50.0%	58.0	1	100.0%	14.5	0	0.0%	0.0	0	0.0%	0.0	6,891	76.0%
Not Specified	1	11.1%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Inyo County, the July 1, 2001 estimate is 18,200).









Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		0	
► MSM Cases	0	0.0%	0	0.0%	0	0.0%
►► HIV Positives among MSM	0	0.0%	0	0.0%	0	0.0%




Kern County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female □ Male



— Female — Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



Kern County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	2,792	100.0%	409.4	837	100.0%	122.7	9	100.0%	1.3	11	100.0%	1.6	694,749	100.0%
Female Total	2,207	79.0%	648.6	482	57.6%	141.7	5	55.6%	1.5	4	36.4%	1.2	340,259	49.0%
Ages														
0 - 9	6	0.3%	9.8	1	0.2%	1.6	0	0.0%	0.0	0	0.0%	0.0	61,228	18.0%
10 - 14	42	1.9%	144.6	17	3.6%	58.5	0	0.0%	0.0	1	25.0%	3.4	29,051	8.5%
15 - 19	874	40.0%	3,208.5	179	37.4%	657.1	1	20.0%	3.7	1	25.0%	3.7	27,240	8.0%
20 - 24	774	35.4%	3,183.7	146	30.5%	600.6	2	40.0%	8.2	1	25.0%	4.1	24,311	7.1%
25 - 29	281	12.9%	1,326.2	73	15.3%	344.5	2	40.0%	9.4	0	0.0%	0.0	21,188	6.2%
30 - 34	127	5.8%	591.0	32	6.7%	148.9	0	0.0%	0.0	0	0.0%	0.0	21,488	6.3%
35 - 44	67	3.1%	134.7	26	5.4%	52.3	0	0.0%	0.0	1	25.0%	2.0	49,758	14.6%
45+	15	0.7%	14.2	4	0.8%	3.8	0	0.0%	0.0	0	0.0%	0.0	105,995	31.2%
Not Specified	21	1.0%	-	4	0.8%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	583	20.9%	164.5	352	42.1%	99.3	4	44.4%	1.1	7	63.6%	2.0	354,490	51.0%
Ages														
0 - 9	2	0.3%	3.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	64,780	18.3%
10 - 14	3	0.5%	9.9	2	0.6%	6.6	0	0.0%	0.0	0	0.0%	0.0	30,413	8.6%
15 - 19	144	25.1%	506.2	66	19.0%	232.0	1	25.0%	3.5	0	0.0%	0.0	28,445	8.0%
20 - 24	248	43.2%	880.2	113	32.6%	401.0	1	25.0%	3.5	2	28.6%	7.1	28,177	7.9%
25 - 29	96	16.7%	381.0	72	20.7%	285.7	1	25.0%	4.0	0	0.0%	0.0	25,199	7.1%
30 - 34	34	5.9%	140.7	46	13.3%	190.4	0	0.0%	0.0	0	0.0%	0.0	24,161	6.8%
35 - 44	35	6.1%	65.0	36	10.4%	66.9	1	25.0%	1.9	4	57.1%	7.4	53,837	15.2%
45+	12	2.1%	12.1	12	3.5%	12.1	0	0.0%	0.0	1	14.3%	1.0	99,478	28.1%
Not Specified	9	1.5%	-	5	1.4%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	2,792	100.0%	409.4	837	100.0%	122.7	9	100.0%	1.3	11	100.0%	1.6	694,749	100.0%
Female Total	2,207	79.0%	648.6	482	57.6%	141.7	5	55.6%	1.5	4	36.4%	1.2	340,259	49.0%
American Indian/Alaska Native	5	0.3%	136.0	2	0.6%	54.4	0	0.0%	0.0	0	0.0%	0.0	3,677	1.1%
Asian/Pacific Islander	21	1.2%	169.6	6	1.8%	48.5	0	0.0%	0.0	0	0.0%	0.0	12,383	3.6%
Black/African-American	239	13.6%	1,267.2	139	40.8%	737.0	1	20.0%	5.3	1	25.0%	5.3	18,860	5.5%
Latino/Hispanic	1,115	63.4%	1,008.9	146	42.8%	132.1	4	80.0%	3.6	3	75.0%	2.7	110,514	32.5%
White	379	21.5%	194.5	48	14.1%	24.6	0	0.0%	0.0	0	0.0%	0.0	194,825	57.3%
Not Specified	448	20.3%	-	141	29.3%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	583	20.9%	164.5	352	42.1%	99.3	4	44.4%	1.1	7	63.6%	2.0	354,490	51.0%
American Indian/Alaska Native	1	0.2%	28.0	1	0.4%	28.0	0	0.0%	0.0	0	0.0%	0.0	3,574	1.0%
Asian/Pacific Islander	3	0.7%	24.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,308	3.5%
Black/African-American	88	19.3%	391.4	96	36.9%	427.0	2	50.0%	8.9	1	14.3%	4.4	22,484	6.3%
Latino/Hispanic	253	55.6%	204.3	121	46.5%	97.7	1	25.0%	0.8	5	71.4%	4.0	123,811	34.9%
White	110	24.2%	57.2	42	16.2%	21.8	1	25.0%	0.5	1	14.3%	0.5	192,313	54.3%
Not Specified	128	22.0%	-	92	26.1%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Kern County, the July 1, 2001 estimate is 681,900).

Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	7		6		4	
► MSM Cases	0	0.0%	0	0.0%	2	50.0%
►► HIV Positives among MSM	0	0.0%	0	0.0%	s	s










s - numbers too small for analysis

Source: California Department of Health Services, STD Control Branch



Kings County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female □ Male

— Female - - Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



Kings County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	494	100.0%	372.3	44	100.0%	33.2	3	100.0%	2.3	1	100.0%	0.8	129,375	100.0%
Female Total	352	71.3%	599.3	26	59.1%	44.3	2	66.7%	3.4	0	0.0%	0.0	58,736	45.4%
Ages														
0 - 9	1	0.3%	9.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,163	19.0%
10 - 14	7	2.0%	136.6	3	11.5%	58.6	0	0.0%	0.0	0	0.0%	0.0	5,123	8.7%
15 - 19	156	44.6%	3,324.1	14	53.8%	298.3	0	0.0%	0.0	0	0.0%	0.0	4,693	8.0%
20 - 24	118	33.7%	2,671.5	7	26.9%	158.5	1	50.0%	22.6	0	0.0%	0.0	4,417	7.5%
25 - 29	42	12.0%	955.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,398	7.5%
30 - 34	14	4.0%	320.9	2	7.7%	45.8	1	50.0%	22.9	0	0.0%	0.0	4,363	7.4%
35 - 44	11	3.1%	138.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,963	13.6%
45+	1	0.3%	6.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	16,616	28.3%
Not Specified	2	0.6%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	142	28.7%	201.0	18	40.9%	25.5	1	33.3%	1.4	1	100.0%	1.4	70,639	54.6%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,861	16.8%
10 - 14	2	1.4%	36.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,448	7.7%
15 - 19	50	35.7%	978.7	3	17.6%	58.7	0	0.0%	0.0	0	0.0%	0.0	5,109	7.2%
20 - 24	51	36.4%	660.9	10	58.8%	129.6	1	100.0%	13.0	0	0.0%	0.0	7,717	10.9%
25 - 29	21	15.0%	261.4	2	11.8%	24.9	0	0.0%	0.0	1	100.0%	12.4	8,034	11.4%
30 - 34	12	8.6%	179.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,691	9.5%
35 - 44	2	1.4%	20.8	2	11.8%	20.8	0	0.0%	0.0	0	0.0%	0.0	9,618	13.6%
45+	2	1.4%	12.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	16,161	22.9%
Not Specified	2	1.4%	-	1	5.6%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	494	100.0%	372.3	44	100.0%	33.2	3	100.0%	2.3	1	100.0%	0.8	129,375	100.0%
Female Total	352	71.3%	599.3	26	59.1%	44.3	2	66.7%	3.4	0	0.0%	0.0	58,736	45.4%
American Indian/Alaska Native	1	0.3%	173.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	577	1.0%
Asian/Pacific Islander	6	1.7%	210.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,845	4.8%
Black/African-American	39	11.1%	1,047.8	8	30.8%	214.9	0	0.0%	0.0	0	0.0%	0.0	3,722	6.3%
Latino/Hispanic	227	64.7%	1,034.6	15	57.7%	68.4	1	50.0%	4.6	0	0.0%	0.0	21,940	37.4%
White	78	22.2%	263.1	3	11.5%	10.1	1	50.0%	3.4	0	0.0%	0.0	29,652	50.5%
Not Specified	1	0.3%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	142	28.7%	201.0	18	40.9%	25.5	1	33.3%	1.4	1	100.0%	1.4	70,639	54.6%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	519	0.7%
Asian/Pacific Islander	1	0.7%	42.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,332	3.3%
Black/African-American	13	9.4%	185.7	6	33.3%	85.7	0	0.0%	0.0	0	0.0%	0.0	7,002	9.9%
Latino/Hispanic	104	74.8%	369.1	8	44.4%	28.4	1	100.0%	3.5	1	100.0%	3.5	28,177	39.9%
White	21	15.1%	64.4	4	22.2%	12.3	0	0.0%	0.0	0	0.0%	0.0	32,609	46.2%
Not Specified	3	2.1%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Kings County, the July 1, 2001 estimate is 132,700).

Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		1	
► MSM Cases	0	0.0%	0	0.0%	s	s
►► HIV Positives among MSM	0	0.0%	0	0.0%	s	s










s - numbers too small for analysis

Source: California Department of Health Services, STD Control Branch



Lake County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female ■ Male

— Female — Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



Lake County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	84	100.0%	139.5	4	100.0%	6.6	0	0.0%	0.0	0	0.0%	0.0	62,080	100.0%
Female Total	67	79.8%	211.8	3	75.0%	9.5	0	0.0%	0.0	0	0.0%	0.0	31,627	50.9%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,645	11.5%
10 - 14	2	3.0%	93.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,129	6.7%
15 - 19	33	49.3%	1,616.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,041	6.5%
20 - 24	16	23.9%	840.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,904	6.0%
25 - 29	6	9.0%	389.1	1	33.3%	64.9	0	0.0%	0.0	0	0.0%	0.0	1,542	4.9%
30 - 34	6	9.0%	424.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,415	4.5%
35 - 44	4	6.0%	102.7	1	33.3%	25.7	0	0.0%	0.0	0	0.0%	0.0	3,894	12.3%
45+	0	0.0%	0.0	1	33.3%	6.6	0	0.0%	0.0	0	0.0%	0.0	15,057	47.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	17	20.2%	55.8	1	25.0%	3.3	0	0.0%	0.0	0	0.0%	0.0	30,453	49.1%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,910	12.8%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,134	7.0%
15 - 19	2	11.8%	91.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,194	7.2%
20 - 24	6	35.3%	282.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,123	7.0%
25 - 29	3	17.6%	176.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,705	5.6%
30 - 34	4	23.5%	296.1	1	100.0%	74.0	0	0.0%	0.0	0	0.0%	0.0	1,351	4.4%
35 - 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,686	12.1%
45+	2	11.8%	15.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	13,350	43.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	84	100.0%	139.5	4	100.0%	6.6	0	0.0%	0.0	0	0.0%	0.0	62,080	100.0%
Female Total	67	79.8%	211.8	3	75.0%	9.5	0	0.0%	0.0	0	0.0%	0.0	31,627	50.9%
American Indian/Alaska Native	5	7.5%	814.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	614	1.9%
Asian/Pacific Islander	1	1.5%	301.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	332	1.0%
Black/African-American	3	4.5%	380.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	788	2.5%
Latino/Hispanic	8	11.9%	333.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,398	7.6%
White	50	74.6%	181.9	3	100.0%	10.9	0	0.0%	0.0	0	0.0%	0.0	27,495	86.9%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	17	20.2%	55.8	1	25.0%	3.3	0	0.0%	0.0	0	0.0%	0.0	30,453	49.1%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	603	2.0%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	244	0.8%
Black/African-American	1	5.9%	123.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	807	2.6%
Latino/Hispanic	2	11.8%	69.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,887	9.5%
White	14	82.4%	54.0	1	100.0%	3.9	0	0.0%	0.0	0	0.0%	0.0	25,912	85.1%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Lake County, the July 1, 2001 estimate is 60,200).










Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		0	
► MSM Cases	0	0.0%	0	0.0%	0	0.0%
►► HIV Positives among MSM	0	0.0%	0	0.0%	0	0.0%



Lassen County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

Lassen County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	20	100.0%	58.2	2	100.0%	5.8	0	0.0%	0.0	0	0.0%	0.0	36,759	100.0%
Female Total	15	75.0%	104.0	2	100.0%	13.9	0	0.0%	0.0	0	0.0%	0.0	14,424	39.2%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,816	12.6%
10 - 14	1	7.7%	97.9	1	50.0%	97.9	0	0.0%	0.0	0	0.0%	0.0	1,021	7.1%
15 - 19	5	38.5%	439.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,137	7.9%
20 - 24	5	38.5%	446.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,119	7.8%
25 - 29	1	7.7%	97.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,025	7.1%
30 - 34	0	0.0%	0.0	1	50.0%	121.5	0	0.0%	0.0	0	0.0%	0.0	823	5.7%
35 - 44	1	7.7%	49.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,032	14.1%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,451	37.8%
Not Specified	2	13.3%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	5	25.0%	22.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	22,335	60.8%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,989	8.9%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,189	5.3%
15 - 19	2	40.0%	138.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,447	6.5%
20 - 24	3	60.0%	104.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,883	12.9%
25 - 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,754	12.3%
30 - 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,452	11.0%
35 - 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,532	15.8%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,089	27.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	20	100.0%	58.2	2	100.0%	5.8	0	0.0%	0.0	0	0.0%	0.0	36,759	100.0%
Female Total	15	75.0%	104.0	2	100.0%	13.9	0	0.0%	0.0	0	0.0%	0.0	14,424	39.2%
American Indian/Alaska Native	1	12.5%	221.7	1	100.0%	221.7	0	0.0%	0.0	0	0.0%	0.0	451	3.1%
Asian/Pacific Islander	1	12.5%	588.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	170	1.2%
Black/African-American	1	12.5%	598.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	167	1.2%
Latino/Hispanic	2	25.0%	146.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,364	9.5%
White	3	37.5%	24.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,272	85.1%
Not Specified	7	46.7%	-	1	50.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	5	25.0%	22.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	22,335	60.8%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	470	2.1%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	218	1.0%
Black/African-American	1	100.0%	32.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,113	13.9%
Latino/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,461	20.0%
White	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,073	63.0%
Not Specified	4	80.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.
(For Lassen County, the July 1, 2001 estimate is 34,350).










Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		0	
► MSM Cases	0	0.0%	0	0.0%	0	0.0%
►► HIV Positives among MSM	0	0.0%	0	0.0%	0	0.0%



Long Beach City – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

Long Beach City – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	2,119	100.0%	449.4	638	100.0%	135.3	21	100.0%	4.5	10	100.0%	2.1	471,475	100.0%
Female Total	1,596	75.3%	665.4	290	45.5%	120.9	2	9.5%	0.8	0	0.0%	0.0	239,868	50.9%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	40,043	16.7%
10 - 14	22	1.4%	124.3	3	1.0%	17.0	0	0.0%	0.0	0	0.0%	0.0	17,694	7.4%
15 - 19	476	29.8%	2,760.9	96	33.2%	556.8	0	0.0%	0.0	0	0.0%	0.0	17,241	7.2%
20 - 24	568	35.6%	2,998.0	92	31.8%	485.6	0	0.0%	0.0	0	0.0%	0.0	18,946	7.9%
25 - 29	302	18.9%	1,474.4	44	15.2%	214.8	0	0.0%	0.0	0	0.0%	0.0	20,483	8.5%
30 - 34	122	7.6%	595.3	28	9.7%	136.6	0	0.0%	0.0	0	0.0%	0.0	20,494	8.5%
35 - 44	88	5.5%	240.2	19	6.6%	51.9	2	100.0%	5.5	0	0.0%	0.0	36,637	15.3%
45+	18	1.1%	26.3	7	2.4%	10.2	0	0.0%	0.0	0	0.0%	0.0	68,329	28.5%
Not Specified	0	0.0%	-	1	0.3%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	522	24.6%	225.4	347	54.4%	149.8	19	90.5%	8.2	10	100.0%	4.3	231,607	49.1%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	41,617	18.0%
10 - 14	4	0.8%	21.4	1	0.3%	5.3	0	0.0%	0.0	0	0.0%	0.0	18,716	8.1%
15 - 19	89	17.0%	522.8	38	11.0%	223.2	0	0.0%	0.0	0	0.0%	0.0	17,024	7.4%
20 - 24	167	32.0%	954.2	73	21.0%	417.1	1	5.3%	5.7	1	10.0%	5.7	17,501	7.6%
25 - 29	99	19.0%	508.9	55	15.9%	282.7	5	26.3%	25.7	0	0.0%	0.0	19,454	8.4%
30 - 34	71	13.6%	340.9	73	21.0%	350.5	5	26.3%	24.0	4	40.0%	19.2	20,827	9.0%
35 - 44	71	13.6%	190.5	85	24.5%	228.1	7	36.8%	18.8	4	40.0%	10.7	37,265	16.1%
45+	21	4.0%	35.5	22	6.3%	37.2	1	5.3%	1.7	1	10.0%	1.7	59,204	25.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	2,119	100.0%	449.4	638	100.0%	135.3	21	100.0%	4.5	10	100.0%	2.1	471,475	100.0%
Female Total	1,596	75.3%	665.4	290	45.5%	120.9	2	9.5%	0.8	0	0.0%	0.0	239,868	50.9%
American Indian/Alaska Native	1	0.1%	108.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	923	0.4%
Asian/Pacific Islander	126	9.6%	385.9	11	4.7%	33.7	0	0.0%	0.0	0	0.0%	0.0	32,652	13.6%
Black/African-American	389	29.5%	1,057.8	141	60.5%	383.4	1	50.0%	2.7	0	0.0%	0.0	36,774	15.3%
Latino/Hispanic	665	50.4%	803.5	52	22.3%	62.8	0	0.0%	0.0	0	0.0%	0.0	82,760	34.5%
White	138	10.5%	174.2	29	12.4%	36.6	1	50.0%	1.3	0	0.0%	0.0	79,197	33.0%
Not Specified	277	17.4%	-	57	19.7%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	522	24.6%	225.4	347	54.4%	149.8	19	90.5%	8.2	10	100.0%	4.3	231,607	49.1%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	887	0.4%
Asian/Pacific Islander	36	7.9%	124.2	10	3.7%	34.5	1	5.3%	3.5	1	10.0%	3.5	28,978	12.5%
Black/African-American	154	33.9%	488.8	132	48.5%	419.0	11	57.9%	34.9	1	10.0%	3.2	31,503	13.6%
Latino/Hispanic	203	44.7%	236.3	64	23.5%	74.5	3	15.8%	3.5	2	20.0%	2.3	85,892	37.1%
White	61	13.4%	79.2	66	24.3%	85.7	4	21.1%	5.2	6	60.0%	7.8	77,000	33.2%
Not Specified	68	13.0%	-	75	21.6%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Total city population was calculated by multiplying the July 1 county population estimate by the January 1 (E-1) city to county ratio from the Department of Finance. Census 2000 gender/race distribution percentages were then applied to this total.

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch










P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	9		18		19	
► MSM Cases	3	33.3%	15	83.3%	16	84.2%
►► HIV Positives among MSM	s	s	7	46.7%	14	87.5%

s - numbers too small for analysis



Los Angeles County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population. Los Angeles County includes Long Beach & Pasadena City Health Jurisdictions.

Source: California Department of Health Services, STD Control Branch

Los Angeles County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	35,081	100.0%	359.9	8,449	100.0%	86.7	212	100.0%	2.2	220	100.0%	2.3	9,925,413	100.0%
Female Total	26,126	74.5%	527.5	3,782	44.8%	76.4	12	5.7%	0.2	53	24.1%	1.1	4,953,110	49.9%
Ages														
0 - 9	13	0.0%	1.5	9	0.2%	1.1	0	0.0%	0.0	0	0.0%	0.0	846,691	17.1%
10 - 14	359	1.4%	92.1	83	2.2%	21.3	0	0.0%	0.0	3	5.7%	0.8	389,679	7.9%
15 - 19	7,902	30.3%	2,514.0	1,271	33.7%	404.4	1	8.3%	0.3	4	7.5%	1.3	314,321	6.3%
20 - 24	9,085	34.9%	3,129.1	1,136	30.1%	391.3	1	8.3%	0.3	7	13.2%	2.4	290,343	5.9%
25 - 29	4,446	17.1%	1,514.3	549	14.5%	187.0	3	25.0%	1.0	7	13.2%	2.4	293,602	5.9%
30 - 34	2,185	8.4%	590.7	345	9.1%	93.3	1	8.3%	0.3	11	20.8%	3.0	369,901	7.5%
35 - 44	1,627	6.2%	197.4	297	7.9%	36.0	3	25.0%	0.4	16	30.2%	1.9	824,317	16.6%
45+	434	1.7%	26.7	87	2.3%	5.4	3	25.0%	0.2	5	9.4%	0.3	1,624,256	32.8%
Not Specified	75	0.3%	-	5	0.1%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	8,901	25.4%	179.0	4,649	55.0%	93.5	200	94.3%	4.0	167	75.9%	3.4	4,972,303	50.1%
Ages														
0 - 9	7	0.1%	0.8	1	0.0%	0.1	0	0.0%	0.0	0	0.0%	0.0	886,181	17.8%
10 - 14	65	0.7%	15.9	10	0.2%	2.5	0	0.0%	0.0	0	0.0%	0.0	407,545	8.2%
15 - 19	1,780	20.1%	538.8	483	10.4%	146.2	4	2.0%	1.2	2	1.2%	0.6	330,383	6.6%
20 - 24	2,827	31.9%	914.9	1,067	23.0%	345.3	20	10.0%	6.5	9	5.4%	2.9	309,003	6.2%
25 - 29	1,737	19.6%	543.2	829	17.9%	259.2	29	14.5%	9.1	23	13.8%	7.2	319,775	6.4%
30 - 34	1,140	12.9%	270.3	802	17.3%	190.2	43	21.5%	10.2	45	26.9%	10.7	421,725	8.5%
35 - 44	1,011	11.4%	115.0	1,063	22.9%	121.0	79	39.5%	9.0	65	38.9%	7.4	878,749	17.7%
45+	294	3.3%	20.7	379	8.2%	26.7	25	12.5%	1.8	23	13.8%	1.6	1,418,942	28.5%
Not Specified	40	0.4%	-	15	0.3%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	35,081	100.0%	359.9	8,449	100.0%	86.7	212	100.0%	2.2	220	100.0%	2.3	9,925,413	100.0%
Female Total	26,126	74.5%	527.5	3,782	44.8%	76.4	12	5.7%	0.2	53	24.1%	1.1	4,953,110	49.9%
American Indian/Alaska Native	28	0.2%	193.2	7	0.3%	48.3	0	0.0%	0.0	0	0.0%	0.0	14,490	0.3%
Asian/Pacific Islander	804	4.9%	125.3	55	2.1%	8.6	0	0.0%	0.0	0	0.0%	0.0	641,812	13.0%
Black/African-American	4,567	27.7%	939.6	1,671	63.2%	343.8	5	41.7%	1.0	9	17.6%	1.9	486,039	9.8%
Latino/Hispanic	9,715	59.0%	436.1	659	24.9%	29.6	4	33.3%	0.2	36	70.6%	1.6	2,227,792	45.0%
White	1,366	8.3%	86.3	250	9.5%	15.8	3	25.0%	0.2	6	11.8%	0.4	1,582,977	32.0%
Not Specified	9,646	36.9%	-	1,140	30.1%	-	0	0.0%	-	2	3.8%	-	-	-
Male Total	8,901	25.4%	179.0	4,649	55.0%	93.5	200	94.3%	4.0	167	75.9%	3.4	4,972,303	50.1%
American Indian/Alaska Native	11	0.2%	81.1	9	0.3%	66.3	0	0.0%	0.0	0	0.0%	0.0	13,570	0.3%
Asian/Pacific Islander	219	3.6%	35.3	66	2.0%	10.6	7	3.6%	1.1	8	5.0%	1.3	620,343	12.5%
Black/African-American	2,133	35.5%	489.6	1,703	52.8%	390.9	45	23.2%	10.3	21	13.2%	4.8	435,701	8.8%
Latino/Hispanic	2,952	49.1%	125.5	761	23.6%	32.4	74	38.1%	3.1	90	56.6%	3.8	2,351,297	47.3%
White	694	11.5%	44.7	688	21.3%	44.3	68	35.1%	4.4	40	25.2%	2.6	1,551,392	31.2%
Not Specified	2,892	32.5%	-	1,422	30.6%	-	6	3.0%	-	8	4.8%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Los Angeles County, the July 1, 2001 estimate is 9,748,500).

Note: Rates are per 100,000 population. Los Angeles County includes Long Beach & Pasadena City Health Jurisdictions.










Source: California Department of Health Services, STD Control Branch

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	68		132		200	
► MSM Cases	24	35.3%	83	62.9%	148	74.0%
►► HIV Positives among MSM	13	54.2%	45	54.2%	87	58.8%



Madera County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

Madera County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	305	100.0%	234.6	33	100.0%	25.4	0	0.0%	0.0	1	100.0%	0.8	131,052	100.0%
Female Total	253	83.0%	375.9	21	63.6%	31.2	0	0.0%	0.0	0	0.0%	0.0	67,303	51.4%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,875	16.2%
10 - 14	5	2.0%	105.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,758	7.1%
15 - 19	77	30.4%	1,649.9	7	33.3%	150.0	0	0.0%	0.0	0	0.0%	0.0	4,667	6.9%
20 - 24	102	40.3%	1,669.7	5	23.8%	81.8	0	0.0%	0.0	0	0.0%	0.0	6,109	9.1%
25 - 29	34	13.4%	562.8	5	23.8%	82.8	0	0.0%	0.0	0	0.0%	0.0	6,041	9.0%
30 - 34	20	7.9%	421.1	1	4.8%	21.1	0	0.0%	0.0	0	0.0%	0.0	4,750	7.1%
35 - 44	12	4.7%	141.7	2	9.5%	23.6	0	0.0%	0.0	0	0.0%	0.0	8,467	12.6%
45+	3	1.2%	13.9	1	4.8%	4.6	0	0.0%	0.0	0	0.0%	0.0	21,636	32.1%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	52	17.0%	81.6	12	36.4%	18.8	0	0.0%	0.0	1	100.0%	1.6	63,749	48.6%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,508	18.1%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,110	8.0%
15 - 19	11	21.2%	217.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,048	7.9%
20 - 24	15	28.8%	292.0	1	8.3%	19.5	0	0.0%	0.0	0	0.0%	0.0	5,137	8.1%
25 - 29	11	21.2%	236.7	4	33.3%	86.1	0	0.0%	0.0	0	0.0%	0.0	4,648	7.3%
30 - 34	8	15.4%	192.6	4	33.3%	96.3	0	0.0%	0.0	0	0.0%	0.0	4,154	6.5%
35 - 44	4	7.7%	49.7	3	25.0%	37.3	0	0.0%	0.0	1	100.0%	12.4	8,046	12.6%
45+	3	5.8%	14.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	20,098	31.5%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	305	100.0%	234.6	33	100.0%	25.4	0	0.0%	0.0	1	100.0%	0.8	131,052	100.0%
Female Total	253	83.0%	375.9	21	63.6%	31.2	0	0.0%	0.0	0	0.0%	0.0	67,303	51.4%
American Indian/Alaska Native	2	0.9%	279.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	716	1.1%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	913	1.4%
Black/African-American	11	5.0%	272.1	3	21.4%	74.2	0	0.0%	0.0	0	0.0%	0.0	4,043	6.0%
Latino/Hispanic	176	80.7%	716.8	9	64.3%	36.7	0	0.0%	0.0	0	0.0%	0.0	24,554	36.5%
White	29	13.3%	78.2	2	14.3%	5.4	0	0.0%	0.0	0	0.0%	0.0	37,077	55.1%
Not Specified	35	13.8%	-	7	33.3%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	52	17.0%	81.6	12	36.4%	18.8	0	0.0%	0.0	1	100.0%	1.6	63,749	48.6%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	596	0.9%
Asian/Pacific Islander	1	2.0%	104.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	954	1.5%
Black/African-American	3	6.1%	145.8	3	25.0%	145.8	0	0.0%	0.0	0	0.0%	0.0	2,057	3.2%
Latino/Hispanic	37	75.5%	145.1	8	66.7%	31.4	0	0.0%	0.0	1	100.0%	3.9	25,508	40.0%
White	8	16.3%	23.1	1	8.3%	2.9	0	0.0%	0.0	0	0.0%	0.0	34,634	54.3%
Not Specified	3	5.8%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Madera County, the July 1, 2001 estimate is 130,000).

Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	2		0		0	
► MSM Cases	s		s		0	0.0%
►► HIV Positives among MSM	s		s		0	0.0%









s - numbers too small for analysis

Source: California Department of Health Services, STD Control Branch




Marin County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female □ Male



— Female — Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



Marin County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	301	100.0%	120.9	73	100.0%	29.3	5	100.0%	2.0	1	100.0%	0.4	249,634	100.0%
Female Total	213	70.8%	170.0	21	28.8%	16.8	0	0.0%	0.0	0	0.0%	0.0	125,275	50.2%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	13,837	11.0%
10 - 14	2	0.9%	27.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,261	5.8%
15 - 19	62	29.1%	970.4	9	42.9%	140.9	0	0.0%	0.0	0	0.0%	0.0	6,389	5.1%
20 - 24	68	31.9%	1,105.5	3	14.3%	48.8	0	0.0%	0.0	0	0.0%	0.0	6,151	4.9%
25 - 29	37	17.4%	446.1	2	9.5%	24.1	0	0.0%	0.0	0	0.0%	0.0	8,295	6.6%
30 - 34	23	10.8%	217.9	2	9.5%	18.9	0	0.0%	0.0	0	0.0%	0.0	10,557	8.4%
35 - 44	17	8.0%	66.4	3	14.3%	11.7	0	0.0%	0.0	0	0.0%	0.0	25,593	20.4%
45+	4	1.9%	8.5	2	9.5%	4.2	0	0.0%	0.0	0	0.0%	0.0	47,192	37.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	88	29.2%	70.8	51	69.9%	41.0	5	100.0%	4.0	1	100.0%	0.8	124,359	49.8%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,621	11.8%
10 - 14	1	1.1%	12.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,767	6.2%
15 - 19	12	13.6%	174.5	4	7.8%	58.2	0	0.0%	0.0	0	0.0%	0.0	6,878	5.5%
20 - 24	28	31.8%	370.2	13	25.5%	171.9	0	0.0%	0.0	0	0.0%	0.0	7,564	6.1%
25 - 29	12	13.6%	124.0	9	17.6%	93.0	0	0.0%	0.0	0	0.0%	0.0	9,677	7.8%
30 - 34	18	20.5%	160.5	5	9.8%	44.6	1	20.0%	8.9	1	100.0%	8.9	11,215	9.0%
35 - 44	14	15.9%	57.9	12	23.5%	49.6	4	80.0%	16.5	0	0.0%	0.0	24,187	19.4%
45+	3	3.4%	7.1	8	15.7%	18.8	0	0.0%	0.0	0	0.0%	0.0	42,450	34.1%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	301	100.0%	120.9	73	100.0%	29.3	5	100.0%	2.0	1	100.0%	0.4	249,634	100.0%
Female Total	213	70.8%	170.0	21	28.8%	16.8	0	0.0%	0.0	0	0.0%	0.0	125,275	50.2%
American Indian/Alaska Native	2	1.0%	561.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	356	0.3%
Asian/Pacific Islander	15	7.7%	205.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,299	5.8%
Black/African-American	13	6.7%	432.0	2	10.5%	66.5	0	0.0%	0.0	0	0.0%	0.0	3,009	2.4%
Latino/Hispanic	92	47.4%	678.3	4	21.1%	29.5	0	0.0%	0.0	0	0.0%	0.0	13,563	10.8%
White	72	37.1%	71.3	13	68.4%	12.9	0	0.0%	0.0	0	0.0%	0.0	101,048	80.7%
Not Specified	19	8.9%	-	2	9.5%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	88	29.2%	70.8	51	69.9%	41.0	5	100.0%	4.0	1	100.0%	0.8	124,359	49.8%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	262	0.2%
Asian/Pacific Islander	5	6.1%	79.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,301	5.1%
Black/African-American	11	13.4%	195.8	7	15.6%	124.6	0	0.0%	0.0	1	100.0%	17.8	5,618	4.5%
Latino/Hispanic	33	40.2%	195.4	10	22.2%	59.2	1	33.3%	5.9	0	0.0%	0.0	16,885	13.6%
White	33	40.2%	34.6	28	62.2%	29.4	2	66.7%	2.1	0	0.0%	0.0	95,293	76.6%
Not Specified	6	6.8%	-	6	11.8%	-	2	40.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Marin County, the July 1, 2001 estimate is 248,900).

Note: Rates are per 100,000 population.









P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	1		1		5	
► MSM Cases	s		s		3	60.0%
►► HIV Positives among MSM	s		s		s	
s - numbers too small for analysis						

Source: California Department of Health Services, STD Control Branch




Mariposa County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female □ Male



— Female — Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



Mariposa County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	9	100.0%	52.9	2	100.0%	11.8	0	0.0%	0.0	0	0.0%	0.0	17,218	100.0%
Female Total	8	88.9%	93.1	1	50.0%	11.6	0	0.0%	0.0	0	0.0%	0.0	8,592	49.9%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	898	10.5%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	550	6.4%
15 - 19	1	14.3%	177.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	562	6.5%
20 - 24	4	57.1%	759.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	527	6.1%
25 - 29	0	0.0%	0.0	1	100.0%	231.5	0	0.0%	0.0	0	0.0%	0.0	432	5.0%
30 - 34	2	28.6%	536.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	373	4.3%
35 - 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,176	13.7%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,074	47.4%
Not Specified	1	12.5%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	1	11.1%	11.6	1	50.0%	11.6	0	0.0%	0.0	0	0.0%	0.0	8,626	50.1%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	933	10.8%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	556	6.4%
15 - 19	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	583	6.8%
20 - 24	1	100.0%	171.8	1	100.0%	171.8	0	0.0%	0.0	0	0.0%	0.0	582	6.7%
25 - 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	500	5.8%
30 - 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	441	5.1%
35 - 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,102	12.8%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,929	45.5%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	9	100.0%	52.9	2	100.0%	11.8	0	0.0%	0.0	0	0.0%	0.0	17,218	100.0%
Female Total	8	88.9%	93.1	1	50.0%	11.6	0	0.0%	0.0	0	0.0%	0.0	8,592	49.9%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	286	3.3%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	74	0.9%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	23	0.3%
Latino/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	463	5.4%
White	2	100.0%	25.8	1	100.0%	12.9	0	0.0%	0.0	0	0.0%	0.0	7,746	90.2%
Not Specified	6	75.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	1	11.1%	11.6	1	50.0%	11.6	0	0.0%	0.0	0	0.0%	0.0	8,626	50.1%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	288	3.3%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	61	0.7%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	107	1.2%
Latino/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	484	5.6%
White	1	100.0%	13.0	1	100.0%	13.0	0	0.0%	0.0	0	0.0%	0.0	7,686	89.1%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Mariposa County, the July 1, 2001 estimate is 17,000).










Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		0	
► MSM Cases	0	0.0%	0	0.0%	0	0.0%
►► HIV Positives among MSM	0	0.0%	0	0.0%	0	0.0%



Mendocino County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

Mendocino County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	172	100.0%	196.6	11	100.0%	12.6	0	0.0%	0.0	0	0.0%	0.0	91,963	100.0%
Female Total	144	83.7%	313.4	6	54.5%	13.1	0	0.0%	0.0	0	0.0%	0.0	45,947	50.0%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,786	12.6%
10 - 14	7	4.9%	224.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,115	6.8%
15 - 19	70	49.0%	2,069.8	3	50.0%	88.7	0	0.0%	0.0	0	0.0%	0.0	3,382	7.4%
20 - 24	38	26.6%	1,143.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,322	7.2%
25 - 29	17	11.9%	594.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,861	6.2%
30 - 34	6	4.2%	246.5	1	16.7%	41.1	0	0.0%	0.0	0	0.0%	0.0	2,434	5.3%
35 - 44	3	2.1%	50.5	1	16.7%	16.8	0	0.0%	0.0	0	0.0%	0.0	5,946	12.9%
45+	2	1.4%	10.5	1	16.7%	5.2	0	0.0%	0.0	0	0.0%	0.0	19,101	41.6%
Not Specified	1	0.7%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	28	16.3%	60.8	5	45.5%	10.9	0	0.0%	0.0	0	0.0%	0.0	46,016	50.0%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,199	13.5%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,389	7.4%
15 - 19	9	32.1%	248.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,623	7.9%
20 - 24	11	39.3%	297.1	2	40.0%	54.0	0	0.0%	0.0	0	0.0%	0.0	3,702	8.0%
25 - 29	5	17.9%	151.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,303	7.2%
30 - 34	1	3.6%	36.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,743	6.0%
35 - 44	2	7.1%	33.8	1	20.0%	16.9	0	0.0%	0.0	0	0.0%	0.0	5,924	12.9%
45+	0	0.0%	0.0	2	40.0%	11.7	0	0.0%	0.0	0	0.0%	0.0	17,133	37.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	172	100.0%	196.6	11	100.0%	12.6	0	0.0%	0.0	0	0.0%	0.0	91,963	100.0%
Female Total	144	83.7%	313.4	6	54.5%	13.1	0	0.0%	0.0	0	0.0%	0.0	45,947	50.0%
American Indian/Alaska Native	9	6.3%	451.1	1	16.7%	50.1	0	0.0%	0.0	0	0.0%	0.0	1,995	4.3%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	773	1.7%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	193	0.4%
Latino/Hispanic	38	26.4%	625.2	1	16.7%	16.5	0	0.0%	0.0	0	0.0%	0.0	6,078	13.2%
White	97	67.4%	262.8	4	66.7%	10.8	0	0.0%	0.0	0	0.0%	0.0	36,908	80.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	28	16.3%	60.8	5	45.5%	10.9	0	0.0%	0.0	0	0.0%	0.0	46,016	50.0%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,899	4.1%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	588	1.3%
Black/African-American	1	3.6%	288.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	347	0.8%
Latino/Hispanic	7	25.0%	93.7	1	20.0%	13.4	0	0.0%	0.0	0	0.0%	0.0	7,473	16.2%
White	20	71.4%	56.0	4	80.0%	11.2	0	0.0%	0.0	0	0.0%	0.0	35,709	77.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Mendocino County, the July 1, 2001 estimate is 87,500).










Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		0	
► MSM Cases	0	0.0%	0	0.0%	0	0.0%
►► HIV Positives among MSM	0	0.0%	0	0.0%	0	0.0%



Merced County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female □ Male

— Female - - Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



Merced County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	468	100.0%	216.3	59	100.0%	27.3	5	100.0%	2.3	2	100.0%	0.9	219,936	100.0%
Female Total	417	89.1%	383.1	43	72.9%	39.5	1	20.0%	0.9	0	0.0%	0.0	108,862	49.5%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	20,339	18.7%
10 - 14	5	1.2%	50.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,820	9.0%
15 - 19	167	40.2%	1,774.7	17	39.5%	180.7	0	0.0%	0.0	0	0.0%	0.0	9,410	8.6%
20 - 24	151	36.4%	1,826.3	19	44.2%	229.8	0	0.0%	0.0	0	0.0%	0.0	8,268	7.6%
25 - 29	62	14.9%	880.3	4	9.3%	56.8	0	0.0%	0.0	0	0.0%	0.0	7,043	6.5%
30 - 34	18	4.3%	265.0	2	4.7%	29.4	0	0.0%	0.0	0	0.0%	0.0	6,793	6.2%
35 - 44	10	2.4%	64.4	1	2.3%	6.4	1	100.0%	6.4	0	0.0%	0.0	15,540	14.3%
45+	2	0.5%	6.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	31,649	29.1%
Not Specified	2	0.5%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	51	10.9%	45.9	16	27.1%	14.4	4	80.0%	3.6	2	100.0%	1.8	111,074	50.5%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	21,475	19.3%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,557	9.5%
15 - 19	15	29.4%	151.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,935	8.9%
20 - 24	15	29.4%	171.0	7	43.8%	79.8	0	0.0%	0.0	0	0.0%	0.0	8,770	7.9%
25 - 29	10	19.6%	129.7	2	12.5%	25.9	0	0.0%	0.0	0	0.0%	0.0	7,712	6.9%
30 - 34	5	9.8%	63.2	2	12.5%	25.3	2	50.0%	25.3	0	0.0%	0.0	7,912	7.1%
35 - 44	4	7.8%	24.7	3	18.8%	18.5	1	25.0%	6.2	1	50.0%	6.2	16,193	14.6%
45+	2	3.9%	7.0	2	12.5%	7.0	1	25.0%	3.5	1	50.0%	3.5	28,520	25.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	468	100.0%	216.3	59	100.0%	27.3	5	100.0%	2.3	2	100.0%	0.9	219,936	100.0%
Female Total	417	89.1%	383.1	43	72.9%	39.5	1	20.0%	0.9	0	0.0%	0.0	108,862	49.5%
American Indian/Alaska Native	4	1.1%	640.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	625	0.6%
Asian/Pacific Islander	15	4.0%	120.7	1	2.8%	8.0	0	0.0%	0.0	0	0.0%	0.0	12,426	11.4%
Black/African-American	41	10.9%	957.3	14	38.9%	326.9	0	0.0%	0.0	0	0.0%	0.0	4,283	3.9%
Latino/Hispanic	235	62.5%	609.3	17	47.2%	44.1	0	0.0%	0.0	0	0.0%	0.0	38,567	35.4%
White	81	21.5%	152.9	4	11.1%	7.6	1	100.0%	1.9	0	0.0%	0.0	52,961	48.6%
Not Specified	41	9.8%	-	7	16.3%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	51	10.9%	45.9	16	27.1%	14.4	4	80.0%	3.6	2	100.0%	1.8	111,074	50.5%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	641	0.6%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,129	10.9%
Black/African-American	9	21.4%	203.6	4	26.7%	90.5	0	0.0%	0.0	1	50.0%	22.6	4,421	4.0%
Latino/Hispanic	30	71.4%	70.7	5	33.3%	11.8	4	100.0%	9.4	1	50.0%	2.4	42,405	38.2%
White	3	7.1%	5.8	6	40.0%	11.7	0	0.0%	0.0	0	0.0%	0.0	51,478	46.3%
Not Specified	9	17.6%	-	1	6.3%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Merced County, the July 1, 2001 estimate is 216,400).

Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	1		8		4	
► MSM Cases	s		s		0	
►► HIV Positives among MSM	s		s		0	










s - numbers too small for analysis

Source: California Department of Health Services, STD Control Branch



Modoc County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

Modoc County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	6	100.0%	63.5	1	100.0%	10.6	0	0.0%	0.0	0	0.0%	0.0	10,589	100.0%
Female Total	6	100.0%	115.6	1	100.0%	19.3	0	0.0%	0.0	0	0.0%	0.0	5,189	49.0%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	580	11.2%
10 - 14	1	16.7%	319.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	313	6.0%
15 - 19	3	50.0%	835.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	359	6.9%
20 - 24	1	16.7%	237.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	421	8.1%
25 - 29	1	16.7%	287.4	1	100.0%	287.4	0	0.0%	0.0	0	0.0%	0.0	348	6.7%
30 - 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	218	4.2%
35 - 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	650	12.5%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,300	44.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,400	51.0%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	661	12.2%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	348	6.4%
15 - 19	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	447	8.3%
20 - 24	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	457	8.5%
25 - 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	410	7.6%
30 - 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	248	4.6%
35 - 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	657	12.2%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,172	40.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	6	100.0%	63.5	1	100.0%	10.6	0	0.0%	0.0	0	0.0%	0.0	10,589	100.0%
Female Total	6	100.0%	115.6	1	100.0%	19.3	0	0.0%	0.0	0	0.0%	0.0	5,189	49.0%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	205	4.0%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	24	0.5%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	20	0.4%
Latino/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	496	9.6%
White	6	100.0%	135.0	1	100.0%	22.5	0	0.0%	0.0	0	0.0%	0.0	4,444	85.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,400	51.0%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	216	4.0%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	18	0.3%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	63	1.2%
Latino/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	653	12.1%
White	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,450	82.4%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Modoc County, the July 1, 2001 estimate is 9,450).










Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		0	
► MSM Cases	0	0.0%	0	0.0%	0	0.0%
►► HIV Positives among MSM	0	0.0%	0	0.0%	0	0.0%



Mono County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

Mono County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	6	100.0%	45.6	1	100.0%	7.6	0	0.0%	0.0	0	0.0%	0.0	11,081	100.0%
Female Total	4	66.7%	77.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,140	46.4%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	664	12.9%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	394	7.7%
15 - 19	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	372	7.2%
20 - 24	1	25.0%	331.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	302	5.9%
25 - 29	1	25.0%	393.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	254	4.9%
30 - 34	1	25.0%	371.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	269	5.2%
35 - 44	1	25.0%	103.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	963	18.7%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,922	37.4%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	2	33.3%	33.7	1	100.0%	16.8	0	0.0%	0.0	0	0.0%	0.0	5,941	53.6%
Ages														
0 - 9	1	50.0%	159.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	628	10.6%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	448	7.5%
15 - 19	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	417	7.0%
20 - 24	1	50.0%	303.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	330	5.6%
25 - 29	0	0.0%	0.0	1	100.0%	316.5	0	0.0%	0.0	0	0.0%	0.0	316	5.3%
30 - 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	420	7.1%
35 - 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,204	20.3%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,178	36.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	6	100.0%	45.6	1	100.0%	7.6	0	0.0%	0.0	0	0.0%	0.0	11,081	100.0%
Female Total	4	66.7%	77.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,140	46.4%
American Indian/Alaska Native	1	25.0%	537.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	186	3.6%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	68	1.3%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	17	0.3%
Latino/Hispanic	1	25.0%	131.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	759	14.8%
White	2	50.0%	48.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,110	80.0%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	2	33.3%	33.7	1	100.0%	16.8	0	0.0%	0.0	0	0.0%	0.0	5,941	53.6%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	170	2.9%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	63	1.1%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	28	0.5%
Latino/Hispanic	1	50.0%	95.8	1	100.0%	95.8	0	0.0%	0.0	0	0.0%	0.0	1,044	17.6%
White	1	50.0%	21.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,636	78.0%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Mono County, the July 1, 2001 estimate is 13,150).










Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		0	
► MSM Cases	0	0.0%	0	0.0%	0	0.0%
►► HIV Positives among MSM	0	0.0%	0	0.0%	0	0.0%



Monterey County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

Monterey County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,200	100.0%	294.1	84	100.0%	20.6	1	100.0%	0.2	2	100.0%	0.5	409,511	100.0%
Female Total	989	82.4%	508.4	46	54.8%	23.6	0	0.0%	0.0	1	50.0%	0.5	194,517	47.5%
Ages														
0 - 9	2	0.2%	5.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	35,532	18.3%
10 - 14	12	1.2%	72.2	1	2.2%	6.0	0	0.0%	0.0	0	0.0%	0.0	16,631	8.5%
15 - 19	336	34.2%	2,399.5	12	26.1%	85.7	0	0.0%	0.0	0	0.0%	0.0	14,003	7.2%
20 - 24	350	35.6%	2,768.5	21	45.7%	166.1	0	0.0%	0.0	0	0.0%	0.0	12,642	6.5%
25 - 29	155	15.8%	1,548.6	3	6.5%	30.0	0	0.0%	0.0	0	0.0%	0.0	10,009	5.1%
30 - 34	90	9.2%	731.5	5	10.9%	40.6	0	0.0%	0.0	1	100.0%	8.1	12,304	6.3%
35 - 44	31	3.2%	102.2	4	8.7%	13.2	0	0.0%	0.0	0	0.0%	0.0	30,324	15.6%
45+	7	0.7%	11.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	63,072	32.4%
Not Specified	6	0.6%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	209	17.4%	97.2	38	45.2%	17.7	1	100.0%	0.5	1	50.0%	0.5	214,994	52.5%
Ages														
0 - 9	1	0.5%	2.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	36,942	17.2%
10 - 14	1	0.5%	5.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	17,357	8.1%
15 - 19	37	18.1%	232.7	7	18.4%	44.0	0	0.0%	0.0	0	0.0%	0.0	15,902	7.4%
20 - 24	83	40.7%	475.2	6	15.8%	34.4	0	0.0%	0.0	0	0.0%	0.0	17,466	8.1%
25 - 29	53	26.0%	343.8	11	28.9%	71.4	0	0.0%	0.0	1	100.0%	6.5	15,416	7.2%
30 - 34	13	6.4%	71.7	6	15.8%	33.1	1	100.0%	5.5	0	0.0%	0.0	18,132	8.4%
35 - 44	14	6.9%	39.6	5	13.2%	14.1	0	0.0%	0.0	0	0.0%	0.0	35,363	16.4%
45+	2	1.0%	3.4	3	7.9%	5.1	0	0.0%	0.0	0	0.0%	0.0	58,416	27.2%
Not Specified	5	2.4%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,200	100.0%	294.1	84	100.0%	20.6	1	100.0%	0.2	2	100.0%	0.5	409,511	100.0%
Female Total	989	82.4%	508.4	46	54.8%	23.6	0	0.0%	0.0	1	50.0%	0.5	194,517	47.5%
American Indian/Alaska Native	3	0.4%	261.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,149	0.6%
Asian/Pacific Islander	24	3.3%	152.4	1	2.7%	6.3	0	0.0%	0.0	0	0.0%	0.0	15,751	8.1%
Black/African-American	26	3.6%	287.4	1	2.7%	11.1	0	0.0%	0.0	0	0.0%	0.0	9,046	4.7%
Latino/Hispanic	572	79.8%	712.4	33	89.2%	41.1	0	0.0%	0.0	0	0.0%	0.0	80,293	41.3%
White	92	12.8%	104.2	2	5.4%	2.3	0	0.0%	0.0	0	0.0%	0.0	88,278	45.4%
Not Specified	272	27.5%	-	9	19.6%	-	0	0.0%	-	1	100.0%	-	-	-
Male Total	209	17.4%	97.2	38	45.2%	17.7	1	100.0%	0.5	1	50.0%	0.5	214,994	52.5%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	1	100.0%	83.1	0	0.0%	0.0	1,203	0.6%
Asian/Pacific Islander	4	2.6%	28.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,187	6.6%
Black/African-American	11	7.1%	74.7	3	12.5%	20.4	0	0.0%	0.0	0	0.0%	0.0	14,717	6.8%
Latino/Hispanic	119	76.8%	128.3	17	70.8%	18.3	0	0.0%	0.0	1	100.0%	1.1	92,739	43.1%
White	21	13.5%	22.8	4	16.7%	4.3	0	0.0%	0.0	0	0.0%	0.0	92,148	42.9%
Not Specified	54	25.8%	-	14	36.8%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Monterey County, the July 1, 2001 estimate is 408,000).

Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	1		2		1	
► MSM Cases	s		s		s	
►► HIV Positives among MSM	s		s		s	









s - numbers too small for analysis

Source: California Department of Health Services, STD Control Branch



Napa County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female □ Male

— Female — Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



Napa County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	120	100.0%	93.7	16	100.0%	12.5	1	100.0%	0.8	1	100.0%	0.8	129,130	100.0%
Female Total	96	80.0%	147.9	6	37.5%	9.2	1	100.0%	1.5	0	0.0%	0.0	64,891	50.3%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,885	12.2%
10 - 14	2	2.1%	47.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,224	6.5%
15 - 19	40	42.1%	974.2	3	50.0%	73.1	0	0.0%	0.0	0	0.0%	0.0	4,106	6.3%
20 - 24	34	35.8%	826.4	1	16.7%	24.3	1	100.0%	24.3	0	0.0%	0.0	4,114	6.3%
25 - 29	7	7.4%	170.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,098	6.3%
30 - 34	4	4.2%	93.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,284	6.6%
35 - 44	7	7.4%	76.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,180	14.1%
45+	1	1.1%	3.7	2	33.3%	7.4	0	0.0%	0.0	0	0.0%	0.0	27,000	41.6%
Not Specified	1	1.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	20	16.7%	31.1	9	56.3%	14.0	0	0.0%	0.0	1	100.0%	1.6	64,239	49.7%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	8,326	13.0%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,342	6.8%
15 - 19	0	0.0%	0.0	1	11.1%	22.6	0	0.0%	0.0	0	0.0%	0.0	4,424	6.9%
20 - 24	11	55.0%	250.5	3	33.3%	68.3	0	0.0%	0.0	1	100.0%	22.8	4,392	6.8%
25 - 29	7	35.0%	157.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,442	6.9%
30 - 34	0	0.0%	0.0	2	22.2%	42.1	0	0.0%	0.0	0	0.0%	0.0	4,747	7.4%
35 - 44	1	5.0%	10.6	2	22.2%	21.2	0	0.0%	0.0	0	0.0%	0.0	9,421	14.7%
45+	1	5.0%	4.1	1	11.1%	4.1	0	0.0%	0.0	0	0.0%	0.0	24,145	37.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	120	100.0%	93.7	16	100.0%	12.5	1	100.0%	0.8	1	100.0%	0.8	129,130	100.0%
Female Total	96	80.0%	147.9	6	37.5%	9.2	1	100.0%	1.5	0	0.0%	0.0	64,891	50.3%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	396	0.6%
Asian/Pacific Islander	1	3.0%	36.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,772	4.3%
Black/African-American	1	3.0%	137.0	1	33.3%	137.0	0	0.0%	0.0	0	0.0%	0.0	730	1.1%
Latino/Hispanic	14	42.4%	121.6	0	0.0%	0.0	1	100.0%	8.7	0	0.0%	0.0	11,514	17.7%
White	17	51.5%	34.4	2	66.7%	4.0	0	0.0%	0.0	0	0.0%	0.0	49,479	76.2%
Not Specified	63	65.6%	-	3	50.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	20	16.7%	31.1	9	56.3%	14.0	0	0.0%	0.0	1	100.0%	1.6	64,239	49.7%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	401	0.6%
Asian/Pacific Islander	0	0.0%	0.0	1	50.0%	35.6	0	0.0%	0.0	0	0.0%	0.0	2,811	4.4%
Black/African-American	1	16.7%	101.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	982	1.5%
Latino/Hispanic	2	33.3%	14.9	0	0.0%	0.0	0	0.0%	0.0	1	100.0%	7.5	13,397	20.9%
White	3	50.0%	6.4	1	50.0%	2.1	0	0.0%	0.0	0	0.0%	0.0	46,648	72.6%
Not Specified	14	70.0%	-	7	77.8%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Napa County, the July 1, 2001 estimate is 128,100).










Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		0	
► MSM Cases	0	0.0%	0	0.0%	0	0.0%
►► HIV Positives among MSM	0	0.0%	0	0.0%	0	0.0%



Nevada County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

Nevada County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	88	100.0%	93.4	7	100.0%	7.4	0	0.0%	0.0	0	0.0%	0.0	99,670	100.0%
Female Total	56	63.6%	110.7	2	28.6%	4.0	0	0.0%	0.0	0	0.0%	0.0	50,591	50.8%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,100	10.1%
10 - 14	1	1.8%	33.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,975	5.9%
15 - 19	26	46.4%	786.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,307	6.5%
20 - 24	19	33.9%	571.9	2	100.0%	60.2	0	0.0%	0.0	0	0.0%	0.0	3,322	6.6%
25 - 29	8	14.3%	300.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,666	5.3%
30 - 34	2	3.6%	89.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,237	4.4%
35 - 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,473	12.8%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	24,511	48.4%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	32	36.4%	65.2	5	71.4%	10.2	0	0.0%	0.0	0	0.0%	0.0	49,079	49.2%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,313	10.8%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,395	6.9%
15 - 19	9	29.0%	248.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,620	7.4%
20 - 24	17	54.8%	489.2	2	50.0%	57.6	0	0.0%	0.0	0	0.0%	0.0	3,475	7.1%
25 - 29	2	6.5%	70.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,849	5.8%
30 - 34	3	9.7%	124.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,417	4.9%
35 - 44	0	0.0%	0.0	1	25.0%	16.7	0	0.0%	0.0	0	0.0%	0.0	5,984	12.2%
45+	0	0.0%	0.0	1	25.0%	4.5	0	0.0%	0.0	0	0.0%	0.0	22,026	44.9%
Not Specified	1	3.1%	-	1	20.0%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	88	100.0%	93.4	7	100.0%	7.4	0	0.0%	0.0	0	0.0%	0.0	99,670	100.0%
Female Total	56	63.6%	110.7	2	28.6%	4.0	0	0.0%	0.0	0	0.0%	0.0	50,591	50.8%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	434	0.9%
Asian/Pacific Islander	1	2.2%	202.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	493	1.0%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	61	0.1%
Latino/Hispanic	10	22.2%	402.1	1	50.0%	40.2	0	0.0%	0.0	0	0.0%	0.0	2,487	4.9%
White	34	75.6%	72.2	1	50.0%	2.1	0	0.0%	0.0	0	0.0%	0.0	47,116	93.1%
Not Specified	11	19.6%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	32	36.4%	65.2	5	71.4%	10.2	0	0.0%	0.0	0	0.0%	0.0	49,079	49.2%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	467	1.0%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	407	0.8%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	130	0.3%
Latino/Hispanic	7	24.1%	282.3	3	60.0%	121.0	0	0.0%	0.0	0	0.0%	0.0	2,480	5.1%
White	22	75.9%	48.3	2	40.0%	4.4	0	0.0%	0.0	0	0.0%	0.0	45,595	92.9%
Not Specified	3	9.4%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Nevada County, the July 1, 2001 estimate is 94,200).

Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		1		0	
► MSM Cases	0	0.0%	S	S	0	0.0%
►► HIV Positives among MSM	0	0.0%	S	S	0	0.0%










s - numbers too small for analysis

Source: California Department of Health Services, STD Control Branch



Orange County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

Orange County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	5,759	100.0%	197.9	664	100.0%	22.8	40	100.0%	1.4	26	100.0%	0.9	2,872,632	100.0%
Female Total	4,337	75.3%	305.5	229	34.5%	16.1	2	5.0%	0.1	3	11.5%	0.2	1,419,458	49.4%
Ages														
0 - 9	5	0.1%	2.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	243,099	17.1%
10 - 14	46	1.1%	43.7	3	1.3%	2.9	0	0.0%	0.0	0	0.0%	0.0	105,183	7.4%
15 - 19	1,138	26.8%	1,314.3	58	25.6%	67.0	0	0.0%	0.0	1	33.3%	1.2	86,586	6.1%
20 - 24	1,511	35.6%	1,882.0	70	30.8%	87.2	1	50.0%	1.2	2	66.7%	2.5	80,286	5.7%
25 - 29	823	19.4%	977.3	37	16.3%	43.9	0	0.0%	0.0	0	0.0%	0.0	84,211	5.9%
30 - 34	408	9.6%	379.9	27	11.9%	25.1	0	0.0%	0.0	0	0.0%	0.0	107,399	7.6%
35 - 44	263	6.2%	112.4	27	11.9%	11.5	1	50.0%	0.4	0	0.0%	0.0	234,011	16.5%
45+	53	1.2%	11.1	5	2.2%	1.0	0	0.0%	0.0	0	0.0%	0.0	478,683	33.7%
Not Specified	90	2.1%	-	2	0.9%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	1,368	23.8%	94.1	432	65.1%	29.7	38	95.0%	2.6	23	88.5%	1.6	1,453,174	50.6%
Ages														
0 - 9	1	0.1%	0.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	255,155	17.6%
10 - 14	3	0.2%	2.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	110,896	7.6%
15 - 19	231	17.2%	252.7	44	10.3%	48.1	2	5.3%	2.2	1	4.3%	1.1	91,429	6.3%
20 - 24	442	33.0%	513.7	93	21.8%	108.1	7	18.4%	8.1	4	17.4%	4.6	86,035	5.9%
25 - 29	303	22.6%	326.4	95	22.3%	102.3	11	28.9%	11.8	5	21.7%	5.4	92,835	6.4%
30 - 34	180	13.4%	144.4	67	15.7%	53.8	5	13.2%	4.0	3	13.0%	2.4	124,642	8.6%
35 - 44	146	10.9%	56.4	94	22.1%	36.3	9	23.7%	3.5	9	39.1%	3.5	259,070	17.8%
45+	35	2.6%	8.1	33	7.7%	7.6	4	10.5%	0.9	1	4.3%	0.2	433,112	29.8%
Not Specified	27	2.0%	-	6	1.4%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	5,759	100.0%	197.9	664	100.0%	22.8	40	100.0%	1.4	26	100.0%	0.9	2,872,632	100.0%
Female Total	4,337	75.3%	305.5	229	34.5%	16.1	2	5.0%	0.1	3	11.5%	0.2	1,419,458	49.4%
American Indian/Alaska Native	3	0.1%	67.9	1	0.7%	22.6	0	0.0%	0.0	0	0.0%	0.0	4,421	0.3%
Asian/Pacific Islander	226	7.7%	116.2	6	4.3%	3.1	0	0.0%	0.0	0	0.0%	0.0	194,460	13.7%
Black/African-American	53	1.8%	243.1	11	7.8%	50.5	0	0.0%	0.0	0	0.0%	0.0	21,802	1.5%
Latino/Hispanic	2,408	81.9%	585.9	103	73.0%	25.1	1	50.0%	0.2	3	100.0%	0.7	411,003	29.0%
White	251	8.5%	31.9	20	14.2%	2.5	1	50.0%	0.1	0	0.0%	0.0	787,772	55.5%
Not Specified	1,396	32.2%	-	88	38.4%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	1,368	23.8%	94.1	432	65.1%	29.7	38	95.0%	2.6	23	88.5%	1.6	1,453,174	50.6%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,410	0.3%
Asian/Pacific Islander	66	6.4%	33.7	17	7.4%	8.7	2	5.4%	1.0	2	8.7%	1.0	195,603	13.5%
Black/African-American	39	3.8%	170.5	14	6.1%	61.2	1	2.7%	4.4	1	4.3%	4.4	22,871	1.6%
Latino/Hispanic	792	76.7%	172.3	141	61.6%	30.7	23	62.2%	5.0	13	56.5%	2.8	459,789	31.6%
White	135	13.1%	17.5	57	24.9%	7.4	11	29.7%	1.4	7	30.4%	0.9	770,501	53.0%
Not Specified	336	24.6%	-	203	47.0%	-	1	2.6%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Orange County, the July 1, 2001 estimate is 2,910,000).










Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	24		24		38	
► MSM Cases	8	33.3%	17	70.8%	28	73.7%
►► HIV Positives among MSM	0	0.0%	6	35.3%	11	39.3%



Pasadena City – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

Pasadena City – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	225	100.0%	164.6	52	100.0%	38.0	4	100.0%	2.9	3	100.0%	2.2	136,727	100.0%
Female Total	158	70.2%	226.1	20	38.5%	28.6	0	0.0%	0.0	0	0.0%	0.0	69,867	51.1%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,319	13.3%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,023	5.8%
15 - 19	41	26.3%	1,165.2	5	25.0%	142.1	0	0.0%	0.0	0	0.0%	0.0	3,519	5.0%
20 - 24	63	40.4%	1,400.7	6	30.0%	133.4	0	0.0%	0.0	0	0.0%	0.0	4,498	6.4%
25 - 29	31	19.9%	503.1	6	30.0%	97.4	0	0.0%	0.0	0	0.0%	0.0	6,162	8.8%
30 - 34	14	9.0%	225.6	2	10.0%	32.2	0	0.0%	0.0	0	0.0%	0.0	6,206	8.9%
35 - 44	5	3.2%	44.7	1	5.0%	8.9	0	0.0%	0.0	0	0.0%	0.0	11,189	16.0%
45+	2	1.3%	8.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	24,951	35.7%
Not Specified	2	1.3%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	65	24.4%	82.3	29	55.8%	43.4	4	100.0%	6.0	3	100.0%	4.5	66,860	48.9%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,590	14.3%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,248	6.4%
15 - 19	11	20.0%	268.0	8	28.6%	194.9	0	0.0%	0.0	0	0.0%	0.0	4,104	6.1%
20 - 24	11	20.0%	218.7	2	7.1%	39.8	0	0.0%	0.0	0	0.0%	0.0	5,031	7.5%
25 - 29	11	20.0%	172.3	4	14.3%	62.7	0	0.0%	0.0	0	0.0%	0.0	6,384	9.5%
30 - 34	12	21.8%	184.4	5	17.9%	76.8	2	50.0%	30.7	1	33.3%	15.4	6,508	9.7%
35 - 44	10	18.2%	88.7	5	17.9%	44.4	1	25.0%	8.9	2	66.7%	17.7	11,273	16.9%
45+	0	0.0%	0.0	4	14.3%	20.3	1	25.0%	5.1	0	0.0%	0.0	19,723	29.5%
Not Specified	0	0.0%	-	1	3.4%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	225	100.0%	164.6	52	100.0%	38.0	4	100.0%	2.9	3	100.0%	2.2	136,727	100.0%
Female Total	158	70.2%	226.1	20	38.5%	28.6	0	0.0%	0.0	0	0.0%	0.0	69,867	51.1%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	174	0.2%
Asian/Pacific Islander	4	3.0%	54.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,321	10.5%
Black/African-American	43	31.9%	413.7	8	53.3%	77.0	0	0.0%	0.0	0	0.0%	0.0	10,393	14.9%
Latino/Hispanic	73	54.1%	323.1	5	33.3%	22.1	0	0.0%	0.0	0	0.0%	0.0	22,592	32.3%
White	15	11.1%	55.4	2	13.3%	7.4	0	0.0%	0.0	0	0.0%	0.0	27,096	38.8%
Not Specified	23	14.6%	-	5	25.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	65	24.4%	82.3	29	55.8%	43.4	4	100.0%	6.0	3	100.0%	4.5	66,860	48.9%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	157	0.2%
Asian/Pacific Islander	1	2.1%	15.8	0	0.0%	0.0	0	0.0%	0.0	1	33.3%	15.8	6,314	9.4%
Black/African-American	16	33.3%	183.7	11	47.8%	126.3	1	33.3%	11.5	0	0.0%	0.0	8,708	13.0%
Latino/Hispanic	24	50.0%	104.0	4	17.4%	17.3	2	66.7%	8.7	2	66.7%	8.7	23,074	34.5%
White	7	14.6%	26.5	8	34.8%	30.3	0	0.0%	0.0	0	0.0%	0.0	26,376	39.5%
Not Specified	7	12.7%	-	6	20.7%	-	1	25.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Total city population was calculated by multiplying the July 1 county population estimate by the January 1 (E-1) city to county ratio from the Department of Finance. Census 2000 gender/race distribution percentages were then applied to this total.

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch










P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	2		0		4	
► MSM Cases	s		s		1	25.0%
►► HIV Positives among MSM	s		s		s	

s - numbers too small for analysis



Placer County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female □ Male

— Female - Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



Placer County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	245	100.0%	93.7	22	100.0%	8.4	2	100.0%	0.8	1	100.0%	0.4	252,688	100.0%
Female Total	184	75.1%	144.5	12	54.5%	9.4	0	0.0%	0.0	0	0.0%	0.0	127,314	50.4%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	17,262	13.6%
10 - 14	1	0.5%	10.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,171	7.2%
15 - 19	75	40.8%	810.8	5	41.7%	54.1	0	0.0%	0.0	0	0.0%	0.0	9,250	7.3%
20 - 24	71	38.6%	879.7	2	16.7%	24.8	0	0.0%	0.0	0	0.0%	0.0	8,071	6.3%
25 - 29	22	12.0%	319.7	2	16.7%	29.1	0	0.0%	0.0	0	0.0%	0.0	6,882	5.4%
30 - 34	10	5.4%	137.8	2	16.7%	27.6	0	0.0%	0.0	0	0.0%	0.0	7,257	5.7%
35 - 44	5	2.7%	24.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	20,059	15.8%
45+	0	0.0%	0.0	1	8.3%	2.0	0	0.0%	0.0	0	0.0%	0.0	49,362	38.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	61	24.9%	48.7	10	45.5%	8.0	2	100.0%	1.6	1	100.0%	0.8	125,374	49.6%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	17,909	14.3%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,738	7.8%
15 - 19	19	31.1%	196.7	1	10.0%	10.4	0	0.0%	0.0	0	0.0%	0.0	9,659	7.7%
20 - 24	28	45.9%	326.7	2	20.0%	23.3	0	0.0%	0.0	0	0.0%	0.0	8,570	6.8%
25 - 29	7	11.5%	100.3	1	10.0%	14.3	0	0.0%	0.0	0	0.0%	0.0	6,978	5.6%
30 - 34	3	4.9%	41.9	1	10.0%	14.0	0	0.0%	0.0	0	0.0%	0.0	7,154	5.7%
35 - 44	3	4.9%	15.6	4	40.0%	20.8	0	0.0%	0.0	1	100.0%	5.2	19,267	15.4%
45+	1	1.6%	2.2	1	10.0%	2.2	2	100.0%	4.3	0	0.0%	0.0	46,099	36.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	245	100.0%	93.7	22	100.0%	8.4	2	100.0%	0.8	1	100.0%	0.4	252,688	100.0%
Female Total	184	75.1%	144.5	12	54.5%	9.4	0	0.0%	0.0	0	0.0%	0.0	127,314	50.4%
American Indian/Alaska Native	2	1.4%	191.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,044	0.8%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,693	2.9%
Black/African-American	3	2.2%	395.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	758	0.6%
Latino/Hispanic	32	23.2%	302.4	2	25.0%	18.9	0	0.0%	0.0	0	0.0%	0.0	10,582	8.3%
White	101	73.2%	90.8	6	75.0%	5.4	0	0.0%	0.0	0	0.0%	0.0	111,237	87.4%
Not Specified	46	25.0%	-	4	33.3%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	61	24.9%	48.7	10	45.5%	8.0	2	100.0%	1.6	1	100.0%	0.8	125,374	49.6%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,009	0.8%
Asian/Pacific Islander	1	2.0%	30.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,292	2.6%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	905	0.7%
Latino/Hispanic	10	20.0%	88.8	1	12.5%	8.9	0	0.0%	0.0	0	0.0%	0.0	11,258	9.0%
White	39	78.0%	35.8	7	87.5%	6.4	2	100.0%	1.8	0	0.0%	0.0	108,910	86.9%
Not Specified	11	18.0%	-	2	20.0%	-	0	0.0%	-	1	100.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Placer County, the July 1, 2001 estimate is 261,500).

Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		2	
► MSM Cases	0	0.0%	0	0.0%	s	s
►► HIV Positives among MSM	0	0.0%	0	0.0%	s	s









s - numbers too small for analysis

Source: California Department of Health Services, STD Control Branch




Plumas County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female □ Male



— Female — Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



Plumas County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	13	100.0%	61.9	1	100.0%	4.8	0	0.0%	0.0	0	0.0%	0.0	21,044	100.0%
Female Total	12	92.3%	113.3	1	100.0%	9.4	0	0.0%	0.0	0	0.0%	0.0	10,596	50.4%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	915	8.6%
10 - 14	1	8.3%	155.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	645	6.1%
15 - 19	5	41.7%	675.7	1	100.0%	135.1	0	0.0%	0.0	0	0.0%	0.0	740	7.0%
20 - 24	5	41.7%	607.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	823	7.8%
25 - 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	598	5.6%
30 - 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	414	3.9%
35 - 44	1	8.3%	72.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,379	13.0%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,082	48.0%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	1	7.7%	9.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,448	49.6%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,005	9.6%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	656	6.3%
15 - 19	1	100.0%	119.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	837	8.0%
20 - 24	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	833	8.0%
25 - 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	719	6.9%
30 - 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	428	4.1%
35 - 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,109	10.6%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,861	46.5%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	13	100.0%	61.9	1	100.0%	4.8	0	0.0%	0.0	0	0.0%	0.0	21,044	100.0%
Female Total	12	92.3%	113.3	1	100.0%	9.4	0	0.0%	0.0	0	0.0%	0.0	10,596	50.4%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	330	3.1%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	76	0.7%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	73	0.7%
Latino/Hispanic	1	16.7%	154.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	649	6.1%
White	5	83.3%	52.8	1	100.0%	10.6	0	0.0%	0.0	0	0.0%	0.0	9,468	89.4%
Not Specified	6	50.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	1	7.7%	9.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,448	49.6%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	307	2.9%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	55	0.5%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	91	0.9%
Latino/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	670	6.4%
White	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,325	89.3%
Not Specified	1	100.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Plumas County, the July 1, 2001 estimate is 21,000).










Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		0	
► MSM Cases	0	0.0%	0	0.0%	0	0.0%
►► HIV Positives among MSM	0	0.0%	0	0.0%	0	0.0%



Riverside County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female □ Male

— Female — Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



Riverside County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	3,411	100.0%	210.8	637	100.0%	39.4	17	100.0%	1.1	9	100.0%	0.6	1,626,134	100.0%
Female Total	2,711	79.5%	333.1	331	52.0%	40.7	3	17.6%	0.4	4	44.4%	0.5	813,798	50.0%
Ages														
0 - 9	1	0.0%	0.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	134,568	16.5%
10 - 14	32	1.2%	48.8	4	1.2%	6.1	0	0.0%	0.0	0	0.0%	0.0	65,564	8.1%
15 - 19	968	35.7%	1,622.6	133	40.2%	222.9	0	0.0%	0.0	2	50.0%	3.4	59,656	7.3%
20 - 24	1,007	37.2%	1,898.2	115	34.7%	216.8	0	0.0%	0.0	1	25.0%	1.9	53,051	6.5%
25 - 29	426	15.7%	887.4	40	12.1%	83.3	1	33.3%	2.1	1	25.0%	2.1	48,006	5.9%
30 - 34	139	5.1%	270.1	22	6.6%	42.8	0	0.0%	0.0	0	0.0%	0.0	51,461	6.3%
35 - 44	118	4.4%	96.1	15	4.5%	12.2	0	0.0%	0.0	0	0.0%	0.0	122,759	15.1%
45+	17	0.6%	6.1	2	0.6%	0.7	2	66.7%	0.7	0	0.0%	0.0	278,733	34.3%
Not Specified	3	0.1%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	700	20.5%	86.2	306	48.0%	37.7	14	82.4%	1.7	5	55.6%	0.6	812,336	50.0%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	139,982	17.2%
10 - 14	3	0.4%	4.3	2	0.7%	2.9	0	0.0%	0.0	0	0.0%	0.0	69,102	8.5%
15 - 19	176	25.1%	285.1	54	17.6%	87.5	1	7.1%	1.6	0	0.0%	0.0	61,733	7.6%
20 - 24	254	36.3%	460.5	76	24.8%	137.8	0	0.0%	0.0	2	40.0%	3.6	55,152	6.8%
25 - 29	117	16.7%	232.5	50	16.3%	99.3	1	7.1%	2.0	1	20.0%	2.0	50,329	6.2%
30 - 34	72	10.3%	129.5	40	13.1%	71.9	1	7.1%	1.8	1	20.0%	1.8	55,611	6.8%
35 - 44	59	8.4%	46.4	55	18.0%	43.2	4	28.6%	3.1	1	20.0%	0.8	127,208	15.7%
45+	19	2.7%	7.5	29	9.5%	11.5	7	50.0%	2.8	0	0.0%	0.0	253,219	31.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	3,411	100.0%	210.8	637	100.0%	39.4	17	100.0%	1.1	9	100.0%	0.6	1,626,134	100.0%
Female Total	2,711	79.5%	333.1	331	52.0%	40.7	3	17.6%	0.4	4	44.4%	0.5	813,798	50.0%
American Indian/Alaska Native	23	0.9%	361.1	7	2.2%	109.9	0	0.0%	0.0	0	0.0%	0.0	6,370	0.8%
Asian/Pacific Islander	49	1.8%	124.4	6	1.9%	15.2	0	0.0%	0.0	0	0.0%	0.0	39,394	4.8%
Black/African-American	487	18.3%	1,133.9	121	37.6%	281.7	0	0.0%	0.0	0	0.0%	0.0	42,948	5.3%
Latino/Hispanic	1,476	55.6%	611.7	121	37.6%	50.1	1	33.3%	0.4	4	100.0%	1.7	241,293	29.7%
White	622	23.4%	128.6	67	20.8%	13.8	2	66.7%	0.4	0	0.0%	0.0	483,793	59.4%
Not Specified	54	2.0%	-	9	2.7%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	700	20.5%	86.2	306	48.0%	37.7	14	82.4%	1.7	5	55.6%	0.6	812,336	50.0%
American Indian/Alaska Native	3	0.4%	48.9	4	1.4%	65.2	0	0.0%	0.0	0	0.0%	0.0	6,132	0.8%
Asian/Pacific Islander	13	1.9%	36.1	2	0.7%	5.5	0	0.0%	0.0	0	0.0%	0.0	36,039	4.4%
Black/African-American	164	24.0%	364.0	93	31.8%	206.4	0	0.0%	0.0	1	20.0%	2.2	45,050	5.5%
Latino/Hispanic	355	52.1%	136.8	105	36.0%	40.5	3	21.4%	1.2	4	80.0%	1.5	259,453	31.9%
White	147	21.6%	31.6	88	30.1%	18.9	11	78.6%	2.4	0	0.0%	0.0	465,662	57.3%
Not Specified	18	2.6%	-	14	4.6%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Riverside County, the July 1, 2001 estimate is 1,618,000).

Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	1		6		14	
► MSM Cases	s		s		4	66.7%
►► HIV Positives among MSM	s		s		1	25.0%
					8	66.7%









s - numbers too small for analysis

Source: California Department of Health Services, STD Control Branch




Sacramento County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female ■ Male



— Female — Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



Sacramento County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	4,434	100.0%	349.7	1,168	100.0%	92.1	4	100.0%	0.3	6	100.0%	0.5	1,236,054	100.0%
Female Total	3,271	73.8%	520.5	616	52.7%	98.0	1	25.0%	0.2	1	16.7%	0.2	628,464	50.8%
Ages														
0 - 9	4	0.1%	4.3	2	0.3%	2.1	0	0.0%	0.0	0	0.0%	0.0	94,053	15.0%
10 - 14	83	2.6%	176.6	24	3.9%	51.1	0	0.0%	0.0	0	0.0%	0.0	47,002	7.5%
15 - 19	1,350	41.5%	3,097.3	231	37.6%	530.0	0	0.0%	0.0	1	100.0%	2.3	43,586	6.9%
20 - 24	1,086	33.4%	2,689.6	187	30.5%	463.1	0	0.0%	0.0	0	0.0%	0.0	40,378	6.4%
25 - 29	411	12.6%	1,131.7	76	12.4%	209.3	0	0.0%	0.0	0	0.0%	0.0	36,316	5.8%
30 - 34	163	5.0%	380.9	34	5.5%	79.4	1	100.0%	2.3	0	0.0%	0.0	42,795	6.8%
35 - 44	127	3.9%	122.4	48	7.8%	46.3	0	0.0%	0.0	0	0.0%	0.0	103,729	16.5%
45+	26	0.8%	11.8	12	2.0%	5.4	0	0.0%	0.0	0	0.0%	0.0	220,605	35.1%
Not Specified	21	0.6%	-	2	0.3%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	1,101	24.8%	181.2	542	46.4%	89.2	3	75.0%	0.5	5	83.3%	0.8	607,590	49.2%
Ages														
0 - 9	3	0.3%	3.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	99,716	16.4%
10 - 14	11	1.0%	22.4	5	0.9%	10.2	0	0.0%	0.0	0	0.0%	0.0	49,209	8.1%
15 - 19	322	29.5%	714.7	81	15.1%	179.8	0	0.0%	0.0	0	0.0%	0.0	45,055	7.4%
20 - 24	368	33.7%	889.1	126	23.5%	304.4	0	0.0%	0.0	2	40.0%	4.8	41,391	6.8%
25 - 29	170	15.6%	460.9	92	17.2%	249.4	1	33.3%	2.7	1	20.0%	2.7	36,885	6.1%
30 - 34	107	9.8%	255.4	99	18.5%	236.4	1	33.3%	2.4	1	20.0%	2.4	41,887	6.9%
35 - 44	85	7.8%	82.4	95	17.7%	92.1	0	0.0%	0.0	1	20.0%	1.0	103,151	17.0%
45+	25	2.3%	13.1	38	7.1%	20.0	1	33.3%	0.5	0	0.0%	0.0	190,296	31.3%
Not Specified	10	0.9%	-	6	1.1%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	4,434	100.0%	349.7	1,168	100.0%	92.1	4	100.0%	0.3	6	100.0%	0.5	1,236,054	100.0%
Female Total	3,271	73.8%	520.5	616	52.7%	98.0	1	25.0%	0.2	1	16.7%	0.2	628,464	50.8%
American Indian/Alaska Native	12	0.9%	177.0	1	0.4%	14.7	0	0.0%	0.0	0	0.0%	0.0	6,780	1.1%
Asian/Pacific Islander	129	9.3%	166.2	10	4.2%	12.9	0	0.0%	0.0	0	0.0%	0.0	77,640	12.4%
Black/African-American	461	33.2%	731.9	149	62.1%	236.6	1	100.0%	1.6	0	0.0%	0.0	62,983	10.0%
Latino/Hispanic	334	24.0%	407.0	30	12.5%	36.6	0	0.0%	0.0	1	100.0%	1.2	82,054	13.1%
White	453	32.6%	113.5	50	20.8%	12.5	0	0.0%	0.0	0	0.0%	0.0	399,007	63.5%
Not Specified	1,882	57.5%	-	376	61.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	1,101	24.8%	181.2	542	46.4%	89.2	3	75.0%	0.5	5	83.3%	0.8	607,590	49.2%
American Indian/Alaska Native	7	1.5%	111.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,294	1.0%
Asian/Pacific Islander	36	7.5%	49.2	6	3.1%	8.2	0	0.0%	0.0	0	0.0%	0.0	73,154	12.0%
Black/African-American	227	47.6%	361.2	124	63.3%	197.3	1	50.0%	1.6	1	20.0%	1.6	62,846	10.3%
Latino/Hispanic	90	18.9%	105.5	18	9.2%	21.1	1	50.0%	1.2	2	40.0%	2.3	85,332	14.0%
White	117	24.5%	30.8	48	24.5%	12.6	0	0.0%	0.0	2	40.0%	0.5	379,964	62.5%
Not Specified	624	56.7%	-	346	63.8%	-	1	33.3%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Sacramento County, the July 1, 2001 estimate is 1,267,800).

Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	1		0		3	
► MSM Cases	s		s		s	
►► HIV Positives among MSM	s		s		s	










s - numbers too small for analysis

Source: California Department of Health Services, STD Control Branch



San Benito County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female □ Male

— Female - - Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



San Benito County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	84	100.0%	152.2	3	100.0%	5.4	0	0.0%	0.0	0	0.0%	0.0	53,577	100.0%
Female Total	72	85.7%	271.5	1	33.3%	3.8	0	0.0%	0.0	0	0.0%	0.0	26,516	49.5%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,473	16.9%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,008	7.6%
15 - 19	28	40.0%	1,444.8	1	100.0%	51.6	0	0.0%	0.0	0	0.0%	0.0	1,938	7.3%
20 - 24	25	35.7%	1,300.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,923	7.3%
25 - 29	13	18.6%	677.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,919	7.2%
30 - 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,819	6.9%
35 - 44	3	4.3%	77.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,870	14.6%
45+	1	1.4%	11.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	8,566	32.3%
Not Specified	2	2.8%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	12	14.3%	44.3	2	66.7%	7.4	0	0.0%	0.0	0	0.0%	0.0	27,061	50.5%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,736	17.5%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,027	7.5%
15 - 19	3	25.0%	146.3	1	50.0%	48.8	0	0.0%	0.0	0	0.0%	0.0	2,050	7.6%
20 - 24	3	25.0%	144.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,070	7.6%
25 - 29	3	25.0%	151.1	1	50.0%	50.4	0	0.0%	0.0	0	0.0%	0.0	1,985	7.3%
30 - 34	2	16.7%	102.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,946	7.2%
35 - 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,000	14.8%
45+	1	8.3%	12.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	8,247	30.5%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	84	100.0%	152.2	3	100.0%	5.4	0	0.0%	0.0	0	0.0%	0.0	53,577	100.0%
Female Total	72	85.7%	271.5	1	33.3%	3.8	0	0.0%	0.0	0	0.0%	0.0	26,516	49.5%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	146	0.6%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	609	2.3%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	107	0.4%
Latino/Hispanic	52	72.2%	473.9	1	100.0%	9.1	0	0.0%	0.0	0	0.0%	0.0	10,973	41.4%
White	20	27.8%	136.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,681	55.4%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	12	14.3%	44.3	2	66.7%	7.4	0	0.0%	0.0	0	0.0%	0.0	27,061	50.5%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	139	0.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	584	2.2%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	106	0.4%
Latino/Hispanic	10	83.3%	85.1	1	50.0%	8.5	0	0.0%	0.0	0	0.0%	0.0	11,755	43.4%
White	2	16.7%	13.8	1	50.0%	6.9	0	0.0%	0.0	0	0.0%	0.0	14,477	53.5%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For San Benito County, the July 1, 2001 estimate is 55,200).










Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		0	
► MSM Cases	0	0.0%	0	0.0%	0	0.0%
►► HIV Positives among MSM	0	0.0%	0	0.0%	0	0.0%



San Bernardino County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female □ Male

— Female — Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



San Bernardino County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	5,601	100.0%	317.1	1,277	100.0%	72.3	5	100.0%	0.3	2	100.0%	0.1	1,771,707	100.0%
Female Total	4,378	78.2%	496.1	691	54.1%	78.3	1	20.0%	0.1	0	0.0%	0.0	882,437	49.8%
Ages														
0 - 9	1	0.0%	0.6	2	0.3%	1.3	0	0.0%	0.0	0	0.0%	0.0	158,588	18.0%
10 - 14	61	1.4%	77.3	22	3.2%	27.9	0	0.0%	0.0	0	0.0%	0.0	78,929	8.9%
15 - 19	1,605	36.7%	2,321.3	224	32.4%	324.0	0	0.0%	0.0	0	0.0%	0.0	69,141	7.8%
20 - 24	1,608	36.7%	2,595.9	238	34.4%	384.2	0	0.0%	0.0	0	0.0%	0.0	61,944	7.0%
25 - 29	591	13.5%	1,090.9	93	13.5%	171.7	0	0.0%	0.0	0	0.0%	0.0	54,176	6.1%
30 - 34	258	5.9%	447.4	52	7.5%	90.2	1	100.0%	1.7	0	0.0%	0.0	57,664	6.5%
35 - 44	197	4.5%	139.9	52	7.5%	36.9	0	0.0%	0.0	0	0.0%	0.0	140,823	16.0%
45+	57	1.3%	21.8	8	1.2%	3.1	0	0.0%	0.0	0	0.0%	0.0	261,172	29.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	1,223	21.8%	137.5	586	45.9%	65.9	4	80.0%	0.4	2	100.0%	0.2	889,270	50.2%
Ages														
0 - 9	0	0.0%	0.0	1	0.2%	0.6	0	0.0%	0.0	0	0.0%	0.0	165,766	18.6%
10 - 14	10	0.8%	12.2	1	0.2%	1.2	0	0.0%	0.0	0	0.0%	0.0	81,989	9.2%
15 - 19	316	25.8%	435.8	99	16.9%	136.5	0	0.0%	0.0	0	0.0%	0.0	72,515	8.2%
20 - 24	480	39.2%	720.5	193	32.9%	289.7	1	25.0%	1.5	0	0.0%	0.0	66,623	7.5%
25 - 29	213	17.4%	365.4	103	17.6%	176.7	0	0.0%	0.0	0	0.0%	0.0	58,297	6.6%
30 - 34	106	8.7%	162.3	77	13.1%	117.9	1	25.0%	1.5	0	0.0%	0.0	65,315	7.3%
35 - 44	77	6.3%	54.4	91	15.5%	64.3	2	50.0%	1.4	1	50.0%	0.7	141,610	15.9%
45+	21	1.7%	8.9	21	3.6%	8.9	0	0.0%	0.0	1	50.0%	0.4	237,155	26.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	5,601	100.0%	317.1	1,277	100.0%	72.3	5	100.0%	0.3	2	100.0%	0.1	1,771,707	100.0%
Female Total	4,378	78.2%	496.1	691	54.1%	78.3	1	20.0%	0.1	0	0.0%	0.0	882,437	49.8%
American Indian/Alaska Native	10	0.4%	173.1	2	0.5%	34.6	0	0.0%	0.0	0	0.0%	0.0	5,778	0.7%
Asian/Pacific Islander	51	2.0%	104.1	8	1.8%	16.3	0	0.0%	0.0	0	0.0%	0.0	49,003	5.6%
Black/African-American	594	23.7%	753.8	220	49.7%	279.2	0	0.0%	0.0	0	0.0%	0.0	78,796	8.9%
Latino/Hispanic	1,220	48.7%	423.8	109	24.6%	37.9	0	0.0%	0.0	0	0.0%	0.0	287,839	32.6%
White	631	25.2%	136.9	104	23.5%	22.6	0	0.0%	0.0	0	0.0%	0.0	461,021	52.2%
Not Specified	1,872	42.8%	-	248	35.9%	-	1	100.0%	-	0	0.0%	-	-	-
Male Total	1,223	21.8%	137.5	586	45.9%	65.9	4	80.0%	0.4	2	100.0%	0.2	889,270	50.2%
American Indian/Alaska Native	3	0.4%	52.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,722	0.6%
Asian/Pacific Islander	9	1.3%	19.5	1	0.3%	2.2	0	0.0%	0.0	0	0.0%	0.0	46,180	5.2%
Black/African-American	242	33.8%	309.5	213	57.9%	272.4	1	33.3%	1.3	2	100.0%	2.6	78,198	8.8%
Latino/Hispanic	334	46.6%	109.4	99	26.9%	32.4	2	66.7%	0.7	0	0.0%	0.0	305,392	34.3%
White	128	17.9%	28.2	55	14.9%	12.1	0	0.0%	0.0	0	0.0%	0.0	453,778	51.0%
Not Specified	507	41.5%	-	218	37.2%	-	1	25.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For San Bernardino County, the July 1, 2001 estimate is 1,766,100).

Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	7		3		4	
► MSM Cases	0	0.0%	s	s	0	0.0%
►► HIV Positives among MSM	0	0.0%	s	s	0	0.0%










s - numbers too small for analysis

Source: California Department of Health Services, STD Control Branch



San Diego County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female □ Male

— Female - - Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



San Diego County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	9,092	100.0%	314.5	1,860	100.0%	64.3	27	100.0%	0.9	17	100.0%	0.6	3,005,038	100.0%
Female Total	6,456	71.0%	437.4	685	36.8%	46.4	6	22.2%	0.4	7	41.2%	0.5	1,476,140	49.1%
Ages														
0 - 9	16	0.3%	6.7	1	0.1%	0.4	0	0.0%	0.0	0	0.0%	0.0	239,428	16.2%
10 - 14	91	1.4%	83.4	9	1.3%	8.2	0	0.0%	0.0	0	0.0%	0.0	109,127	7.4%
15 - 19	2,132	33.4%	2,188.8	237	35.3%	243.3	2	33.3%	2.1	0	0.0%	0.0	97,403	6.6%
20 - 24	2,415	37.9%	2,292.7	225	33.5%	213.6	1	16.7%	0.9	1	14.3%	0.9	105,333	7.1%
25 - 29	1,015	15.9%	886.7	87	13.0%	76.0	0	0.0%	0.0	2	28.6%	1.7	114,467	7.8%
30 - 34	393	6.2%	309.7	59	8.8%	46.5	1	16.7%	0.8	0	0.0%	0.0	126,913	8.6%
35 - 44	252	4.0%	114.0	47	7.0%	21.3	0	0.0%	0.0	2	28.6%	0.9	221,102	15.0%
45+	61	1.0%	13.2	6	0.9%	1.3	2	33.3%	0.4	2	28.6%	0.4	462,367	31.3%
Not Specified	81	1.3%	-	14	2.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	2,218	24.4%	145.1	1,091	58.7%	71.4	21	77.8%	1.4	10	58.8%	0.7	1,528,898	50.9%
Ages														
0 - 9	8	0.4%	3.2	1	0.1%	0.4	0	0.0%	0.0	0	0.0%	0.0	252,267	16.5%
10 - 14	8	0.4%	7.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	114,771	7.5%
15 - 19	502	23.0%	450.2	108	10.1%	96.9	1	4.8%	0.9	1	10.0%	0.9	111,504	7.3%
20 - 24	734	33.6%	523.4	278	25.9%	198.2	1	4.8%	0.7	2	20.0%	1.4	140,238	9.2%
25 - 29	399	18.3%	294.0	196	18.3%	144.4	4	19.0%	2.9	0	0.0%	0.0	135,712	8.9%
30 - 34	230	10.5%	156.1	195	18.2%	132.3	6	28.6%	4.1	3	30.0%	2.0	147,386	9.6%
35 - 44	234	10.7%	101.0	229	21.4%	98.8	2	9.5%	0.9	3	30.0%	1.3	231,780	15.2%
45+	68	3.1%	17.2	65	6.1%	16.4	7	33.3%	1.8	1	10.0%	0.3	395,240	25.9%
Not Specified	35	1.6%	-	19	1.7%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	9,092	100.0%	314.5	1,860	100.0%	64.3	27	100.0%	0.9	17	100.0%	0.6	3,005,038	100.0%
Female Total	6,456	71.0%	437.4	685	36.8%	46.4	6	22.2%	0.4	7	41.2%	0.5	1,476,140	49.1%
American Indian/Alaska Native	29	1.0%	362.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,997	0.5%
Asian/Pacific Islander	253	9.0%	176.5	15	4.4%	10.5	0	0.0%	0.0	1	14.3%	0.7	143,307	9.7%
Black/African-American	417	14.9%	496.1	139	41.0%	165.4	0	0.0%	0.0	0	0.0%	0.0	84,055	5.7%
Latino/Hispanic	1,305	46.5%	351.9	88	26.0%	23.7	5	83.3%	1.3	6	85.7%	1.6	370,863	25.1%
White	801	28.6%	92.1	97	28.6%	11.2	1	16.7%	0.1	0	0.0%	0.0	869,918	58.9%
Not Specified	3,651	56.6%	-	346	50.5%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	2,218	24.4%	145.1	1,091	58.7%	71.4	21	77.8%	1.4	10	58.8%	0.7	1,528,898	50.9%
American Indian/Alaska Native	14	1.2%	167.0	3	0.5%	35.8	0	0.0%	0.0	0	0.0%	0.0	8,381	0.5%
Asian/Pacific Islander	53	4.4%	39.4	22	3.4%	16.4	2	9.5%	1.5	0	0.0%	0.0	134,354	8.8%
Black/African-American	332	27.5%	343.1	188	29.0%	194.3	1	4.8%	1.0	1	10.0%	1.0	96,755	6.3%
Latino/Hispanic	435	36.1%	110.6	129	19.9%	32.8	5	23.8%	1.3	6	60.0%	1.5	393,370	25.7%
White	372	30.8%	41.5	306	47.2%	34.2	13	61.9%	1.5	3	30.0%	0.3	896,038	58.6%
Not Specified	1,012	45.6%	-	443	40.6%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For San Diego County, the July 1, 2001 estimate is 2,890,600).










Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	19		21		21	
► MSM Cases	10	52.6%	12	57.1%	11	52.4%
►► HIV Positives among MSM	0	0.0%	7	58.3%	5	45.5%



San Francisco County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female □ Male

— Female - - Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



San Francisco County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	3,030	100.0%	383.7	2,053	100.0%	260.0	138	100.0%	17.5	47	100.0%	6.0	794,342	100.0%
Female Total	1,722	56.8%	430.7	360	17.5%	90.0	2	1.4%	0.5	4	8.5%	1.0	399,783	50.3%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	43,833	11.0%
10 - 14	49	2.9%	232.4	17	4.7%	80.6	0	0.0%	0.0	0	0.0%	0.0	21,085	5.3%
15 - 19	542	31.6%	3,096.1	114	31.8%	651.2	1	50.0%	5.7	0	0.0%	0.0	17,506	4.4%
20 - 24	571	33.3%	3,199.4	127	35.4%	711.6	0	0.0%	0.0	0	0.0%	0.0	17,847	4.5%
25 - 29	283	16.5%	1,391.1	44	12.3%	216.3	1	50.0%	4.9	1	25.0%	4.9	20,344	5.1%
30 - 34	127	7.4%	415.0	26	7.2%	85.0	0	0.0%	0.0	0	0.0%	0.0	30,604	7.7%
35 - 44	107	6.2%	136.1	20	5.6%	25.4	0	0.0%	0.0	1	25.0%	1.3	78,626	19.7%
45+	37	2.2%	21.8	11	3.1%	6.5	0	0.0%	0.0	2	50.0%	1.2	169,938	42.5%
Not Specified	6	0.3%	-	1	0.3%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	1,285	42.4%	325.7	1,686	82.1%	427.3	136	98.6%	34.5	43	91.5%	10.9	394,559	49.7%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	46,053	11.7%
10 - 14	6	0.5%	27.2	2	0.1%	9.1	0	0.0%	0.0	0	0.0%	0.0	22,049	5.6%
15 - 19	158	12.3%	872.4	54	3.2%	298.2	1	0.7%	5.5	1	2.3%	5.5	18,111	4.6%
20 - 24	283	22.1%	1,507.5	179	10.6%	953.5	4	2.9%	21.3	1	2.3%	5.3	18,773	4.8%
25 - 29	255	19.9%	1,185.4	295	17.5%	1,371.3	14	10.3%	65.1	6	14.0%	27.9	21,512	5.5%
30 - 34	223	17.4%	732.3	360	21.4%	1,182.1	24	17.6%	78.8	4	9.3%	13.1	30,453	7.7%
35 - 44	276	21.6%	333.8	601	35.8%	726.8	67	49.3%	81.0	20	46.5%	24.2	82,693	21.0%
45+	79	6.2%	51.0	190	11.3%	122.6	26	19.1%	16.8	11	25.6%	7.1	154,915	39.3%
Not Specified	5	0.4%	-	5	0.3%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	3,030	100.0%	383.7	2,053	100.0%	260.0	138	100.0%	17.5	47	100.0%	6.0	794,342	100.0%
Female Total	1,722	56.8%	430.7	360	17.5%	90.0	2	1.4%	0.5	4	8.5%	1.0	399,783	50.3%
American Indian/Alaska Native	9	0.8%	675.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,332	0.3%
Asian/Pacific Islander	215	19.1%	155.8	23	8.4%	16.7	1	50.0%	0.7	0	0.0%	0.0	137,970	34.5%
Black/African-American	481	42.7%	1,173.7	176	64.0%	429.4	0	0.0%	0.0	0	0.0%	0.0	40,983	10.3%
Latino/Hispanic	246	21.8%	383.9	22	8.0%	34.3	0	0.0%	0.0	2	50.0%	3.1	64,072	16.0%
White	175	15.5%	112.6	54	19.6%	34.7	1	50.0%	0.6	2	50.0%	1.3	155,426	38.9%
Not Specified	596	34.6%	-	85	23.6%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	1,285	42.4%	325.7	1,686	82.1%	427.3	136	98.6%	34.5	43	91.5%	10.9	394,559	49.7%
American Indian/Alaska Native	7	0.7%	508.4	4	0.3%	290.5	0	0.0%	0.0	0	0.0%	0.0	1,377	0.3%
Asian/Pacific Islander	106	10.1%	82.4	83	5.8%	64.5	9	6.7%	7.0	1	2.4%	0.8	128,626	32.6%
Black/African-American	360	34.3%	942.8	348	24.5%	911.4	17	12.6%	44.5	8	19.0%	21.0	38,185	9.7%
Latino/Hispanic	185	17.6%	277.6	188	13.2%	282.2	20	14.8%	30.0	11	26.2%	16.5	66,631	16.9%
White	392	37.3%	245.4	800	56.2%	500.8	89	65.9%	55.7	22	52.4%	13.8	159,740	40.5%
Not Specified	235	18.3%	-	263	15.6%	-	1	0.7%	-	1	2.3%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For San Francisco County, the July 1, 2001 estimate is 789,600).

Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	28		48		136	
► MSM Cases	1	3.6%	34	70.8%	113	83.1%
►► HIV Positives among MSM	s	s	13	38.2%	66	58.4%










s - numbers too small for analysis

Source: California Department of Health Services, STD Control Branch



San Joaquin County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female □ Male

— Female - - Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



San Joaquin County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	2,099	100.0%	355.2	523	100.0%	88.5	3	100.0%	0.5	4	100.0%	0.7	593,538	100.0%
Female Total	1,587	75.6%	543.1	302	57.7%	103.4	0	0.0%	0.0	3	75.0%	1.0	292,209	49.2%
Ages														
0 - 9	0	0.0%	0.0	1	0.3%	2.1	0	0.0%	0.0	0	0.0%	0.0	47,967	16.4%
10 - 14	33	2.1%	136.7	7	2.3%	29.0	0	0.0%	0.0	0	0.0%	0.0	24,137	8.3%
15 - 19	657	41.4%	2,890.2	109	36.5%	479.5	0	0.0%	0.0	0	0.0%	0.0	22,732	7.8%
20 - 24	541	34.1%	2,643.9	87	29.1%	425.2	0	0.0%	0.0	2	66.7%	9.8	20,462	7.0%
25 - 29	174	11.0%	968.5	43	14.4%	239.3	0	0.0%	0.0	0	0.0%	0.0	17,966	6.1%
30 - 34	98	6.2%	515.2	23	7.7%	120.9	0	0.0%	0.0	1	33.3%	5.3	19,022	6.5%
35 - 44	67	4.2%	158.5	24	8.0%	56.8	0	0.0%	0.0	0	0.0%	0.0	42,279	14.5%
45+	16	1.0%	16.4	5	1.7%	5.1	0	0.0%	0.0	0	0.0%	0.0	97,644	33.4%
Not Specified	1	0.1%	-	3	1.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	511	24.3%	169.6	221	42.3%	73.3	3	100.0%	1.0	1	25.0%	0.3	301,329	50.8%
Ages														
0 - 9	1	0.2%	2.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	50,327	16.7%
10 - 14	4	0.8%	15.7	1	0.5%	3.9	0	0.0%	0.0	0	0.0%	0.0	25,407	8.4%
15 - 19	151	30.0%	618.3	47	21.3%	192.4	0	0.0%	0.0	0	0.0%	0.0	24,422	8.1%
20 - 24	179	35.5%	812.1	46	20.8%	208.7	1	33.3%	4.5	0	0.0%	0.0	22,041	7.3%
25 - 29	88	17.5%	429.9	48	21.7%	234.5	0	0.0%	0.0	0	0.0%	0.0	20,471	6.8%
30 - 34	46	9.1%	211.4	29	13.1%	133.3	2	66.7%	9.2	0	0.0%	0.0	21,762	7.2%
35 - 44	26	5.2%	56.9	29	13.1%	63.5	0	0.0%	0.0	1	100.0%	2.2	45,657	15.2%
45+	9	1.8%	9.9	21	9.5%	23.0	0	0.0%	0.0	0	0.0%	0.0	91,242	30.3%
Not Specified	7	1.4%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	2,099	100.0%	355.2	523	100.0%	88.5	3	100.0%	0.5	4	100.0%	0.7	593,538	100.0%
Female Total	1,587	75.6%	543.1	302	57.7%	103.4	0	0.0%	0.0	3	75.0%	1.0	292,209	49.2%
American Indian/Alaska Native	5	0.6%	241.0	1	0.7%	48.2	0	0.0%	0.0	0	0.0%	0.0	2,075	0.7%
Asian/Pacific Islander	65	7.8%	148.4	4	2.8%	9.1	0	0.0%	0.0	0	0.0%	0.0	43,803	15.0%
Black/African-American	202	24.2%	1,348.6	80	55.6%	534.1	0	0.0%	0.0	2	66.7%	13.4	14,979	5.1%
Latino/Hispanic	362	43.4%	494.6	29	20.1%	39.6	0	0.0%	0.0	1	33.3%	1.4	73,186	25.0%
White	201	24.1%	127.1	30	20.8%	19.0	0	0.0%	0.0	0	0.0%	0.0	158,166	54.1%
Not Specified	752	47.4%	-	158	52.3%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	511	24.3%	169.6	221	42.3%	73.3	3	100.0%	1.0	1	25.0%	0.3	301,329	50.8%
American Indian/Alaska Native	2	1.0%	95.8	1	1.3%	47.9	0	0.0%	0.0	0	0.0%	0.0	2,087	0.7%
Asian/Pacific Islander	9	4.3%	19.9	5	6.7%	11.1	0	0.0%	0.0	0	0.0%	0.0	45,244	15.0%
Black/African-American	62	30.0%	374.8	44	58.7%	266.0	2	66.7%	12.1	0	0.0%	0.0	16,544	5.5%
Latino/Hispanic	94	45.4%	115.5	16	21.3%	19.7	0	0.0%	0.0	1	100.0%	1.2	81,361	27.0%
White	40	19.3%	25.6	9	12.0%	5.8	1	33.3%	0.6	0	0.0%	0.0	156,093	51.8%
Not Specified	304	59.5%	-	146	66.1%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For San Joaquin County, the July 1, 2001 estimate is 590,900).

Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	10		1		3	
► MSM Cases	0	0.0%	S	S	S	S
►► HIV Positives among MSM	0	0.0%	S	S	S	S










s - numbers too small for analysis

Source: California Department of Health Services, STD Control Branch



San Luis Obispo County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

San Luis Obispo County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	293	100.0%	116.3	21	100.0%	8.3	0	0.0%	0.0	0	0.0%	0.0	262,123	100.0%
Female Total	206	70.3%	161.0	11	52.4%	8.6	0	0.0%	0.0	0	0.0%	0.0	127,920	48.8%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,687	11.5%
10 - 14	1	0.5%	12.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	8,151	6.4%
15 - 19	74	35.9%	724.1	1	9.1%	9.8	0	0.0%	0.0	0	0.0%	0.0	10,220	8.0%
20 - 24	91	44.2%	776.6	4	36.4%	34.1	0	0.0%	0.0	0	0.0%	0.0	11,717	9.2%
25 - 29	24	11.7%	277.5	2	18.2%	23.1	0	0.0%	0.0	0	0.0%	0.0	8,649	6.8%
30 - 34	15	7.3%	148.7	1	9.1%	9.9	0	0.0%	0.0	0	0.0%	0.0	10,086	7.9%
35 - 44	0	0.0%	0.0	2	18.2%	10.9	0	0.0%	0.0	0	0.0%	0.0	18,404	14.4%
45+	1	0.5%	2.2	1	9.1%	2.2	0	0.0%	0.0	0	0.0%	0.0	46,006	36.0%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	87	29.7%	64.8	10	47.6%	7.5	0	0.0%	0.0	0	0.0%	0.0	134,203	51.2%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	15,611	11.6%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	8,829	6.6%
15 - 19	19	21.8%	171.5	2	20.0%	18.1	0	0.0%	0.0	0	0.0%	0.0	11,080	8.3%
20 - 24	39	44.8%	275.2	1	10.0%	7.1	0	0.0%	0.0	0	0.0%	0.0	14,172	10.6%
25 - 29	18	20.7%	167.0	1	10.0%	9.3	0	0.0%	0.0	0	0.0%	0.0	10,781	8.0%
30 - 34	5	5.7%	45.2	3	30.0%	27.1	0	0.0%	0.0	0	0.0%	0.0	11,058	8.2%
35 - 44	5	5.7%	25.1	2	20.0%	10.0	0	0.0%	0.0	0	0.0%	0.0	19,953	14.9%
45+	1	1.1%	2.3	1	10.0%	2.3	0	0.0%	0.0	0	0.0%	0.0	42,719	31.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	293	100.0%	116.3	21	100.0%	8.3	0	0.0%	0.0	0	0.0%	0.0	262,123	100.0%
Female Total	206	70.3%	161.0	11	52.4%	8.6	0	0.0%	0.0	0	0.0%	0.0	127,920	48.8%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	851	0.7%
Asian/Pacific Islander	1	0.5%	27.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,639	2.8%
Black/African-American	4	2.2%	266.1	1	10.0%	66.5	0	0.0%	0.0	0	0.0%	0.0	1,503	1.2%
Latino/Hispanic	67	36.6%	407.0	4	40.0%	24.3	0	0.0%	0.0	0	0.0%	0.0	16,463	12.9%
White	111	60.7%	105.2	5	50.0%	4.7	0	0.0%	0.0	0	0.0%	0.0	105,464	82.4%
Not Specified	23	11.2%	-	1	9.1%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	87	29.7%	64.8	10	47.6%	7.5	0	0.0%	0.0	0	0.0%	0.0	134,203	51.2%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	890	0.7%
Asian/Pacific Islander	1	1.2%	24.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,168	3.1%
Black/African-American	9	11.0%	236.5	2	25.0%	52.5	0	0.0%	0.0	0	0.0%	0.0	3,806	2.8%
Latino/Hispanic	31	37.8%	140.2	1	12.5%	4.5	0	0.0%	0.0	0	0.0%	0.0	22,110	16.5%
White	41	50.0%	39.7	5	62.5%	4.8	0	0.0%	0.0	0	0.0%	0.0	103,229	76.9%
Not Specified	5	5.7%	-	2	20.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For San Luis Obispo County, the July 1, 2001 estimate is 252,000).










Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		0	
► MSM Cases	0	0.0%	0	0.0%	0	0.0%
►► HIV Positives among MSM	0	0.0%	0	0.0%	0	0.0%



San Mateo County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female ■ Male

— Female — Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



San Mateo County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,215	100.0%	170.0	238	100.0%	33.3	9	100.0%	1.3	1	100.0%	0.1	759,313	100.0%
Female Total	907	74.7%	236.8	94	39.5%	24.5	0	0.0%	0.0	0	0.0%	0.0	383,029	50.4%
Ages														
0 - 9	0	0.0%	0.0	1	1.1%	1.9	0	0.0%	0.0	0	0.0%	0.0	52,312	13.7%
10 - 14	12	1.3%	47.4	1	1.1%	3.9	0	0.0%	0.0	0	0.0%	0.0	25,333	6.6%
15 - 19	237	26.4%	1,065.7	20	21.5%	89.9	0	0.0%	0.0	0	0.0%	0.0	22,238	5.8%
20 - 24	322	35.9%	1,537.3	28	30.1%	133.7	0	0.0%	0.0	0	0.0%	0.0	20,946	5.5%
25 - 29	182	20.3%	862.6	14	15.1%	66.4	0	0.0%	0.0	0	0.0%	0.0	21,098	5.5%
30 - 34	71	7.9%	279.6	13	14.0%	51.2	0	0.0%	0.0	0	0.0%	0.0	25,394	6.6%
35 - 44	60	6.7%	93.8	9	9.7%	14.1	0	0.0%	0.0	0	0.0%	0.0	63,985	16.7%
45+	13	1.4%	8.6	7	7.5%	4.6	0	0.0%	0.0	0	0.0%	0.0	151,723	39.6%
Not Specified	10	1.1%	-	1	1.1%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	305	25.1%	81.1	144	60.5%	38.3	9	100.0%	2.4	1	100.0%	0.3	376,284	49.6%
Ages														
0 - 9	1	0.3%	1.8	1	0.7%	1.8	0	0.0%	0.0	0	0.0%	0.0	54,685	14.5%
10 - 14	1	0.3%	3.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	27,213	7.2%
15 - 19	62	20.5%	264.9	12	8.3%	51.3	0	0.0%	0.0	0	0.0%	0.0	23,406	6.2%
20 - 24	119	39.3%	537.5	25	17.4%	112.9	1	11.1%	4.5	0	0.0%	0.0	22,140	5.9%
25 - 29	58	19.1%	251.2	29	20.1%	125.6	1	11.1%	4.3	0	0.0%	0.0	23,085	6.1%
30 - 34	31	10.2%	113.0	26	18.1%	94.8	1	11.1%	3.6	0	0.0%	0.0	27,432	7.3%
35 - 44	22	7.3%	33.5	36	25.0%	54.8	3	33.3%	4.6	1	100.0%	1.5	65,717	17.5%
45+	9	3.0%	6.8	15	10.4%	11.3	3	33.3%	2.3	0	0.0%	0.0	132,606	35.2%
Not Specified	2	0.7%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,215	100.0%	170.0	238	100.0%	33.3	9	100.0%	1.3	1	100.0%	0.1	759,313	100.0%
Female Total	907	74.7%	236.8	94	39.5%	24.5	0	0.0%	0.0	0	0.0%	0.0	383,029	50.4%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,681	0.4%
Asian/Pacific Islander	121	19.4%	139.7	14	23.0%	16.2	0	0.0%	0.0	0	0.0%	0.0	86,614	22.6%
Black/African-American	78	12.5%	468.0	18	29.5%	108.0	0	0.0%	0.0	0	0.0%	0.0	16,666	4.4%
Latino/Hispanic	317	50.8%	364.7	18	29.5%	20.7	0	0.0%	0.0	0	0.0%	0.0	86,914	22.7%
White	108	17.3%	56.5	11	18.0%	5.8	0	0.0%	0.0	0	0.0%	0.0	191,154	49.9%
Not Specified	283	31.2%	-	33	35.1%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	305	25.1%	81.1	144	60.5%	38.3	9	100.0%	2.4	1	100.0%	0.3	376,284	49.6%
American Indian/Alaska Native	1	0.5%	60.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,644	0.4%
Asian/Pacific Islander	43	21.5%	52.8	12	13.3%	14.7	1	12.5%	1.2	0	0.0%	0.0	81,433	21.6%
Black/African-American	39	19.5%	232.6	25	27.8%	149.1	1	12.5%	6.0	0	0.0%	0.0	16,770	4.5%
Latino/Hispanic	76	38.0%	81.7	18	20.0%	19.3	2	25.0%	2.1	1	100.0%	1.1	93,039	24.7%
White	41	20.5%	22.4	35	38.9%	19.1	4	50.0%	2.2	0	0.0%	0.0	183,398	48.7%
Not Specified	105	34.4%	-	54	37.5%	-	1	11.1%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For San Mateo County, the July 1, 2001 estimate is 714,500).

Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	4		2		9	
► MSM Cases	1	25.0%	s	s	7	77.8%
►► HIV Positives among MSM	s		s		s	
					3	42.9%










s - numbers too small for analysis

Source: California Department of Health Services, STD Control Branch



Santa Barbara County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female □ Male

— Female — Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



Santa Barbara County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	883	100.0%	217.6	87	100.0%	21.4	3	100.0%	0.7	0	0.0%	0.0	417,331	100.0%
Female Total	685	77.6%	333.0	33	37.9%	16.0	0	0.0%	0.0	0	0.0%	0.0	205,688	49.3%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	30,520	14.8%
10 - 14	13	1.9%	89.1	1	3.0%	6.9	0	0.0%	0.0	0	0.0%	0.0	14,588	7.1%
15 - 19	220	32.1%	1,495.0	10	30.3%	68.0	0	0.0%	0.0	0	0.0%	0.0	14,716	7.2%
20 - 24	277	40.4%	1,882.2	12	36.4%	81.5	0	0.0%	0.0	0	0.0%	0.0	14,717	7.2%
25 - 29	98	14.3%	866.9	4	12.1%	35.4	0	0.0%	0.0	0	0.0%	0.0	11,304	5.5%
30 - 34	46	6.7%	295.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	15,573	7.6%
35 - 44	26	3.8%	82.2	5	15.2%	15.8	0	0.0%	0.0	0	0.0%	0.0	31,618	15.4%
45+	5	0.7%	6.9	1	3.0%	1.4	0	0.0%	0.0	0	0.0%	0.0	72,652	35.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	198	22.4%	93.6	54	62.1%	25.5	3	100.0%	1.4	0	0.0%	0.0	211,643	50.7%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	32,180	15.2%
10 - 14	4	2.0%	26.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	15,410	7.3%
15 - 19	37	18.7%	230.0	9	16.7%	55.9	0	0.0%	0.0	0	0.0%	0.0	16,086	7.6%
20 - 24	85	42.9%	548.7	17	31.5%	109.7	0	0.0%	0.0	0	0.0%	0.0	15,490	7.3%
25 - 29	31	15.7%	244.2	4	7.4%	31.5	1	33.3%	7.9	0	0.0%	0.0	12,695	6.0%
30 - 34	23	11.6%	124.8	6	11.1%	32.6	1	33.3%	5.4	0	0.0%	0.0	18,424	8.7%
35 - 44	16	8.1%	45.4	15	27.8%	42.5	1	33.3%	2.8	0	0.0%	0.0	35,278	16.7%
45+	2	1.0%	3.0	3	5.6%	4.5	0	0.0%	0.0	0	0.0%	0.0	66,080	31.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	883	100.0%	217.6	87	100.0%	21.4	3	100.0%	0.7	0	0.0%	0.0	417,331	100.0%
Female Total	685	77.6%	333.0	33	37.9%	16.0	0	0.0%	0.0	0	0.0%	0.0	205,688	49.3%
American Indian/Alaska Native	2	0.3%	155.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,285	0.6%
Asian/Pacific Islander	25	4.3%	229.8	2	6.3%	18.4	0	0.0%	0.0	0	0.0%	0.0	10,877	5.3%
Black/African-American	19	3.2%	399.9	2	6.3%	42.1	0	0.0%	0.0	0	0.0%	0.0	4,751	2.3%
Latino/Hispanic	391	66.6%	593.4	15	46.9%	22.8	0	0.0%	0.0	0	0.0%	0.0	65,887	32.0%
White	150	25.6%	122.1	13	40.6%	10.6	0	0.0%	0.0	0	0.0%	0.0	122,888	59.7%
Not Specified	98	14.3%	-	1	3.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	198	22.4%	93.6	54	62.1%	25.5	3	100.0%	1.4	0	0.0%	0.0	211,643	50.7%
American Indian/Alaska Native	1	0.6%	72.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,374	0.6%
Asian/Pacific Islander	4	2.5%	40.0	2	4.7%	20.0	0	0.0%	0.0	0	0.0%	0.0	10,008	4.7%
Black/African-American	15	9.5%	267.7	4	9.3%	71.4	0	0.0%	0.0	0	0.0%	0.0	5,604	2.6%
Latino/Hispanic	100	63.3%	135.9	22	51.2%	29.9	3	100.0%	4.1	0	0.0%	0.0	73,598	34.8%
White	38	24.1%	31.4	15	34.9%	12.4	0	0.0%	0.0	0	0.0%	0.0	121,059	57.2%
Not Specified	40	20.2%	-	11	20.4%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Santa Barbara County, the July 1, 2001 estimate is 405,700).

Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	1		1		3	
► MSM Cases	s		s		s	
►► HIV Positives among MSM	s		s		s	










s - numbers too small for analysis

Source: California Department of Health Services, STD Control Branch



Santa Clara County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female □ Male

— Female - - Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



Santa Clara County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	4,107	100.0%	240.7	546	100.0%	32.0	10	100.0%	0.6	11	100.0%	0.6	1,795,132	100.0%
Female Total	3,007	73.2%	341.1	197	36.1%	22.3	1	10.0%	0.1	3	27.3%	0.3	881,686	49.1%
Ages														
0 - 9	5	0.2%	3.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	133,120	15.1%
10 - 14	33	1.1%	53.2	4	2.1%	6.5	0	0.0%	0.0	0	0.0%	0.0	62,012	7.0%
15 - 19	949	31.8%	1,732.6	65	33.3%	118.7	0	0.0%	0.0	0	0.0%	0.0	54,772	6.2%
20 - 24	1,070	35.9%	2,107.9	56	28.7%	110.3	0	0.0%	0.0	0	0.0%	0.0	50,761	5.8%
25 - 29	518	17.4%	951.7	28	14.4%	51.4	0	0.0%	0.0	0	0.0%	0.0	54,428	6.2%
30 - 34	224	7.5%	339.9	18	9.2%	27.3	0	0.0%	0.0	2	66.7%	3.0	65,908	7.5%
35 - 44	153	5.1%	97.8	19	9.7%	12.1	0	0.0%	0.0	1	33.3%	0.6	156,417	17.7%
45+	32	1.1%	10.5	5	2.6%	1.6	1	100.0%	0.3	0	0.0%	0.0	304,268	34.5%
Not Specified	23	0.8%	-	2	1.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	1,064	25.9%	116.5	349	63.9%	38.2	9	90.0%	1.0	8	72.7%	0.9	913,446	50.9%
Ages														
0 - 9	2	0.2%	1.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	140,412	15.4%
10 - 14	6	0.6%	9.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	65,948	7.2%
15 - 19	197	18.9%	340.5	32	9.5%	55.3	0	0.0%	0.0	0	0.0%	0.0	57,863	6.3%
20 - 24	330	31.6%	607.0	73	21.7%	134.3	1	11.1%	1.8	0	0.0%	0.0	54,362	6.0%
25 - 29	224	21.4%	381.0	57	17.0%	97.0	1	11.1%	1.7	2	25.0%	3.4	58,786	6.4%
30 - 34	140	13.4%	187.5	49	14.6%	65.6	2	22.2%	2.7	2	25.0%	2.7	74,667	8.2%
35 - 44	112	10.7%	63.0	89	26.5%	50.1	4	44.4%	2.3	3	37.5%	1.7	177,733	19.5%
45+	34	3.3%	12.0	36	10.7%	12.7	1	11.1%	0.4	1	12.5%	0.4	283,675	31.1%
Not Specified	19	1.8%	-	13	3.7%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	4,107	100.0%	240.7	546	100.0%	32.0	10	100.0%	0.6	11	100.0%	0.6	1,795,132	100.0%
Female Total	3,007	73.2%	341.1	197	36.1%	22.3	1	10.0%	0.1	3	27.3%	0.3	881,686	49.1%
American Indian/Alaska Native	4	0.4%	152.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,627	0.3%
Asian/Pacific Islander	179	18.2%	80.8	9	15.8%	4.1	0	0.0%	0.0	0	0.0%	0.0	221,401	25.1%
Black/African-American	58	5.9%	190.5	10	17.5%	32.8	0	0.0%	0.0	0	0.0%	0.0	30,452	3.5%
Latino/Hispanic	630	64.0%	299.6	28	49.1%	13.3	1	100.0%	0.5	2	66.7%	1.0	210,258	23.8%
White	114	11.6%	27.3	10	17.5%	2.4	0	0.0%	0.0	1	33.3%	0.2	416,948	47.3%
Not Specified	2,022	67.2%	-	140	71.1%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	1,064	25.9%	116.5	349	63.9%	38.2	9	90.0%	1.0	8	72.7%	0.9	913,446	50.9%
American Indian/Alaska Native	1	0.3%	39.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,517	0.3%
Asian/Pacific Islander	58	14.6%	25.4	19	17.3%	8.3	1	11.1%	0.4	0	0.0%	0.0	227,989	25.0%
Black/African-American	37	9.3%	112.4	20	18.2%	60.7	1	11.1%	3.0	2	25.0%	6.1	32,932	3.6%
Latino/Hispanic	252	63.6%	110.6	41	37.3%	18.0	2	22.2%	0.9	3	37.5%	1.3	227,900	24.9%
White	48	12.1%	11.4	30	27.3%	7.1	5	55.6%	1.2	3	37.5%	0.7	422,108	46.2%
Not Specified	668	62.8%	-	239	68.5%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Santa Clara County, the July 1, 2001 estimate is 1,706,400).

Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	4		2		9	
► MSM Cases	0	0.0%	s	s	9	100.0%
►► HIV Positives among MSM	0	0.0%	s	s	5	55.6%










s - numbers too small for analysis

Source: California Department of Health Services, STD Control Branch



Santa Cruz County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female □ Male

— Female - - Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



Santa Cruz County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	575	100.0%	222.4	47	100.0%	18.2	0	0.0%	0.0	2	100.0%	0.8	264,525	100.0%
Female Total	433	75.3%	327.3	15	31.9%	11.3	0	0.0%	0.0	1	50.0%	0.8	132,282	50.0%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	18,419	13.9%
10 - 14	10	2.3%	108.9	1	6.7%	10.9	0	0.0%	0.0	0	0.0%	0.0	9,184	6.9%
15 - 19	130	30.0%	1,401.0	3	20.0%	32.3	0	0.0%	0.0	0	0.0%	0.0	9,279	7.0%
20 - 24	176	40.6%	2,035.9	5	33.3%	57.8	0	0.0%	0.0	0	0.0%	0.0	8,645	6.5%
25 - 29	74	17.1%	1,032.1	4	26.7%	55.8	0	0.0%	0.0	0	0.0%	0.0	7,170	5.4%
30 - 34	25	5.8%	276.5	0	0.0%	0.0	0	0.0%	0.0	1	100.0%	11.1	9,042	6.8%
35 - 44	16	3.7%	76.7	2	13.3%	9.6	0	0.0%	0.0	0	0.0%	0.0	20,865	15.8%
45+	2	0.5%	4.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	49,678	37.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	142	24.7%	107.4	32	68.1%	24.2	0	0.0%	0.0	1	50.0%	0.8	132,243	50.0%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	18,817	14.2%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,665	7.3%
15 - 19	24	16.9%	265.9	2	6.3%	22.2	0	0.0%	0.0	0	0.0%	0.0	9,027	6.8%
20 - 24	65	45.8%	793.4	3	9.4%	36.6	0	0.0%	0.0	0	0.0%	0.0	8,193	6.2%
25 - 29	29	20.4%	357.0	12	37.5%	147.7	0	0.0%	0.0	0	0.0%	0.0	8,124	6.1%
30 - 34	13	9.2%	118.1	3	9.4%	27.3	0	0.0%	0.0	1	100.0%	9.1	11,005	8.3%
35 - 44	7	4.9%	32.3	7	21.9%	32.3	0	0.0%	0.0	0	0.0%	0.0	21,670	16.4%
45+	4	2.8%	8.7	5	15.6%	10.9	0	0.0%	0.0	0	0.0%	0.0	45,742	34.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	575	100.0%	222.4	47	100.0%	18.2	0	0.0%	0.0	2	100.0%	0.8	264,525	100.0%
Female Total	433	75.3%	327.3	15	31.9%	11.3	0	0.0%	0.0	1	50.0%	0.8	132,282	50.0%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	741	0.6%
Asian/Pacific Islander	8	2.8%	141.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,640	4.3%
Black/African-American	5	1.8%	387.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,291	1.0%
Latino/Hispanic	190	66.9%	597.0	4	66.7%	12.6	0	0.0%	0.0	0	0.0%	0.0	31,824	24.1%
White	81	28.5%	87.3	2	33.3%	2.2	0	0.0%	0.0	1	100.0%	1.1	92,786	70.1%
Not Specified	149	34.4%	-	9	60.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	142	24.7%	107.4	32	68.1%	24.2	0	0.0%	0.0	1	50.0%	0.8	132,243	50.0%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	656	0.5%
Asian/Pacific Islander	3	2.9%	55.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,428	4.1%
Black/African-American	5	4.9%	304.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,640	1.2%
Latino/Hispanic	61	59.2%	179.5	7	38.9%	20.6	0	0.0%	0.0	0	0.0%	0.0	33,987	25.7%
White	34	33.0%	37.6	11	61.1%	12.2	0	0.0%	0.0	1	100.0%	1.1	90,532	68.5%
Not Specified	39	27.5%	-	14	43.8%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Santa Cruz County, the July 1, 2001 estimate is 258,500).

Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	1		0		0	
► MSM Cases	s		s		0	0.0%
►► HIV Positives among MSM	s		s		0	0.0%










s - numbers too small for analysis

Source: California Department of Health Services, STD Control Branch



Shasta County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female ■ Male

— Female — Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



Shasta County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	381	100.0%	226.0	14	100.0%	8.3	0	0.0%	0.0	0	0.0%	0.0	179,892	100.0%
Female Total	279	73.2%	304.8	7	50.0%	7.6	0	0.0%	0.0	0	0.0%	0.0	91,542	50.9%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,393	12.4%
10 - 14	6	2.2%	91.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,545	7.1%
15 - 19	151	54.1%	2,266.2	3	42.9%	45.0	0	0.0%	0.0	0	0.0%	0.0	6,663	7.3%
20 - 24	85	30.5%	1,373.4	2	28.6%	32.3	0	0.0%	0.0	0	0.0%	0.0	6,189	6.8%
25 - 29	28	10.0%	505.1	1	14.3%	18.0	0	0.0%	0.0	0	0.0%	0.0	5,543	6.1%
30 - 34	3	1.1%	57.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,216	5.7%
35 - 44	3	1.1%	23.4	1	14.3%	7.8	0	0.0%	0.0	0	0.0%	0.0	12,828	14.0%
45+	3	1.1%	8.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	37,165	40.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	101	26.5%	114.3	7	50.0%	7.9	0	0.0%	0.0	0	0.0%	0.0	88,350	49.1%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,247	13.9%
10 - 14	1	1.0%	14.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,028	8.0%
15 - 19	37	37.0%	526.5	3	42.9%	42.7	0	0.0%	0.0	0	0.0%	0.0	7,027	8.0%
20 - 24	43	43.0%	639.0	1	14.3%	14.9	0	0.0%	0.0	0	0.0%	0.0	6,729	7.6%
25 - 29	10	10.0%	169.5	1	14.3%	16.9	0	0.0%	0.0	0	0.0%	0.0	5,901	6.7%
30 - 34	6	6.0%	118.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,075	5.7%
35 - 44	1	1.0%	8.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,768	13.3%
45+	2	2.0%	6.1	2	28.6%	6.1	0	0.0%	0.0	0	0.0%	0.0	32,575	36.9%
Not Specified	1	1.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	381	100.0%	226.0	14	100.0%	8.3	0	0.0%	0.0	0	0.0%	0.0	179,892	100.0%
Female Total	279	73.2%	304.8	7	50.0%	7.6	0	0.0%	0.0	0	0.0%	0.0	91,542	50.9%
American Indian/Alaska Native	9	4.2%	394.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,280	2.5%
Asian/Pacific Islander	5	2.3%	202.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,471	2.7%
Black/African-American	6	2.8%	1,029.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	583	0.6%
Latino/Hispanic	17	7.9%	409.4	1	33.3%	24.1	0	0.0%	0.0	0	0.0%	0.0	4,152	4.5%
White	177	82.7%	215.7	2	66.7%	2.4	0	0.0%	0.0	0	0.0%	0.0	82,056	89.6%
Not Specified	65	23.3%	-	4	57.1%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	101	26.5%	114.3	7	50.0%	7.9	0	0.0%	0.0	0	0.0%	0.0	88,350	49.1%
American Indian/Alaska Native	3	4.3%	137.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,183	2.5%
Asian/Pacific Islander	2	2.9%	85.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,353	2.7%
Black/African-American	3	4.3%	413.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	725	0.8%
Latino/Hispanic	7	10.1%	164.2	1	16.7%	23.5	0	0.0%	0.0	0	0.0%	0.0	4,263	4.8%
White	54	78.3%	68.5	5	83.3%	6.3	0	0.0%	0.0	0	0.0%	0.0	78,826	89.2%
Not Specified	32	31.7%	-	1	14.3%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Shasta County, the July 1, 2001 estimate is 168,600).










Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		0	
► MSM Cases	0	0.0%	0	0.0%	0	0.0%
►► HIV Positives among MSM	0	0.0%	0	0.0%	0	0.0%



Sierra County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female □ Male

— Female — Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



Sierra County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	5	100.0%	140.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,465	100.0%
Female Total	4	80.0%	229.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,744	50.3%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	120	6.9%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	91	5.2%
15 - 19	2	50.0%	1,360.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	147	8.4%
20 - 24	1	25.0%	704.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	142	8.1%
25 - 29	1	25.0%	990.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	101	5.8%
30 - 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	55	3.2%
35 - 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	222	12.7%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	866	49.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	1	20.0%	58.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,721	49.7%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	106	6.2%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	110	6.4%
15 - 19	1	100.0%	628.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	159	9.2%
20 - 24	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	138	8.0%
25 - 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	108	6.3%
30 - 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	69	4.0%
35 - 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	218	12.7%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	813	47.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	5	100.0%	140.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,465	100.0%
Female Total	4	80.0%	229.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,744	50.3%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	22	1.3%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6	0.3%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1	0.1%
Latino/Hispanic	1	50.0%	961.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	104	6.0%
White	1	50.0%	62.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,611	92.4%
Not Specified	2	50.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	1	20.0%	58.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,721	49.7%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	38	2.2%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4	0.2%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5	0.3%
Latino/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	102	5.9%
White	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,572	91.3%
Not Specified	1	100.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Sierra County, the July 1, 2001 estimate is 3,550).










Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		0	
► MSM Cases	0	0.0%	0	0.0%	0	0.0%
►► HIV Positives among MSM	0	0.0%	0	0.0%	0	0.0%



Siskiyou County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female □ Male

— Female - Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



Siskiyou County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	59	100.0%	132.1	6	100.0%	13.4	0	0.0%	0.0	0	0.0%	0.0	45,624	100.0%
Female Total	44	74.6%	189.2	5	83.3%	21.5	0	0.0%	0.0	0	0.0%	0.0	23,259	51.0%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,518	10.8%
10 - 14	1	2.3%	67.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,488	6.4%
15 - 19	20	45.5%	1,207.7	3	60.0%	181.2	0	0.0%	0.0	0	0.0%	0.0	1,656	7.1%
20 - 24	17	38.6%	949.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,791	7.7%
25 - 29	0	0.0%	0.0	1	20.0%	64.4	0	0.0%	0.0	0	0.0%	0.0	1,552	6.7%
30 - 34	5	11.4%	490.7	1	20.0%	98.1	0	0.0%	0.0	0	0.0%	0.0	1,019	4.4%
35 - 44	1	2.3%	34.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,880	12.4%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,355	44.5%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	15	25.4%	67.1	1	16.7%	4.5	0	0.0%	0.0	0	0.0%	0.0	22,365	49.0%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,604	11.6%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,525	6.8%
15 - 19	2	13.3%	111.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,801	8.1%
20 - 24	7	46.7%	359.5	1	100.0%	51.4	0	0.0%	0.0	0	0.0%	0.0	1,947	8.7%
25 - 29	2	13.3%	124.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,601	7.2%
30 - 34	3	20.0%	262.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,142	5.1%
35 - 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,483	11.1%
45+	1	6.7%	10.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,262	41.4%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	59	100.0%	132.1	6	100.0%	13.4	0	0.0%	0.0	0	0.0%	0.0	45,624	100.0%
Female Total	44	74.6%	189.2	5	83.3%	21.5	0	0.0%	0.0	0	0.0%	0.0	23,259	51.0%
American Indian/Alaska Native	6	14.0%	555.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,081	4.6%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	231	1.0%
Black/African-American	5	11.6%	1,449.3	3	60.0%	869.6	0	0.0%	0.0	0	0.0%	0.0	345	1.5%
Latino/Hispanic	3	7.0%	176.9	1	20.0%	59.0	0	0.0%	0.0	0	0.0%	0.0	1,696	7.3%
White	29	67.4%	145.7	1	20.0%	5.0	0	0.0%	0.0	0	0.0%	0.0	19,906	85.6%
Not Specified	1	2.3%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	15	25.4%	67.1	1	16.7%	4.5	0	0.0%	0.0	0	0.0%	0.0	22,365	49.0%
American Indian/Alaska Native	1	6.7%	97.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,031	4.6%
Asian/Pacific Islander	1	6.7%	411.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	243	1.1%
Black/African-American	1	6.7%	278.6	1	100.0%	278.6	0	0.0%	0.0	0	0.0%	0.0	359	1.6%
Latino/Hispanic	2	13.3%	110.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,808	8.1%
White	10	66.7%	52.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	18,924	84.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Siskiyou County, the July 1, 2001 estimate is 44,650).










Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		0	
► MSM Cases	0	0.0%	0	0.0%	0	0.0%
►► HIV Positives among MSM	0	0.0%	0	0.0%	0	0.0%



Solano County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

Solano County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,179	100.0%	292.5	221	100.0%	54.8	0	0.0%	0.0	1	100.0%	0.2	408,095	100.0%
Female Total	938	79.6%	469.3	117	52.9%	58.5	0	0.0%	0.0	1	100.0%	0.5	199,888	49.0%
Ages														
0 - 9	1	0.1%	3.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	30,301	15.2%
10 - 14	24	2.6%	147.8	5	4.3%	30.8	0	0.0%	0.0	0	0.0%	0.0	16,234	8.1%
15 - 19	425	45.5%	2,792.6	52	44.8%	341.7	0	0.0%	0.0	1	100.0%	6.6	15,219	7.6%
20 - 24	288	30.8%	2,062.4	34	29.3%	243.5	0	0.0%	0.0	0	0.0%	0.0	13,964	7.0%
25 - 29	111	11.9%	924.1	12	10.3%	99.9	0	0.0%	0.0	0	0.0%	0.0	12,012	6.0%
30 - 34	55	5.9%	438.1	3	2.6%	23.9	0	0.0%	0.0	0	0.0%	0.0	12,554	6.3%
35 - 44	22	2.4%	67.8	8	6.9%	24.7	0	0.0%	0.0	0	0.0%	0.0	32,432	16.2%
45+	9	1.0%	13.4	2	1.7%	3.0	0	0.0%	0.0	0	0.0%	0.0	67,172	33.6%
Not Specified	3	0.3%	-	1	0.9%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	240	20.4%	115.3	103	46.6%	49.5	0	0.0%	0.0	0	0.0%	0.0	208,207	51.0%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	31,741	15.2%
10 - 14	2	0.8%	11.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	17,285	8.3%
15 - 19	59	24.7%	358.7	10	9.7%	60.8	0	0.0%	0.0	0	0.0%	0.0	16,449	7.9%
20 - 24	94	39.3%	625.5	31	30.1%	206.3	0	0.0%	0.0	0	0.0%	0.0	15,029	7.2%
25 - 29	35	14.6%	272.6	22	21.4%	171.3	0	0.0%	0.0	0	0.0%	0.0	12,841	6.2%
30 - 34	24	10.0%	158.2	20	19.4%	131.9	0	0.0%	0.0	0	0.0%	0.0	15,167	7.3%
35 - 44	17	7.1%	47.8	14	13.6%	39.4	0	0.0%	0.0	0	0.0%	0.0	35,546	17.1%
45+	8	3.3%	12.5	6	5.8%	9.4	0	0.0%	0.0	0	0.0%	0.0	64,149	30.8%
Not Specified	1	0.4%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,179	100.0%	292.5	221	100.0%	54.8	0	0.0%	0.0	1	100.0%	0.2	408,095	100.0%
Female Total	938	79.6%	469.3	117	52.9%	58.5	0	0.0%	0.0	1	100.0%	0.5	199,888	49.0%
American Indian/Alaska Native	2	1.3%	143.5	1	7.7%	71.7	0	0.0%	0.0	0	0.0%	0.0	1,394	0.7%
Asian/Pacific Islander	16	10.7%	49.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	32,187	16.1%
Black/African-American	59	39.6%	214.9	9	69.2%	32.8	0	0.0%	0.0	0	0.0%	0.0	27,461	13.7%
Latino/Hispanic	33	22.1%	113.9	0	0.0%	0.0	0	0.0%	0.0	1	100.0%	3.5	28,962	14.5%
White	39	26.2%	35.5	3	23.1%	2.7	0	0.0%	0.0	0	0.0%	0.0	109,884	55.0%
Not Specified	789	84.1%	-	104	88.9%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	240	20.4%	115.3	103	46.6%	49.5	0	0.0%	0.0	0	0.0%	0.0	208,207	51.0%
American Indian/Alaska Native	1	2.8%	73.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,365	0.7%
Asian/Pacific Islander	1	2.8%	3.4	1	5.9%	3.4	0	0.0%	0.0	0	0.0%	0.0	29,190	14.0%
Black/African-American	12	33.3%	41.1	10	58.8%	34.2	0	0.0%	0.0	0	0.0%	0.0	29,221	14.0%
Latino/Hispanic	8	22.2%	23.7	4	23.5%	11.9	0	0.0%	0.0	0	0.0%	0.0	33,702	16.2%
White	14	38.9%	12.2	2	11.8%	1.7	0	0.0%	0.0	0	0.0%	0.0	114,729	55.1%
Not Specified	204	85.0%	-	86	83.5%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Solano County, the July 1, 2001 estimate is 403,100).

Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	1		2		0	
► MSM Cases	s		s		0	0.0%
►► HIV Positives among MSM	s		s		0	0.0%










s - numbers too small for analysis

Source: California Department of Health Services, STD Control Branch



Sonoma County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

Sonoma County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	551	100.0%	117.6	40	100.0%	8.5	0	0.0%	0.0	6	100.0%	1.3	468,682	100.0%
Female Total	394	71.5%	165.7	20	50.0%	8.4	0	0.0%	0.0	2	33.3%	0.8	237,782	50.7%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	29,436	12.4%
10 - 14	5	1.3%	31.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	16,098	6.8%
15 - 19	132	33.6%	839.2	8	40.0%	50.9	0	0.0%	0.0	0	0.0%	0.0	15,730	6.6%
20 - 24	159	40.5%	1,116.3	9	45.0%	63.2	0	0.0%	0.0	1	50.0%	7.0	14,243	6.0%
25 - 29	51	13.0%	389.6	1	5.0%	7.6	0	0.0%	0.0	1	50.0%	7.6	13,090	5.5%
30 - 34	34	8.7%	224.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	15,137	6.4%
35 - 44	9	2.3%	23.9	1	5.0%	2.7	0	0.0%	0.0	0	0.0%	0.0	37,594	15.8%
45+	3	0.8%	3.1	1	5.0%	1.0	0	0.0%	0.0	0	0.0%	0.0	96,454	40.6%
Not Specified	1	0.3%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	156	28.3%	67.6	20	50.0%	8.7	0	0.0%	0.0	4	66.7%	1.7	230,900	49.3%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	31,099	13.5%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	17,154	7.4%
15 - 19	29	18.8%	174.1	2	10.0%	12.0	0	0.0%	0.0	0	0.0%	0.0	16,661	7.2%
20 - 24	42	27.3%	281.8	5	25.0%	33.5	0	0.0%	0.0	0	0.0%	0.0	14,906	6.5%
25 - 29	40	26.0%	290.5	3	15.0%	21.8	0	0.0%	0.0	2	50.0%	14.5	13,768	6.0%
30 - 34	18	11.7%	112.0	2	10.0%	12.4	0	0.0%	0.0	1	25.0%	6.2	16,073	7.0%
35 - 44	19	12.3%	51.3	4	20.0%	10.8	0	0.0%	0.0	0	0.0%	0.0	37,002	16.0%
45+	6	3.9%	7.1	4	20.0%	4.7	0	0.0%	0.0	1	25.0%	1.2	84,237	36.5%
Not Specified	2	1.3%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	551	100.0%	117.6	40	100.0%	8.5	0	0.0%	0.0	6	100.0%	1.3	468,682	100.0%
Female Total	394	71.5%	165.7	20	50.0%	8.4	0	0.0%	0.0	2	33.3%	0.8	237,782	50.7%
American Indian/Alaska Native	6	1.6%	262.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,285	1.0%
Asian/Pacific Islander	13	3.5%	140.9	1	5.3%	10.8	0	0.0%	0.0	1	50.0%	10.8	9,227	3.9%
Black/African-American	5	1.3%	152.1	3	15.8%	91.2	0	0.0%	0.0	0	0.0%	0.0	3,288	1.4%
Latino/Hispanic	154	41.0%	520.7	7	36.8%	23.7	0	0.0%	0.0	0	0.0%	0.0	29,575	12.4%
White	198	52.7%	102.4	8	42.1%	4.1	0	0.0%	0.0	1	50.0%	0.5	193,407	81.3%
Not Specified	18	4.6%	-	1	5.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	156	28.3%	67.6	20	50.0%	8.7	0	0.0%	0.0	4	66.7%	1.7	230,900	49.3%
American Indian/Alaska Native	5	3.4%	247.0	1	5.3%	49.4	0	0.0%	0.0	0	0.0%	0.0	2,024	0.9%
Asian/Pacific Islander	1	0.7%	12.1	0	0.0%	0.0	0	0.0%	0.0	1	25.0%	12.1	8,260	3.6%
Black/African-American	11	7.4%	285.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,860	1.7%
Latino/Hispanic	64	43.2%	188.5	3	15.8%	8.8	0	0.0%	0.0	2	50.0%	5.9	33,955	14.7%
White	67	45.3%	36.7	15	78.9%	8.2	0	0.0%	0.0	1	25.0%	0.5	182,801	79.2%
Not Specified	8	5.1%	-	1	5.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.
(For Sonoma County, the July 1, 2001 estimate is 468,400).
Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		1		0	
► MSM Cases	0	0.0%	s	s	0	0.0%
►► HIV Positives among MSM	0	0.0%	s	s	0	0.0%










s - numbers too small for analysis

Source: California Department of Health Services, STD Control Branch



Stanislaus County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

Stanislaus County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,267	100.0%	272.1	204	100.0%	43.8	5	100.0%	1.1	2	100.0%	0.4	472,096	100.0%
Female Total	961	75.8%	401.8	125	61.3%	52.3	2	40.0%	0.8	1	50.0%	0.4	239,146	50.7%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	39,131	16.4%
10 - 14	20	2.1%	100.2	2	1.6%	10.0	0	0.0%	0.0	0	0.0%	0.0	19,955	8.3%
15 - 19	373	38.8%	2,007.2	30	24.2%	161.4	0	0.0%	0.0	0	0.0%	0.0	18,583	7.8%
20 - 24	365	38.0%	2,110.2	48	38.7%	277.5	1	50.0%	5.8	0	0.0%	0.0	17,297	7.2%
25 - 29	108	11.2%	718.2	13	10.5%	86.5	0	0.0%	0.0	0	0.0%	0.0	15,037	6.3%
30 - 34	56	5.8%	362.9	15	12.1%	97.2	1	50.0%	6.5	0	0.0%	0.0	15,431	6.5%
35 - 44	26	2.7%	72.5	14	11.3%	39.0	0	0.0%	0.0	1	100.0%	2.8	35,859	15.0%
45+	13	1.4%	16.7	2	1.6%	2.6	0	0.0%	0.0	0	0.0%	0.0	77,853	32.6%
Not Specified	0	0.0%	-	1	0.8%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	303	23.9%	130.1	79	38.7%	33.9	3	60.0%	1.3	1	50.0%	0.4	232,950	49.3%
Ages														
0 - 9	3	1.0%	7.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	40,514	17.4%
10 - 14	4	1.3%	19.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	20,618	8.9%
15 - 19	83	27.4%	426.4	11	13.9%	56.5	0	0.0%	0.0	0	0.0%	0.0	19,464	8.4%
20 - 24	129	42.6%	733.8	34	43.0%	193.4	0	0.0%	0.0	0	0.0%	0.0	17,579	7.5%
25 - 29	42	13.9%	273.1	9	11.4%	58.5	0	0.0%	0.0	0	0.0%	0.0	15,379	6.6%
30 - 34	21	6.9%	136.6	11	13.9%	71.6	1	33.3%	6.5	0	0.0%	0.0	15,373	6.6%
35 - 44	19	6.3%	53.6	10	12.7%	28.2	2	66.7%	5.6	1	100.0%	2.8	35,464	15.2%
45+	2	0.7%	2.9	4	5.1%	5.8	0	0.0%	0.0	0	0.0%	0.0	68,559	29.4%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,267	100.0%	272.1	204	100.0%	43.8	5	100.0%	1.1	2	100.0%	0.4	472,096	100.0%
Female Total	961	75.8%	401.8	125	61.3%	52.3	2	40.0%	0.8	1	50.0%	0.4	239,146	50.7%
American Indian/Alaska Native	3	0.4%	130.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,292	1.0%
Asian/Pacific Islander	44	5.8%	269.2	2	1.8%	12.2	0	0.0%	0.0	0	0.0%	0.0	16,343	6.8%
Black/African-American	60	7.9%	1,325.4	14	12.6%	309.3	0	0.0%	0.0	0	0.0%	0.0	4,527	1.9%
Latino/Hispanic	388	50.9%	656.8	52	46.8%	88.0	0	0.0%	0.0	1	100.0%	1.7	59,077	24.7%
White	267	35.0%	170.2	43	38.7%	27.4	2	100.0%	1.3	0	0.0%	0.0	156,907	65.6%
Not Specified	199	20.7%	-	14	11.2%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	303	23.9%	130.1	79	38.7%	33.9	3	60.0%	1.3	1	50.0%	0.4	232,950	49.3%
American Indian/Alaska Native	1	0.4%	45.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,180	0.9%
Asian/Pacific Islander	2	0.9%	12.5	2	4.3%	12.5	0	0.0%	0.0	0	0.0%	0.0	16,006	6.9%
Black/African-American	21	9.2%	439.6	10	21.3%	209.3	1	33.3%	20.9	1	100.0%	20.9	4,777	2.1%
Latino/Hispanic	129	56.3%	207.0	25	53.2%	40.1	0	0.0%	0.0	0	0.0%	0.0	62,326	26.8%
White	76	33.2%	51.5	10	21.3%	6.8	2	66.7%	1.4	0	0.0%	0.0	147,661	63.4%
Not Specified	74	24.4%	-	32	40.5%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Stanislaus County, the July 1, 2001 estimate is 465,600).

Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	1		0		3	
► MSM Cases	s		s		s	
►► HIV Positives among MSM	s		s		s	










s - numbers too small for analysis

Source: California Department of Health Services, STD Control Branch



Sutter County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female □ Male

— Female — Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



Sutter County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	167	100.0%	206.2	20	100.0%	24.7	0	0.0%	0.0	0	0.0%	0.0	83,999	100.0%
Female Total	137	82.0%	323.9	12	60.0%	28.4	0	0.0%	0.0	0	0.0%	0.0	42,292	50.3%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,373	15.1%
10 - 14	7	5.1%	223.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,126	7.4%
15 - 19	51	37.2%	1,680.4	4	33.3%	131.8	0	0.0%	0.0	0	0.0%	0.0	3,035	7.2%
20 - 24	51	37.2%	1,782.0	3	25.0%	104.8	0	0.0%	0.0	0	0.0%	0.0	2,862	6.8%
25 - 29	15	10.9%	545.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,751	6.5%
30 - 34	7	5.1%	269.0	4	33.3%	153.7	0	0.0%	0.0	0	0.0%	0.0	2,602	6.2%
35 - 44	6	4.4%	101.2	1	8.3%	16.9	0	0.0%	0.0	0	0.0%	0.0	5,926	14.0%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	15,617	36.9%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	30	18.0%	71.9	8	40.0%	19.2	0	0.0%	0.0	0	0.0%	0.0	41,707	49.7%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,719	16.1%
10 - 14	0	0.0%	0.0	1	12.5%	29.5	0	0.0%	0.0	0	0.0%	0.0	3,388	8.1%
15 - 19	6	20.0%	186.7	1	12.5%	31.1	0	0.0%	0.0	0	0.0%	0.0	3,213	7.7%
20 - 24	15	50.0%	478.8	3	37.5%	95.8	0	0.0%	0.0	0	0.0%	0.0	3,133	7.5%
25 - 29	5	16.7%	171.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,917	7.0%
30 - 34	4	13.3%	147.1	2	25.0%	73.6	0	0.0%	0.0	0	0.0%	0.0	2,719	6.5%
35 - 44	0	0.0%	0.0	1	12.5%	17.3	0	0.0%	0.0	0	0.0%	0.0	5,768	13.8%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	13,850	33.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	167	100.0%	206.2	20	100.0%	24.7	0	0.0%	0.0	0	0.0%	0.0	83,999	100.0%
Female Total	137	82.0%	323.9	12	60.0%	28.4	0	0.0%	0.0	0	0.0%	0.0	42,292	50.3%
American Indian/Alaska Native	1	0.8%	197.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	506	1.2%
Asian/Pacific Islander	4	3.3%	84.8	2	16.7%	42.4	0	0.0%	0.0	0	0.0%	0.0	4,717	11.2%
Black/African-American	11	9.0%	1,517.2	1	8.3%	137.9	0	0.0%	0.0	0	0.0%	0.0	725	1.7%
Latino/Hispanic	41	33.6%	542.0	2	16.7%	26.4	0	0.0%	0.0	0	0.0%	0.0	7,564	17.9%
White	65	53.3%	225.9	7	58.3%	24.3	0	0.0%	0.0	0	0.0%	0.0	28,780	68.1%
Not Specified	15	10.9%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	30	18.0%	71.9	8	40.0%	19.2	0	0.0%	0.0	0	0.0%	0.0	41,707	49.7%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	424	1.0%
Asian/Pacific Islander	1	3.8%	20.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,826	11.6%
Black/African-American	1	3.8%	129.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	770	1.8%
Latino/Hispanic	16	61.5%	194.6	4	57.1%	48.6	0	0.0%	0.0	0	0.0%	0.0	8,224	19.7%
White	8	30.8%	29.1	3	42.9%	10.9	0	0.0%	0.0	0	0.0%	0.0	27,463	65.8%
Not Specified	4	13.3%	-	1	12.5%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Sutter County, the July 1, 2001 estimate is 81,000).










Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		0	
► MSM Cases	0	0.0%	0	0.0%	0	0.0%
►► HIV Positives among MSM	0	0.0%	0	0.0%	0	0.0%



Tehama County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

Tehama County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	88	100.0%	155.8	2	100.0%	3.5	0	0.0%	0.0	0	0.0%	0.0	57,642	100.0%
Female Total	70	79.5%	238.4	2	100.0%	6.8	0	0.0%	0.0	0	0.0%	0.0	29,366	50.9%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,878	13.2%
10 - 14	1	1.4%	48.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,073	7.1%
15 - 19	36	51.4%	1,740.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,069	7.0%
20 - 24	23	32.9%	1,117.0	1	50.0%	48.6	0	0.0%	0.0	0	0.0%	0.0	2,059	7.0%
25 - 29	5	7.1%	279.5	1	50.0%	55.9	0	0.0%	0.0	0	0.0%	0.0	1,789	6.1%
30 - 34	4	5.7%	278.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,436	4.9%
35 - 44	1	1.4%	26.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,845	13.1%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,217	41.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	18	20.5%	63.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	28,276	49.1%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,949	14.0%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,074	7.3%
15 - 19	8	44.4%	365.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,191	7.7%
20 - 24	7	38.9%	293.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,387	8.4%
25 - 29	2	11.1%	107.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,863	6.6%
30 - 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,521	5.4%
35 - 44	1	5.6%	27.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,640	12.9%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,651	37.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	88	100.0%	155.8	2	100.0%	3.5	0	0.0%	0.0	0	0.0%	0.0	57,642	100.0%
Female Total	70	79.5%	238.4	2	100.0%	6.8	0	0.0%	0.0	0	0.0%	0.0	29,366	50.9%
American Indian/Alaska Native	1	1.5%	197.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	507	1.7%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	226	0.8%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	118	0.4%
Latino/Hispanic	28	42.4%	721.3	1	50.0%	25.8	0	0.0%	0.0	0	0.0%	0.0	3,882	13.2%
White	37	56.1%	150.2	1	50.0%	4.1	0	0.0%	0.0	0	0.0%	0.0	24,633	83.9%
Not Specified	4	5.7%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	18	20.5%	63.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	28,276	49.1%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	424	1.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	167	0.6%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	214	0.8%
Latino/Hispanic	10	55.6%	231.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,317	15.3%
White	8	44.4%	34.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	23,154	81.9%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Tehama County, the July 1, 2001 estimate is 56,500).










Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		0	
► MSM Cases	0	0.0%	0	0.0%	0	0.0%
►► HIV Positives among MSM	0	0.0%	0	0.0%	0	0.0%



Trinity County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

Trinity County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	4	100.0%	30.7	1	100.0%	7.7	0	0.0%	0.0	0	0.0%	0.0	13,605	100.0%
Female Total	3	75.0%	44.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,738	49.5%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	671	10.0%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	439	6.5%
15 - 19	1	33.3%	202.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	494	7.3%
20 - 24	2	66.7%	401.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	498	7.4%
25 - 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	436	6.5%
30 - 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	246	3.7%
35 - 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	817	12.1%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,137	46.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	1	25.0%	14.6	1	100.0%	14.6	0	0.0%	0.0	0	0.0%	0.0	6,867	50.5%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	712	10.4%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	441	6.4%
15 - 19	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	523	7.6%
20 - 24	1	100.0%	172.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	579	8.4%
25 - 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	472	6.9%
30 - 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	313	4.6%
35 - 44	0	0.0%	0.0	1	100.0%	125.6	0	0.0%	0.0	0	0.0%	0.0	796	11.6%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,031	44.1%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	4	100.0%	30.7	1	100.0%	7.7	0	0.0%	0.0	0	0.0%	0.0	13,605	100.0%
Female Total	3	75.0%	44.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,738	49.5%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	338	5.0%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	66	1.0%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11	0.2%
Latino/Hispanic	1	33.3%	483.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	207	3.1%
White	2	66.7%	32.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,116	90.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	1	25.0%	14.6	1	100.0%	14.6	0	0.0%	0.0	0	0.0%	0.0	6,867	50.5%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	343	5.0%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	51	0.7%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	48	0.7%
Latino/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	301	4.4%
White	1	100.0%	16.3	1	100.0%	16.3	0	0.0%	0.0	0	0.0%	0.0	6,124	89.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Trinity County, the July 1, 2001 estimate is 13,050).










Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		0	
► MSM Cases	0	0.0%	0	0.0%	0	0.0%
►► HIV Positives among MSM	0	0.0%	0	0.0%	0	0.0%



Tulare County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

Tulare County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,464	100.0%	389.6	94	100.0%	25.0	0	0.0%	0.0	0	0.0%	0.0	388,730	100.0%
Female Total	1,151	78.6%	592.4	54	57.4%	27.8	0	0.0%	0.0	0	0.0%	0.0	194,283	50.0%
Ages														
0 - 9	1	0.1%	2.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	37,054	19.1%
10 - 14	28	2.5%	172.6	1	1.9%	6.2	0	0.0%	0.0	0	0.0%	0.0	16,218	8.3%
15 - 19	429	37.8%	2,720.2	22	41.5%	139.5	0	0.0%	0.0	0	0.0%	0.0	15,771	8.1%
20 - 24	419	36.9%	2,742.9	11	20.8%	72.0	0	0.0%	0.0	0	0.0%	0.0	15,276	7.9%
25 - 29	144	12.7%	1,112.3	10	18.9%	77.2	0	0.0%	0.0	0	0.0%	0.0	12,946	6.7%
30 - 34	63	5.6%	529.6	5	9.4%	42.0	0	0.0%	0.0	0	0.0%	0.0	11,896	6.1%
35 - 44	41	3.6%	159.0	3	5.7%	11.6	0	0.0%	0.0	0	0.0%	0.0	25,781	13.3%
45+	9	0.8%	15.2	1	1.9%	1.7	0	0.0%	0.0	0	0.0%	0.0	59,341	30.5%
Not Specified	17	1.5%	-	1	1.9%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	313	21.4%	161.0	40	42.6%	20.6	0	0.0%	0.0	0	0.0%	0.0	194,447	50.0%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	38,390	19.7%
10 - 14	4	1.3%	23.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	17,076	8.8%
15 - 19	106	34.4%	640.7	6	15.4%	36.3	0	0.0%	0.0	0	0.0%	0.0	16,545	8.5%
20 - 24	110	35.7%	686.4	14	35.9%	87.4	0	0.0%	0.0	0	0.0%	0.0	16,026	8.2%
25 - 29	44	14.3%	307.2	10	25.6%	69.8	0	0.0%	0.0	0	0.0%	0.0	14,324	7.4%
30 - 34	22	7.1%	168.1	1	2.6%	7.6	0	0.0%	0.0	0	0.0%	0.0	13,088	6.7%
35 - 44	19	6.2%	72.1	5	12.8%	19.0	0	0.0%	0.0	0	0.0%	0.0	26,359	13.6%
45+	3	1.0%	5.7	3	7.7%	5.7	0	0.0%	0.0	0	0.0%	0.0	52,639	27.1%
Not Specified	5	1.6%	-	1	2.5%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,464	100.0%	389.6	94	100.0%	25.0	0	0.0%	0.0	0	0.0%	0.0	388,730	100.0%
Female Total	1,151	78.6%	592.4	54	57.4%	27.8	0	0.0%	0.0	0	0.0%	0.0	194,283	50.0%
American Indian/Alaska Native	1	0.1%	54.7	1	1.9%	54.7	0	0.0%	0.0	0	0.0%	0.0	1,828	0.9%
Asian/Pacific Islander	16	1.4%	156.0	1	1.9%	9.7	0	0.0%	0.0	0	0.0%	0.0	10,258	5.3%
Black/African-American	29	2.5%	1,087.4	6	11.3%	225.0	0	0.0%	0.0	0	0.0%	0.0	2,667	1.4%
Latino/Hispanic	841	73.8%	993.8	35	66.0%	41.4	0	0.0%	0.0	0	0.0%	0.0	84,625	43.6%
White	252	22.1%	265.5	10	18.9%	10.5	0	0.0%	0.0	0	0.0%	0.0	94,905	48.8%
Not Specified	12	1.0%	-	1	1.9%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	313	21.4%	161.0	40	42.6%	20.6	0	0.0%	0.0	0	0.0%	0.0	194,447	50.0%
American Indian/Alaska Native	4	1.3%	236.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,690	0.9%
Asian/Pacific Islander	4	1.3%	37.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,617	5.5%
Black/African-American	15	4.8%	549.5	6	15.0%	219.8	0	0.0%	0.0	0	0.0%	0.0	2,730	1.4%
Latino/Hispanic	246	79.4%	269.0	21	52.5%	23.0	0	0.0%	0.0	0	0.0%	0.0	91,442	47.0%
White	41	13.2%	46.6	13	32.5%	14.8	0	0.0%	0.0	0	0.0%	0.0	87,968	45.2%
Not Specified	3	1.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Tulare County, the July 1, 2001 estimate is 375,800).

Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	1		1		0	
► MSM Cases	s		s		0	0.0%
►► HIV Positives among MSM	s		s		0	0.0%










s - numbers too small for analysis

Source: California Department of Health Services, STD Control Branch



Tuolumne County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

Tuolumne County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	57	100.0%	102.2	1	100.0%	1.8	0	0.0%	0.0	0	0.0%	0.0	57,497	100.0%
Female Total	45	78.9%	164.0	1	100.0%	3.6	0	0.0%	0.0	0	0.0%	0.0	27,439	47.7%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,687	9.8%
10 - 14	3	6.7%	188.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,591	5.8%
15 - 19	27	60.0%	1,550.8	1	100.0%	57.4	0	0.0%	0.0	0	0.0%	0.0	1,741	6.3%
20 - 24	10	22.2%	508.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,968	7.2%
25 - 29	2	4.4%	125.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,599	5.8%
30 - 34	1	2.2%	64.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,553	5.7%
35 - 44	1	2.2%	25.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,907	14.2%
45+	1	2.2%	8.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,393	45.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	11	19.3%	36.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	30,058	52.3%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,949	9.8%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,698	5.6%
15 - 19	3	27.3%	153.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,956	6.5%
20 - 24	7	63.6%	270.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,589	8.6%
25 - 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,438	8.1%
30 - 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,322	7.7%
35 - 44	1	9.1%	21.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,648	15.5%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,458	38.1%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	57	100.0%	102.2	1	100.0%	1.8	0	0.0%	0.0	0	0.0%	0.0	57,497	100.0%
Female Total	45	78.9%	164.0	1	100.0%	3.6	0	0.0%	0.0	0	0.0%	0.0	27,439	47.7%
American Indian/Alaska Native	1	3.0%	244.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	409	1.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	276	1.0%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	137	0.5%
Latino/Hispanic	2	6.1%	125.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,591	5.8%
White	30	90.9%	119.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	25,026	91.2%
Not Specified	12	26.7%	-	1	100.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	11	19.3%	36.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	30,058	52.3%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	431	1.4%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	208	0.7%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,613	5.4%
Latino/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,983	9.9%
White	9	100.0%	36.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	24,823	82.6%
Not Specified	2	18.2%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Tuolumne County, the July 1, 2001 estimate is 55,800).









Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		0	
► MSM Cases	0	0.0%	0	0.0%	0	0.0%
►► HIV Positives among MSM	0	0.0%	0	0.0%	0	0.0%




Ventura County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



■ Female □ Male



— Female — Male

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



Ventura County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,235	100.0%	159.6	139	100.0%	18.0	1	100.0%	0.1	3	100.0%	0.4	763,586	100.0%
Female Total	982	79.5%	260.1	50	36.0%	13.2	0	0.0%	0.0	1	33.3%	0.3	377,523	49.4%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	58,924	15.6%
10 - 14	9	0.9%	31.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	28,435	7.5%
15 - 19	348	35.8%	1,318.6	16	32.0%	60.6	0	0.0%	0.0	0	0.0%	0.0	26,391	7.0%
20 - 24	349	35.9%	1,412.8	17	34.0%	68.8	0	0.0%	0.0	0	0.0%	0.0	24,702	6.5%
25 - 29	143	14.7%	611.9	6	12.0%	25.7	0	0.0%	0.0	1	100.0%	4.3	23,369	6.2%
30 - 34	65	6.7%	269.1	4	8.0%	16.6	0	0.0%	0.0	0	0.0%	0.0	24,158	6.4%
35 - 44	41	4.2%	72.4	6	12.0%	10.6	0	0.0%	0.0	0	0.0%	0.0	56,591	15.0%
45+	18	1.8%	13.3	1	2.0%	0.7	0	0.0%	0.0	0	0.0%	0.0	134,953	35.7%
Not Specified	9	0.9%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	252	20.4%	65.3	89	64.0%	23.1	1	100.0%	0.3	2	66.7%	0.5	386,063	50.6%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	62,154	16.1%
10 - 14	2	0.8%	6.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	29,894	7.7%
15 - 19	59	23.7%	215.1	11	12.5%	40.1	0	0.0%	0.0	0	0.0%	0.0	27,435	7.1%
20 - 24	94	37.8%	358.0	22	25.0%	83.8	0	0.0%	0.0	0	0.0%	0.0	26,254	6.8%
25 - 29	47	18.9%	183.2	19	21.6%	74.1	0	0.0%	0.0	0	0.0%	0.0	25,653	6.6%
30 - 34	16	6.4%	55.3	11	12.5%	38.0	0	0.0%	0.0	1	50.0%	3.5	28,912	7.5%
35 - 44	26	10.4%	42.7	17	19.3%	28.0	0	0.0%	0.0	1	50.0%	1.6	60,820	15.8%
45+	5	2.0%	4.0	8	9.1%	6.4	1	100.0%	0.8	0	0.0%	0.0	124,941	32.4%
Not Specified	3	1.2%	-	1	1.1%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,235	100.0%	159.6	139	100.0%	18.0	1	100.0%	0.1	3	100.0%	0.4	763,586	100.0%
Female Total	982	79.5%	260.1	50	36.0%	13.2	0	0.0%	0.0	1	33.3%	0.3	377,523	49.4%
American Indian/Alaska Native	1	0.1%	53.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,860	0.5%
Asian/Pacific Islander	27	3.0%	103.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	26,008	6.9%
Black/African-American	30	3.4%	372.6	3	6.5%	37.3	0	0.0%	0.0	0	0.0%	0.0	8,051	2.1%
Latino/Hispanic	604	67.8%	528.6	31	67.4%	27.1	0	0.0%	0.0	1	100.0%	0.9	114,273	30.3%
White	229	25.7%	100.7	12	26.1%	5.3	0	0.0%	0.0	0	0.0%	0.0	227,331	60.2%
Not Specified	91	9.3%	-	4	8.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	252	20.4%	65.3	89	64.0%	23.1	1	100.0%	0.3	2	66.7%	0.5	386,063	50.6%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,787	0.5%
Asian/Pacific Islander	3	1.3%	12.3	0	0.0%	0.0	0	0.0%	0.0	1	50.0%	4.1	24,405	6.3%
Black/African-American	16	6.8%	180.4	10	11.9%	112.8	0	0.0%	0.0	0	0.0%	0.0	8,867	2.3%
Latino/Hispanic	161	68.5%	129.0	39	46.4%	31.2	1	100.0%	0.8	1	50.0%	0.8	124,803	32.3%
White	55	23.4%	24.3	35	41.7%	15.5	0	0.0%	0.0	0	0.0%	0.0	226,201	58.6%
Not Specified	17	6.7%	-	5	5.6%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Ventura County, the July 1, 2001 estimate is 773,900).

Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	4		1		1	
► MSM Cases	0	0.0%	S	S	S	S
►► HIV Positives among MSM	0	0.0%	S	S	S	S










s - numbers too small for analysis

Source: California Department of Health Services, STD Control Branch



Yolo County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

Yolo County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	272	100.0%	155.9	37	100.0%	21.2	1	100.0%	0.6	0	0.0%	0.0	167,259	100.0%
Female Total	215	79.0%	255.6	17	45.9%	20.2	0	0.0%	0.0	0	0.0%	0.0	84,128	50.3%
Ages														
0 - 9	2	1.0%	16.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,992	14.3%
10 - 14	4	1.9%	70.0	3	17.6%	52.5	0	0.0%	0.0	0	0.0%	0.0	5,713	6.8%
15 - 19	68	32.9%	893.9	6	35.3%	78.9	0	0.0%	0.0	0	0.0%	0.0	7,607	9.0%
20 - 24	92	44.4%	947.2	6	35.3%	61.8	0	0.0%	0.0	0	0.0%	0.0	9,713	11.5%
25 - 29	26	12.6%	393.7	1	5.9%	15.1	0	0.0%	0.0	0	0.0%	0.0	6,604	7.8%
30 - 34	3	1.4%	43.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,840	8.1%
35 - 44	10	4.8%	84.1	1	5.9%	8.4	0	0.0%	0.0	0	0.0%	0.0	11,895	14.1%
45+	2	1.0%	8.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	23,764	28.2%
Not Specified	8	3.7%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	53	19.5%	63.8	20	54.1%	24.1	1	100.0%	1.2	0	0.0%	0.0	83,131	49.7%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,276	14.8%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,122	7.4%
15 - 19	17	33.3%	215.2	3	15.0%	38.0	0	0.0%	0.0	0	0.0%	0.0	7,899	9.5%
20 - 24	19	37.3%	184.9	5	25.0%	48.6	1	100.0%	9.7	0	0.0%	0.0	10,278	12.4%
25 - 29	9	17.6%	131.5	2	10.0%	29.2	0	0.0%	0.0	0	0.0%	0.0	6,846	8.2%
30 - 34	2	3.9%	31.7	6	30.0%	95.0	0	0.0%	0.0	0	0.0%	0.0	6,315	7.6%
35 - 44	3	5.9%	25.8	2	10.0%	17.2	0	0.0%	0.0	0	0.0%	0.0	11,647	14.0%
45+	1	2.0%	4.6	2	10.0%	9.2	0	0.0%	0.0	0	0.0%	0.0	21,748	26.2%
Not Specified	2	3.8%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	272	100.0%	155.9	37	100.0%	21.2	1	100.0%	0.6	0	0.0%	0.0	167,259	100.0%
Female Total	215	79.0%	255.6	17	45.9%	20.2	0	0.0%	0.0	0	0.0%	0.0	84,128	50.3%
American Indian/Alaska Native	2	2.2%	195.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,025	1.2%
Asian/Pacific Islander	5	5.5%	57.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	8,639	10.3%
Black/African-American	9	9.9%	480.8	5	62.5%	267.1	0	0.0%	0.0	0	0.0%	0.0	1,872	2.2%
Latino/Hispanic	43	47.3%	231.9	1	12.5%	5.4	0	0.0%	0.0	0	0.0%	0.0	18,543	22.0%
White	32	35.2%	59.2	2	25.0%	3.7	0	0.0%	0.0	0	0.0%	0.0	54,049	64.2%
Not Specified	124	57.7%	-	9	52.9%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	53	19.5%	63.8	20	54.1%	24.1	1	100.0%	1.2	0	0.0%	0.0	83,131	49.7%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,034	1.2%
Asian/Pacific Islander	1	4.5%	11.2	1	20.0%	11.2	0	0.0%	0.0	0	0.0%	0.0	8,892	10.7%
Black/African-American	2	9.1%	106.0	1	20.0%	53.0	0	0.0%	0.0	0	0.0%	0.0	1,887	2.3%
Latino/Hispanic	11	50.0%	55.5	2	40.0%	10.1	0	0.0%	0.0	0	0.0%	0.0	19,815	23.8%
White	8	36.4%	15.5	1	20.0%	1.9	1	100.0%	1.9	0	0.0%	0.0	51,503	62.0%
Not Specified	31	58.5%	-	15	75.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Yolo County, the July 1, 2001 estimate is 174,500).

Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		1	
► MSM Cases	0	0.0%	0	0.0%	s	s
►► HIV Positives among MSM	0	0.0%	0	0.0%	s	s










s - numbers too small for analysis

Source: California Department of Health Services, STD Control Branch



Yuba County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2001), Race/Ethnicity (2001), and Year



Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch

Yuba County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2001

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	165	100.0%	269.2	11	100.0%	17.9	1	100.0%	1.6	0	0.0%	0.0	64,938	100.0%
Female Total	133	80.6%	409.5	3	27.3%	9.2	1	100.0%	3.1	0	0.0%	0.0	32,477	50.0%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,620	17.3%
10 - 14	2	1.5%	63.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,131	9.6%
15 - 19	47	35.3%	1,732.4	1	33.3%	36.9	0	0.0%	0.0	0	0.0%	0.0	2,713	8.4%
20 - 24	53	39.8%	2,344.1	1	33.3%	44.2	1	100.0%	44.2	0	0.0%	0.0	2,261	7.0%
25 - 29	24	18.0%	1,257.9	1	33.3%	52.4	0	0.0%	0.0	0	0.0%	0.0	1,908	5.9%
30 - 34	5	3.8%	244.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,048	6.3%
35 - 44	2	1.5%	41.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,872	15.0%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,924	30.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	31	18.8%	95.5	8	72.7%	24.6	0	0.0%	0.0	0	0.0%	0.0	32,461	50.0%
Ages														
0 - 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,116	18.8%
10 - 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,113	9.6%
15 - 19	9	29.0%	312.1	1	12.5%	34.7	0	0.0%	0.0	0	0.0%	0.0	2,884	8.9%
20 - 24	9	29.0%	385.4	7	87.5%	299.8	0	0.0%	0.0	0	0.0%	0.0	2,335	7.2%
25 - 29	8	25.8%	403.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,981	6.1%
30 - 34	3	9.7%	129.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,312	7.1%
35 - 44	2	6.5%	40.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,940	15.2%
45+	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	8,780	27.0%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population ²	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	165	100.0%	269.2	11	100.0%	17.9	1	100.0%	1.6	0	0.0%	0.0	64,938	100.0%
Female Total	133	80.6%	409.5	3	27.3%	9.2	1	100.0%	3.1	0	0.0%	0.0	32,477	50.0%
American Indian/Alaska Native	2	1.9%	302.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	661	2.0%
Asian/Pacific Islander	1	1.0%	24.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,045	12.5%
Black/African-American	11	10.5%	973.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,130	3.5%
Latino/Hispanic	23	21.9%	535.3	1	33.3%	23.3	1	100.0%	23.3	0	0.0%	0.0	4,297	13.2%
White	68	64.8%	304.3	2	66.7%	9.0	0	0.0%	0.0	0	0.0%	0.0	22,344	68.8%
Not Specified	28	21.1%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	-	-
Male Total	31	18.8%	95.5	8	72.7%	24.6	0	0.0%	0.0	0	0.0%	0.0	32,461	50.0%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	679	2.1%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,927	12.1%
Black/African-American	4	16.7%	305.1	1	16.7%	76.3	0	0.0%	0.0	0	0.0%	0.0	1,311	4.0%
Latino/Hispanic	7	29.2%	147.1	1	16.7%	21.0	0	0.0%	0.0	0	0.0%	0.0	4,759	14.7%
White	13	54.2%	59.7	4	66.7%	18.4	0	0.0%	0.0	0	0.0%	0.0	21,785	67.1%
Not Specified	7	22.6%	-	2	25.0%	-	0	0.0%	-	0	0.0%	-	-	-

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Yuba County, the July 1, 2001 estimate is 61,300).

Note: Rates are per 100,000 population.

P&S Syphilis Males Cases	1999		2000		2001	
	#	%	#	%	#	%
Total Males Cases	0		0		0	
► MSM Cases	0	0.0%	0	0.0%	0	0.0%
►► HIV Positives among MSM	0	0.0%	0	0.0%	0	0.0%

